

TEL: +91-11-24632950 Extn: 2219/2233 AFS: VIDDYXAX FAX: +91-11-24615508 Email: gmais@aai.aero	INDIA AERONAUTICAL INFORMATION SERVICE AIRPORTS AUTHORITY OF INDIA RAJIV GANDHI BHAVAN SAFDARJUNG AIRPORT NEW DELHI – 110003	136/2026 09 JUL 2026
---	---	---

File No. ATM-19013(19)/1/2026-ATM

Following supplement is issued for information, guidance and necessary action.

sd/-

विपिन कुमार

VIPIN KUMAR

अध्यक्ष/CHAIRMAN

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

[EFFECTIVE DATE: 03 SEP 2026]

INSTRUMENT APPROACH CHART – RNP Y RWY 09 (CAT A/B/C) **KALABURAGI AIRPORT, KALABURAGI (VOGB)**

1. Following Instrument Approach Chart is issued for Kalaburagi Airport, Kalaburagi:
 - i. Instrument Approach Chart – RNP Y RWY 09 (CAT A/B/C)

AMENDMENT/CANCELLATION



1. **Insert** Instrument Approach Chart – RNP Y RWY 09 (CAT A/B/C) and associated Tabular Description of this AIP Supplement in VOGB AD 2.24 of eAIP India and amend list of charts accordingly.

**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 1567 ft
HEIGHTS RELATED TO
THR RWY 09 - ELEV 1566 ft

TWR 122.025 / 122.425

KALABURAGI (VOGB)
INDIA
RNP Y RWY 09
(CAT A/B/C)



DRG.NO.AAI/44-IALC/220125/19/06/2026

**INSTRUMENT
APPROACH
CHART**

**AERODROME ELEV 1567 FT
HIGHTS RELATED TO
THR RWY 09 -ELEV 1566 FT**

**KALABURGI (VOGB)
INDIA
RNP Y RWY 09 (Cat A/B/C)**

TABULAR DESCRIPTION- RNP Y RWY 09 (Cat A/B/C)

S. No.	Path Descriptor	Waypoint Identifier	Fly-Over	Course/Heading °M(°T)	Distance/Time (Nm/Min)	Turn direction	Altitude (ft)	Speed limit (Kts)	VPA/TCH (deg/ft)	Navigation Specification
010	IF	GB405	-	-	-	-	-FL070/ +4100.00	-185	-	RNP APCH
020	TF	GB404	-	267.68(266.43)	6.0	-	+4100.00	-185	-	RNP APCH
030	TF	GB403	-	177.74(176.49)	4.3	-	+4100.00	-185	-	RNP APCH
040	TF	GB402	-	117.71(116.46)	3.2	-	+3300.00	-185	-	RNP APCH
010	IF	GB404	-	-	-	-	+4100.00	-185	-	RNP APCH
020	TF	GB403	-	177.74(176.49)	4.3	-	+4100.00	-185	-	RNP APCH
030	TF	GB402	-	117.71(116.46)	3.2	-	+3300.00	-185	-	RNP APCH
010	IF	GB408	-	-	-	-	-FL070/ +4100.00	-185	-	RNP APCH
020	TF	GB407	-	267.87(266.62)	6.0	-	+4100.00	-185	-	RNP APCH
030	TF	GB406	-	357.74(356.49)	4.3	-	+4100.00	-185	-	RNP APCH
040	TF	GB402	-	057.75(056.50)	3.2	-	+3300.00	-185	-	RNP APCH
010	IF	GB407	-	-	-	-	+4100.00	-185	-	RNP APCH
020	TF	GB406	-	357.74(356.49)	4.3	-	+4100.00	-185	-	RNP APCH
030	TF	GB402	-	057.75(056.50)	3.2	-	+3300.00	-185	-	RNP APCH
010	IF	GB402	-	-	-	-	+3300.00	-	-	RNP APCH
020	TF	GB401	-	087.74(086.49)	3.1	-	@3300.00	-	-	RNP APCH
030	TF	RW09	Y	087.76(086.51)	5.3	-	@1616	-	3.00/50	RNP APCH
040	VA	-	-	087.78(086.53)	-	-	+3000	-210	-	RNP APCH
050	DF	GB408	-	-	-	R	-	-210	-	RNP APCH
060	HM	GB408	Y	268.00(266.75)	1 MIN	L	+4100	-210	-	RNP APCH
010	HM	GB405	Y	290.00(288.75)	1 MIN	R	+4100	-210	-	RNP APCH

Waypoint List:

Waypoint	Coordinates (WGS84) (Minimum resolution - DD:MM: SS.SS)
RW09	N 17:18:26.83E 76:57:11.06
GB401	N 17:18:07.49E 76:51:40.06
GB402	N 17:17:56.08E 76:48:25.94
GB403	N 17:19:22.06E 76:45:26.19
GB404	N 17:23:40.02E 76:45:09.72
GB405	N 17:24:02.64E 76:51:25.45
GB406	N 17:16:09.65E 76:45:38.51
GB407	N 17:11:51.69E 76:45:54.97
GB408	N 17:12:13.11E 76:52:10.37