

TEL: +91-11-24632950 Extn: 2219/2233 AFS: VIDDYXAX FAX: +91-11-24615508 Email: gmais@aai.aero	INDIA AERONAUTICAL INFORMATION SERVICE AIRPORTS AUTHORITY OF INDIA RAJIV GANDHI BHAVAN SAFDARJUNG AIRPORT NEW DELHI – 110003	164/2026
		20 AUG 2026

File No. ATM-19013(19)/1/2026-ATM

Following supplement is issued for information, guidance and necessary action.

sd/-

विपिन कुमार

VIPIN KUMAR

अध्यक्ष/CHAIRMAN

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

[EFFECTIVE DATE: 01 OCT 2026]

PAVEMENT CLASSIFICATION RATING **KANGRA AIRPORT, KANGRA (VIGG)**

INTRODUCTION

The purpose of this AIP Supplement is to inform external and internal stakeholders (Airlines, ANSP, Regulators etc.) of Kangra Airport, Kangra regarding the Aerodrome Pavement Strength Rating by ACR/PCR Method.

For details refer Aircraft Parking/Docking Chart.

AMENDMENT/CANCELLATIONS

The text of the amendments is arranged as shown below:

1.	Text to be deleted is shown with a line through it with grey shading.	Text to be deleted
2.	New text to be inserted is highlighted with yellow shading.	New text to be inserted
3.	Text to be deleted is shown with a line through and highlighted in grey shading Followed by the replacement text which is highlighted with yellow shading	New text to replace existing text

1. **Amend** VIGG AD 2.8 (APRONS, TAXIWAYS AND CHECK LOCATIONS/ POSITION DATA) in eAIP India as shown below:

1	Designation, surface and strength of aprons	Designation	APRON
		Surface	Composite of Flexible & Rigid
		Strength	PCN 30/F/B/W/T PCR 275/F/C/W/T
2	Designation, width, surface and strength of taxiways	Designation	A
		Width	15M
		Surface	Flexible/Composite of Flexible & Rigid
		Strength	PCN 33/F/B/W/T PCR 498/F/C/W/T
6	Remarks	1. ---- 2. ---- 3. ---- 4. ---- 5. ---- 6. ---- 7. PCN PCR value of turning pad at both ends: 27/F/B/W/T 285/F/C/W/T	

2. **Amend** Column 1 and 4 in VIGG AD 2.12 (RUNWAY PHYSICAL CHARACTERISTICS) of eAIP India as shown below:

Designations	Strength of pavement (PCN PCR) and associated data) and surface of runway and associated stopways	Remarks
1	4	14
15	33/F/B/W/T 460/F/C/W/T Asphalt	1. All Elevations in Gravity Model: EGM-08 2. PCN PCR of Turnpad RWY 15: 27/F/B/W/T 285/F/C/W/T
33	33/F/B/W/T 460/F/C/W/T Asphalt	1. All Elevations in Gravity Model: EGM-08 2. PCN PCR of Turnpad RWY 33: 27/F/B/W/T 285/F/C/W/T

3. **Replace** *Aerodrome Chart* in VIGG AD 2.24 of eAIP India with the *Aerodrome Chart of this AIP Supplement*.
4. **Replace** *Aircraft Parking/Docking Chart* in VIGG AD 2.24 of eAIP India with the *Aircraft Parking/Docking Chart of this AIP Supplement*.

AERODROME CHART 32°09'53.05"N
076°15'43.76"E AD.ELEV. 2527ft.

TWR 120.100
BACK UP 118.050


KANGRA, INDIA

KANGRA AIRPORT

RWY	DIRECTION	THR CO-ORDINATES	THR ELEV.	BEARING STRENGTH (PCR)
15	146°	32°10'12.60"N 076°15'33.05"E	2527	460/F/C/W/T
33	326°	32°09'34.73"N 076°16'00.88"E	2466	

- * DATUM : HORIZONTAL-WGS-84;
VERTICAL-EGM08
- * BEARINGS ARE MAGNETIC
- * DIMENSIONS IN METRES
- * ELEVATIONS IN FEET


N (TRUE)
N (Mag.)
01027.30E(2010)
ANNUAL RATE OF CHANGE 1'E



DECLARED DISTANCES (IN METRES)				
RWY	TORA	TODA	ASDA	LDA
15	1376	1376	1376	1376
33	1376	1376	1376	1376

SCALE
500 250 0 100 200 300 METRES
500 250 0 100 200 300 FEET

LEGEND	
DVOR CHECK POINT	
RWY HOLDING POINT	



DATE OF AERONAUTICAL INFORMATION
JUNE 2026

DRG.NO.-AAI/22-A.C./2026


AIRCRAFT PARKING/
DOCKING CHART

APRON ELEV. 2499ft.

TWR 120.100
BACK UP 118.050

KANGRA, INDIA

KANGRA AIRPORT



DATE OF AERONAUTICAL INFORMATION
JUNE 2026

DRG.NO.-AAI/23-PDC/2026