

TEL: +91-11-24632950 Extn: 2219/2233 AFS: VIDDYXAX FAX: +91-11-24615508 Email: gmais@aai.aero	INDIA AERONAUTICAL INFORMATION SERVICE AIRPORTS AUTHORITY OF INDIA RAJIV GANDHI BHAVAN SAFDARJUNG AIRPORT NEW DELHI – 110003	170/2026 01 SEP 2026
---	---	--

File No. ATM-19013(19)/1/2026-ATM

Following supplement is issued for information, guidance and necessary action.

sd/-

विपिन कुमार

VIPIN KUMAR

अध्यक्ष/CHAIRMAN

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

[EFFECTIVE DATE: 29 OCT 2026]

INSTRUMENT APPROACH CHART – RNP RWY 13 (CAT A/B/C) **JINDAL VIJAYNAGAR AIRPORT, VIDYANAGAR (VOJV)**

1. Following Instrument Approach Chart is issued for Jindal Vijayanagar Airport, Vidyanagar:
 - i. Instrument Approach Chart – RNP RWY 13 (CAT A/B/C)

AMENDMENT/CANCELLATION

1. **Insert** Instrument Approach Chart – RNP RWY 13 (CAT A/B/C) and its associated Tabular Description of this AIP Supplement in VOJV AD 2.24 of eAIP India and amend the list of charts accordingly.

**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 1686 ft
HEIGHTS RELATED TO
THR RWY 13- ELEV 1636 ft

**VIJAYANAGAR (VOJV)
INDIA
RNP RWY 13
(CAT A/B/C)**

TWR 129.225



076°30'E

076°40'E

ELEV, ALT IN FEET
DIST IN NAUTICAL MILES
BRG ARE MAGNETIC
VAR 1.33° (2010)

RNP APCH

Baro-VNAV not authorized
below 10°C & above 45°C



JV003

IF

3500

JV002

FAF

3200

(LNAV)

RW13

MAPt

(LNAV)

Transition Alt 5000

MISSED APPROACH

Speed restricted to 160 KIAS MAX
Climbing on course 136°, proceed direct to
JV902, then turn LEFT, proceed direct to
JV903, then proceed to JV005 to
join HOLD at 4900 ft or as instructed by ATC.

TCH 50

THR ELEV 1636

NAUTICAL MILES FROM THR RWY 13

OCA(H)	A	B	C	Distance/Altitude Information				
LNAV/VNAV	2194(558)			Distance to RW13	NM	4.8(FAF)	4	3
				Altitude	Ft	3200	2960	2650
LNAV	2430(794)			Rate of Descent/Ground Speed Information				
				Ground Speed	Kt	80	100	120
				Rate of Descent (5.24%)	Ft/Min	425	530	635

TABULAR-DESCRIPTION: RNP RWY 13 (CAT A/B/C)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-Over	Course °M(°T)	Distance (NM) /Time (MIN)	Turn direction	Altitude (FT)	Speed Limit (KT)	VPA/TCH (°/FT)	Navigation Specification
010	IF	JV005	-	-	-	-	+4900	-185	-	RNP APCH
020	TF	JV004	-	225.70 / 224.37	3.1	-	+4000	-185	-	RNP APCH
030	TF	JV003	-	180.69 / 179.36	3.1	-	+3500	-	-	RNP APCH
010	IF	JV007	-	-	-	-	+4900	-185	-	RNP APCH
020	TF	JV006	-	045.67 / 044.34	3.1	-	+4000	-185	-	RNP APCH
030	TF	JV003	-	090.68 / 089.35	3.1	-	+3500	-	-	RNP APCH
010	IF	JV008	-	-	-	-	+4900	-185	-	RNP APCH
020	TF	JV003	-	135.68 / 134.35	5.0	-	+3500	-	-	RNP APCH
010	IF	JV003	-	-	-	-	+3500	-	-	RNP APCH
020	TF	JV002	-	135.69 / 134.36	3.1	-	@3200	-	-	RNP APCH
030	TF	RW13	Y	135.70 / 134.37	4.8	-	@1686	-	-3.00/50	RNP APCH
040	CF	JV902	Y	135.74 / 134.41	-	-	-	-160	-	RNP APCH
050	DF	JV903	Y	-	-	L	-	-160	-	RNP APCH
060	TF	JV005	-	315.76 / 314.43	11.2	-	+4900	-160	-	RNP APCH
070	HM	JV005	Y	226.00 / 224.67	1 Min	R	+4900	-230	-	RNP APCH
010	HM	JV007	Y	046.00 / 044.67	1 Min	L	+4900	-230	-	RNP APCH

WAYPOINT INFORMATION: RNP RWY 13 (CAT A/B/C)

JV005	15°21'35.78"N 076°34'11.55"E
JV004	15°19'22.26"N 076°31'56.96"E
JV003	15°16'15.48"N 076°31'59.09"E
JV007	15°13'59.81"N 076°26'32.20"E
JV006	15°16'13.39"N 076°28'46.68"E
JV008	15°19'46.11"N 076°28'17.16"E
RW13	15°10'44.51"N 076°37'47.45"E
JV902	15°07'57.45"N 076°40'43.01"E
JV903	15°13'44.35"N 076°42'27.26"E
JV002	15°14'04.86"N 076°34'16.63"E