

TEL: +91-11-24632950 Extn: 2219/2233 AFS: VIDDYXAX FAX: +91-11-24615508 Email: gmais@aai.aero	INDIA AERONAUTICAL INFORMATION SERVICE AIRPORTS AUTHORITY OF INDIA RAJIV GANDHI BHAVAN SAFDARJUNG AIRPORT NEW DELHI – 110003	173/2026 01 SEP 2026
---	---	--

File No. ATM-19013(19)/1/2026-ATM

Following supplement is issued for information, guidance and necessary action.

sd/-

विपिन कुमार

VIPIN KUMAR

अध्यक्ष/CHAIRMAN

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

[EFFECTIVE DATE: 29 OCT 2026]

INSTRUMENT APPROACH CHART – RNP Y RWY 29L **INDIRA GANDHI INTERNATIONAL AIRPORT, DELHI (VIDP)**

1. Following Instrument Approach Chart is issued for Indira Gandhi International Airport, Delhi:
 - i. Instrument Approach Chart – RNP Y RWY 29L

AMENDMENT/CANCELLATION

1. **Insert** Instrument Approach Chart – RNP Y RWY 29L and its associated Tabular Description of this AIP Supplement in VIDP AD 2.24 of eAIP India and amend list of charts accordingly.

DELHI (VIDP)
INDIA
RNP Y RWY 29L



TABULAR DESCRIPTION: RNP Y RWY 29L

Serial Number	Path Descriptor	Waypoint Identifier	Fly-Over	Course °M(°T)	Distance/Time (NM/Min)	Turn direction	Altitude (ft)	Speed limit (Kts)	VPA/ TCH °/ft	Navigation Specification
010	IF	DP046					-FL090/+5000	-210		RNP APCH
020	TF	DP045		063.10(063.85°)	4.25		-FL090/+5000	-190		RNP APCH
030	TF	DP044		013.13(013.88°)	3.00		-FL080/+5000	-190		RNP APCH
040	TF	DP037		283.14(283.89)	9.33		-FL060/+5000	-190		RNP APCH
050	TF	DP030		283.06(283.81)	9.33		+2600	-160		RNP APCH
010	IF	DP032					-5000/+2600	-190		RNP APCH
020	TF	DP031		062.94(063.69°)	4.27		+2600	-190		RNP APCH
030	TF	DP030		012.97(013.72°)	3.00		+2600	-160		RNP APCH
010	IF	DP043					-FL090/+5000	-210		RNP APCH
020	TF	DP042		063.06(063.81°)	4.22		-FL080/+5000	-190		RNP APCH
030	TF	DP041		013.09(013.84°)	3.00		-FL070/+5000	-190		RNP APCH
040	TF	DP037		283.10(283.85)	4.67		-FL060/+5000	-190		RNP APCH
050	TF	DP030		283.06(283.81)	9.33		+2600	-160		RNP APCH
010	IF	DP039					-FL060/+5000	-210		RNP APCH
020	TF	DP038		063.02(063.77°)	4.26		-FL060/+5000	-190		RNP APCH
030	TF	DP037		013.05(013.80°)	3.00		-FL060/+5000	-190		RNP APCH
040	TF	DP030		283.06(283.81)	9.33		+2600	-160		RNP APCH
010	IF	DP035					+5000	-190		RNP APCH
020	TF	DP034		062.98 (063.73)	4.27		+4000	-190		RNP APCH
030	TF	DP033		013.01 (013.76)	3.00		+3600	-190		RNP APCH
040	TF	DP030		283.02 (283.77)	4.67		+2600	-160		RNP APCH
010	IF	DP030					+2600	-160		RNP APCH
020	TF	DP029		282.98 (283.73)	3.00		@2600	-160		RNP APCH
030	TF	RW29L	Y	282.95 (283.70)	5.59		@821	-160	-3.0/50.0	RNP APCH
040	CF	DP040		186.20 (186.95)		L	+2600	-210		RNP APCH
050	HM	DP040	Y	006.20(006.95)	1 MIN	R	+2600	-210		RNP APCH

Waypoint List RNP Y RWY 29L:

RNP Y RWY 29L - VIDP	
Waypoint Identifier	Coordinates
DP046	N 28:21:02.74E 77:31:04.92
DP045	N 28:22:55.35E 77:35:24.41
DP044	N 28:25:50.55E 77:36:13.40
DP037	N 28:28:04.96E 77:25:56.51
DP030	N 28:30:18.60E 77:15:39.19
DP032	N 28:25:29.43E 77:10:30.09
DP031	N 28:27:23.28E 77:14:50.73
DP043	N 28:22:10.67E 77:25:58.60
DP042	N 28:24:02.62E 77:30:16.15
DP041	N 28:26:57.85E 77:31:05.01
RW29L	N 28:32:20.84E 77:06:10.95
DP040	N 28:17:25.08E 77:04:07.51
DP029	N 28:31:01.39E 77:12:20.70
DP039	N 28:23:16.47E 77:20:47.72
DP038	N 28:25:09.70E 77:25:07.79
DP035	N 28:24:23.05E 77:15:38.96
DP034	N 28:26:16.59E 77:19:59.31
DP033	N 28:29:11.88E 77:20:47.91