

TEL: +91-11-24632950 Extn: 2219/2233 AFS: VIDDYXAX FAX: +91-11-24615508 Email: gmais@aai.aero	INDIA AERONAUTICAL INFORMATION SERVICE AIRPORTS AUTHORITY OF INDIA RAJIV GANDHI BHAVAN SAFDARJUNG AIRPORT NEW DELHI – 110003	180/2026
		15 SEP 2026

File No. ATM-19013(19)/1/2026-ATM

Following supplement is issued for information, guidance and necessary action.

sd/-

विपिन कुमार

VIPIN KUMAR

अध्यक्ष/CHAIRMAN

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

[EFFECTIVE DATE: 29 OCT 2026]

INSTRUMENT APPROACH CHART – RNP RWY 23
SARDAR VALLABHBHAI PATEL INTERNATIONAL AIRPORT
AHMEDABAD (VAAH)

1. Following Instrument Approach Chart is issued for Sardar Vallabhbhai International Airport, Ahmedabad:
 - i. Instrument Approach Chart – RNP RWY 23

AMENDMENT/CANCELLATION

1. **Replace** Instrument Approach Chart – RNP RWY 23 on page AD 2 VAAH 3-907, 16 MAY 2026 in eAIP India with the Instrument Approach Chart – RNP RWY 23 of this AIP Supplement.
2. **Replace** Tabular Description - RNP RWY 23 on Page AD 2 VAAH 3-908, 16 MAY 2024 in eAIP India with the Tabular Description - RNP RWY 23 of this AIP Supplement.

INSTRUMENT APPROACH CHART

AERODROME ELEV 190 ft


HEIGHTS RELATED TO
THR RWY 23 - ELEV 190 ft

APP 119.800/128.375
TWR 119.600/118.100

AHMEDABAD(VAAH)

INDIA

RNP RWY 23



TRANSITION ALTITUDE 4000

MISSED APPROACH

Speed restricted to MAX 210 KIAS

Climb 2200ft on course 225°, climbing
turn right proceed direct to AH828
then to AH826 to join hold at 2200 ft
or as instructed by ATC.

TCH 50

THR ELEV 190

NAUTICAL MILES FROM THR RWY 23

OCA(H)	A	B	C	D	Distance/Altitude Information					
LNAV/VNAV	730(540)	Distance to RWY23		NM	6.2(FAF)	6	5	4	3.1(SDF)	3
		Altitude		Ft	2200	2160	1840	1520	1230	1200
LNAV	730(540)	Rate of Descent/Ground Speed Information								
		Ground Speed		Kt	80	100	120	140	160	180
		Rate of Descent (5.24%)		Ft/Min	425	530	635	745	850	955

DRG.NO. AAI/131-IALC/030826/07-09-2026

TABULAR DESCRIPTION OF RNP RWY 23 (VAAH)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-Over	Course °M(°T)	Distance (Nm)	Turn direction	Altitude (ft)	Speed limit (Kts)	VPA/TCH °/ft	Navigation Specification
010	IF	AH831					-4000 +2200	-210		RNP APCH
020	TF	AH830		225.00(224.75)	3.00		+2200			RNP APCH
030	TF	AH829		225.00(224.75)	3.00		+2200			RNP APCH
010	IF	AH826					-4000 +2200	-210		RNP APCH
020	TF	AH824		134.95(134.70)	5.45		+2200			RNP APCH
030	TF	AH822		194.98(194.73)	3.10		+2200			RNP APCH
010	IF	AH825					-4000 +2200	-210		RNP APCH
020	TF	AH823		315.29(315.04)	5.45		+2200			RNP APCH
030	TF	AH822		255.00(254.75)	3.10		+2200			RNP APCH
010	IF	AH822					+2200			RNP APCH
020	TF	AH821		224.97(224.72)	3.50		@2200			RNP APCH
030	TF	RW23	Y	224.94(224.69)	6.2		@240		-3.0/50	RNP APCH
040	CA			224.93(224.68)			+2200	-210		RNP APCH
050	DF	AH828				R		-210		RNP APCH
060	TF	AH826		044.89(044.64)	12.34		+2200	-210		RNP APCH
070	HM	AH826	Y	135.00(134.75)	1 Min	L	+2200	-230		RNP APCH
010	HM	AH825	Y	315.00(314.75)	1 Min	R	+2200	-230		RNP APCH
010	HM	AH822	Y	225.00(224.75)	1 Min	L	+2200	-230		RNP APCH

Waypoints List (RNP RWY 23 VAAH):

Waypoint Identifier	Coordinates
AH821	N 23:09:41.89 E 072:43:29.00
AH822	N 23:12:11.62 E 072:46:09.36
AH823	N 23:13:00.76 E 072:49:24.15
AH824	N 23:15:12.12 E 072:47:00.70
AH825	N 23:09:08.63 E 072:53:34.97
AH826	N 23:19:02.97 E 072:42:48.31
AH828	N 23:10:14.69 E 072:33:23.13
AH831	N 23:18:36.43 E 072:53:02.17
AH830	N 23:16:28.20 E 072:50:44.50
AH829	N 23:14:19.93 E 072:48:26.89
RW23	N 23:05:18.48 E 072:38:47.25