

TEL: +91-11-24632950 Extn: 2219/2233 AFS: VIDDYXAX FAX: +91-11-24615508 Email: gmais@aai.aero	INDIA AERONAUTICAL INFORMATION SERVICE AIRPORTS AUTHORITY OF INDIA RAJIV GANDHI BHAVAN SAFDARJUNG AIRPORT NEW DELHI – 110003	190/2026 15 SEP 2026
---	---	---

File No. ATM-19013(19)/1/2026-ATM

Following supplement is issued for information, guidance and necessary action.

sd/-

विपिन कुमार

VIPIN KUMAR

अध्यक्ष/CHAIRMAN

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

[EFFECTIVE DATE: 29 OCT 2026]

INSTRUMENT APPROACH CHART – RNP Y RWY 01L
NETAJI SUBHASH CHANDRA BOSE INTERNATIONAL AIRPORT
KOLKATA (VECC)

1. Following Instrument Approach Chart is issued for Netaji Subhash Chandra Bose International Airport, Kolkata:
 - i. Instrument Approach Chart – RNP Y RWY 01L

AMENDMENT/CANCELLATION


1. **Replace** Instrument Approach Chart – RNP Y RWY 01L on page AD 2 VECC 3-901, 16 MAY 2024 in eAIP India with the Instrument Approach Chart – RNP Y RWY 01L of this AIP Supplement.
2. **Replace** Tabular Description and Waypoint Information – RNP Y RWY 01L on page AD 2 VECC 3-902, 16 MAY 2024 in eAIP India with the Tabular Description and Waypoint Information – RNP Y RWY 01L of this AIP Supplement.
3. **Cancel** NOTAM G0167/26, VIDPYNXX.

INSTRUMENT APPROACH CHART

AERODROME ELEV 20 FT
THR RWY 01L ELEV 18 FT


APP 127.900/119.300/127.300
TWR 118.100/118.025

KOLKATA(VECC)
INDIA
RNP Y RWY 01L



1. RWY 01L strip width - 266 M
 - a) 116 M west of Runway centreline
 - b) 150 M east of Runway centreline
2. Identify Runway 01L before landing.
3. Do not mistake BEHALA Airfield for Kolkata airfield, BEHALA Airfield (Rwy orientation 18/36) located 224°/12.2NM from Kolkata airfield

SCALE : 1:320,000
0 1 2 3 4 5 NM



MISSED APPROACH

Speed restricted to MAX 210 KIAS.

Climb on course 007°M to CC512, climbing turn right proceed direct to CC506, turn right to GOLEL. Hold at 4000 ft or as instructed by ATC.

THR Elev 18

TCH 50

NAUTICAL MILES FROM THR RWY 01L

		Distance / Altitude information for LNAV							
OCA(H)	A/B/C/D	Distance to RW01L	NM	6.1(FAF)	6	5	4	3.3(SDF)	3
		Altitude	Ft	2000	1980	1670	1350	1120	1030
		Ground Speed & Rate of Descent information							
LNAV/VNAV	350(332)	Ground Speed	Kt	80	100	120	140	160	180
LNAV	440(420)	Rate of Descent (5.24%)	Ft/min	425	530	635	745	850	955

DRG.NO. AAI/123-IALC/26/28/08/2026

**INSTRUMENT
APPROACH
CHART**

**AERODROME ELEV 20 FT
THR RWY 01L -ELEV 18 FT**

**KOLKATA (VECC)
INDIA
RNP Y RWY 01L**

Tabular Description - RNP Y RWY 01L VECC

Serial Number	Path Descriptor	Waypoint Identifier	Fly-Over	Course °M(°T)	Distance/Time (NM/min)	Turn direction	Altitude (ft)	Speed limit (Kts)	VPA/TCH	Navigation Specification
010	IF	CC304	-	-	-	-	+4000	-210	-	RNP APCH
020	TF	CC511	-	010.12(009.62)	6.07	-	+2000	-185	-	RNP APCH
010	IF	GOLEL	-	-	-	-	+4000	-210	-	RNP APCH
020	TF	CC504	-	278.75(278.25)	4.94	-	-	-	-	RNP APCH
030	TF	CC511	-	340.57(340.07)	3.05	-	+2000	-185	-	RNP APCH
010	IF	CC333	-	-	-	-	+4000	-210	-	RNP APCH
020	TF	CC503	-	069.32(068.82)	6.74	-	-	-	-	RNP APCH
030	TF	CC511	-	035.90(035.40)	3.04	-	+2000	-185	-	RNP APCH
010	IF	CC511	-	-	-	-	+2000	-185	-	RNP APCH
020	TF	CC510	-	006.70(006.20)	3.50	-	@2000	-	-	RNP APCH
030	TF	RW01L	Y	006.70(006.20)	6.07	-	@68	-	-3.00/50.0	RNP APCH
040	CF	CC512	Y	006.71(006.21)	-	-	-	-210	-	RNP APCH
050	DF	CC506	-	-	-	R	-	-210	-	RNP APCH
060	TF	GOLEL	-	188.45(187.95)	12.24	-	+4000	-210	-	RNP APCH
010	HM	GOLEL	Y	195.00(194.50)	1 MIN	L	+4000	-230	-	RNP APCH

WAYPOINT INFORMATION- RNP Y RWY 01L VECC

Waypoint	Coordinates (WGS84)
RW01L	22°38'24.95"N 088°26'38.43"E
CC304	22°22'52.07"N 088°24'25.72"E
CC333	22°23'56.44"N 088°16'49.89"E
CC503	22°26'22.99"N 088°23'37.17"E
CC504	22°25'59.58"N 088°26'38.81"E
CC506	22°37'26.84"N 088°33'45.03"E
CC510	22°32'21.83"N 088°25'55.90"E
CC511	22°28'52.33"N 088°25'31.40"E
CC512	22°43'24.22"N 088°27'13.52"E
GOLEL	22°25'17.00"N 088°31'55.45"E