

TEL: +91-11-24632950 Extn: 2219/2233 AFS: VIDDYXAX FAX: +91-11-24615508 Email: gmais@aai.aero	INDIA AERONAUTICAL INFORMATION SERVICE AIRPORTS AUTHORITY OF INDIA RAJIV GANDHI BHAVAN SAFDARJUNG AIRPORT NEW DELHI – 110003	200/2026
		15 SEP 2026

File No. ATM-19013(19)/1/2026-ATM

Following supplement is issued for information, guidance and necessary action.

sd/-

विपिन कुमार

VIPIN KUMAR

अध्यक्ष/CHAIRMAN

भारतीय विमानपत्तन प्राधिकरण

AIRPORTS AUTHORITY OF INDIA

[EFFECTIVE DATE: 29 OCT 2026]

PAVEMENT CLASSIFICATION RATING

VEER SURENDRA SAI AIRPORT, JHARSUGUDA (VEJH)

1. INTRODUCTION

The purpose of this AIP Supplement is to inform external and internal stakeholders (Airlines, ANSP, Regulators etc.) of Veer Surendra Sai Airport, Jharsuguda regarding the Aerodrome Pavement Strength Rating by ACR/PCR Method and other associated data.

AMENDMENT/CANCELLATION:

The text of the amendment is arranged to show deleted text with a line through it and new text highlighted with grey shading, as shown below:

1.	Text to be deleted is shown with a line through it with grey shading.	Text to be deleted
2.	New text to be inserted is highlighted with yellow shading.	New text to be inserted
3.	Text to be deleted is shown with a line through and highlighted in grey shading Followed by the replacement text which is highlighted with yellow shading	New text to replace existing text

2. **Amend** VEJH AD 2.2 (AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA) of eAIP India as shown below:

5	Name of aerodrome operator, address, telephone, telefax, e-mail address, AFS address, website (if available)	Airport Director, Airport Authority of India, V. S. S. Airport Jharsuguda	
		Tel	916645267011 +91 6645 267011
		Fax:	(91) 6645267012 +91 6645 267012
		Email	apd_vejh@aai.aero
7	Remarks	NIL 1. Aerodrome Reference Code: 4C	

3. **Amend** VEJH AD 2.3 OPERATIONAL HOURS of eAIP India as shown below:

7	Air Traffic Service	To be notified Refer NOTAM for ATS Operational Hours
---	---------------------	---

4. **Amend** VEJH AD 2.4 (HANDLING SERVICES AND FACILITIES) of eAIP India as shown below:

3	Fuelling facilities and capacity	IOCL Bowser: 19KL 1No. 16 KL 2 1 Nos, 11 KL 1 No. Storage Tank: 35 KL 2 Nos Total Capacity: 443 119 KL
---	----------------------------------	--

5. **Amend** VEJH AD 2.8 (APRONS, TAXIWAYS AND CHECK LOCATIONS/ POSITIONS DATA) of eAIP India as shown below:

3	Location and elevation of altimeter checkpoints	Location	On Apron. Aircraft Stand 1 and 2. On Apron All Aircraft Stands
		Elevation	Stand 1: 745 FT; Stand 2: 746 FT Refer Aircraft Parking/Docking Chart
4	Location of VOR checkpoints	AVBL at TWY A. Holding Point TWY A: 260 DEG/ 0.7 NM 215449.65N 0840300.05 E (752 FT/229.2 M)	

6. **Amend** VEJH AD 2.9 (SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS) of eAIP India as shown below:

2	Runway and taxiway markings and lights	RWY	Markings	THR, TDZ, Aiming point, Centreline, RWY edge, Designator.
			Lights	-----
		TWY	Marking	-----
			Lights	----
4	Remarks	NIL 1. Apron Flood lights available 2. WDI: 02 Nos. are available (Illuminated)		

7. **Amend** VEJH AD 2.11 (METEOROLOGICAL INFORMATION PROVIDED) of eAIP India as shown below:

10	Additional information, e.g. concerning any limitation of service.	TS Warning, Aerodrome Warning. From AMS Jharsuguda. Lighter Aircraft Warning
----	--	--

8. **Amend** Column 1 and 4 of VEJH AD 2.12 (RUNWAY PHYSICAL CHARACTERISTICS) of eAIP India as shown below:

Designations	Strength of pavement (PCN PCR) and associated data) and surface of runway and associated stopways
1	4
06	65/R/B/W/T 680/R/C/W/T Concrete
24	65/R/B/W/T 680/R/C/W/T Concrete

9. **Amend** VEJH AD 2.15 (OTHER LIGHTING, SECONDARY POWER SUPPLY ADDITIONAL INFORMATION) of eAIP India as shown below:

2	Location and lighting (if any) of anemometer/landing direction indicator;	LDI	1. Abeam TWY A; Illuminated. 2. Near Beginning of RWY 06; Illuminated
		Anemometer	At Met MET Office

10. **Replace** *Aerodrome Chart* in VEJH AD 2.24 of e-AIP with the *Aerodrome Chart of this AIP Supplement*.
11. **Replace** *Aircraft Parking/Docking Chart* in VEJH AD 2.24 of e-AIP with the *Aircraft Parking/Docking Chart of this AIP Supplement*.

AERODROME CHART 21°54'53.35"N AD.ELEV. 757ft.
084°02'55.29"E

JHARSUGUDA, INDIA


TWR 118.35/124.35

JHARSUGUDA AIRPORT

RWY	DIRECTION	THR. CO-ORDINATES	THR. ELEV	PCR
06	063°	21°54'30.41"N 084°02'27.34"E	752	680/R/C/W/T
24	243°	21°55'05.96"N 084°03'41.39"E	756	680/R/C/W/T

- * DATUM :
HORIZONTAL : WGS-84
VERTICAL : EGM-08
- * ELEVATIONS IN FEET
- * DIMENSIONS IN METERS


N(True)
N(Mag.)
VAR. 0°30'W 2010
ANNUAL RATE OF
CHANGE 1'E




LEGEND	
DVOR CHK POINT	
RWY HOLDING	

DECLARED DISTANCES (IN METRES)

RWY	TORA	TODA	ASDA	LDA
06	2391	2391	2391	2391
24	2391	2391	2391	2391



MARKING AIDS RUNWAY 06/24



DATE OF AERONAUTICAL INFORMATION
FEB, 2024

DRG.NO. AAI-19-ADC/CARTO-2024
updated as on 22.05.2026

AIRCRAFT PARKING/
DOCKING CHART

APRON ELEV 748ft


TWR 118.35/124.35

JHARSUGUDA, INDIA

JHARSUGUDA AIRPORT

* DATUM :
HORIZONTAL : WGS-84
VERTICAL : EGM-08
* ELEVATIONS IN FEET
* DIMENSIONS IN METERS

N(Mag.)
N(True)
VAR. 0°30'W 2010
ANNUAL RATE OF
CHANGE 1'E



LEGEND	
AIRCRAFT STAND	⊙6
RWY HOLDING	≡≡≡
DVOR CHK POINT	⊙

DETAIL OF AIRCRAFT STANDS					
STAND NO.	WGS CO-ORDINATES	ELEV.	SUITABILITY	PCR	AIRCRAFT STATUS
1	21°54'59.35150"N, 084°02'55.56284"E	748	A320	740/R/C/W/T	POWER IN/PUSH BACK
2	21°54'58.68909"N, 084°02'54.18536"E	748	A320	740/R/C/W/T	POWER IN/PUSH BACK
3	21°54'57.94632"N, 084°02'52.63519"E	746	A320	640/R/C/W/T	POWER IN/PUSH BACK
4	21°54'57.34346"N, 084°02'51.38183"E	745	A320	640/R/C/W/T	POWER IN/PUSH BACK
5	21°54'56.59845"N, 084°02'49.83297"E	744	A320	740/R/C/W/T	POWER IN/PUSH BACK
6	21°54'55.99630"N, 084°02'48.57858"E	743	A321	740/R/C/W/T	POWER IN/PUSH BACK
ISO.BAY	21°54'36.89386"N, 084°03'03.42925"E	749	—	680/R/C/W/T	POWER IN/POWER OUT

TAXIWAY DETAILS		
TWY	WIDTH	PCR
A	23M	740/R/C/W/T
B	23M	680/R/C/W/T
C	23M	740/R/C/W/T

DATE OF AERONAUTICAL INFORMATION
DECEMBER,2024

DRG.NO.AAI-20-PDC/CARTO-2024
updated as on 22.05.2026