

TEL: 91-44-22567040 FAX: 91-44-22561588 AFS: VOMMYNYX E-mail: nofvomm@aai.aero	 AIRPORTS AUTHORITY OF INDIA INTERNATIONAL NOTAM OFFICE CHENNAI AIRPORT CHENNAI-600027	NOTAM Series A <u>01 JUN 2026</u>
---	--	--

The following **A SERIES NOTAM** are valid as on **1st JUN 2026**. NOTAM not included in the list have been cancelled, time expired, superseded by AIP Supplement or incorporated in the AIP.

 NOTE: SUMMARY OF JAN 2026 SHOULD BE PRESERVED TILL NEXT JANUARY.

CHECKLIST	
YEAR=2018 1650 1651 1652	
YEAR=2024 1555 1993 2170	
YEAR=2026 0317 0318 0789 0790 0791 0792 0806 0807 0812 0843 0854	
0865 0871 0879 0887 0899 0900 0901 0902 0904 0908 0911	
0915 0920 0935 0964 0978 0979 0984 0985 1002 1003 1023	
1024 1041 1053 1056 1064 1072 1092 1113 1114 1121 1122	
1128 1138 1139 1140 1145 1182 1183 1184 1185 1187 1188	
1191 1192 1194 1196 1198 1214 1219 1226 1228 1243 1272	
1282 1297 1298 1303 1326 1348 1370 1385 1386 1401 1418	
1419 1426 1427 1430 1433 1439 1440 1452 1456 1462 1463	
1467 1468 1469 1471 1472 1473 1480 1487 1489 1492 1493	
1494 1513 1521 1524 1531 1534 1552 1555 1556 1558 1559	
1560 1568 1569 1574 1577 1593 1594 1595 1596 1599 1603	
1611 1618 1643 1646 1650 1651 1656 1657 1663 1664 1666	
1667 1671 1674 1680 1681 1682 1687 1688 1689 1693 1700	
1701 1705 1706 1707 1709 1710 1717 1722 1725 1726 1728	
1730 1731 1743 1744 1745 1747 1748 1754 1755 1757 1758	
1759 1760 1761 1764 1767 1769 1770 1771 1774	
HAL AIRPORT	VOBG
BENGALURU	
A0806/26	2603040901 / 2606030930
	ALL OPERATORS SHALL OBTAIN POSITIVE CLR FM HAL ATC ATLEAST 24 HR IN ADVANCE DUE SHORTAGE OF PRKG SPACE
A0807/26	2603040910 / 2606030930
	WIDENING WORK OF SERVICE ROAD INPR ALONG THE RWY09/27 STRIP BEYOND THE GRADED PORTION S OF RWY.PILOT TO EXER CTN FOR MEN AND MATERIAL.
A0915/26	2603140130 / 2606200630

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	EV SAT 0130-0630 RWY 09/27 NOT AVBL
A1226/26	2604081246 / 2607101420
	SS MINUS15-SS PLUS60 EXTENSIVE BAT ACT OVER AD. EXP DLA. AVOID ARR/DEP DRG THIS PERIOD
A1473/26	2605010540 / 2607310830
	ILS RWY27 APCH PROC NOT AVBL DUE EQPT UNDER REPLACEMENT
A1531/26	2605060953 / 2607310830EST
	ILS RWY27 LOC 'IBLR' 110.500MHZ GP 329.600MHZ AND DME 'IBLR' CH42X NOT AVBL

KEMPEGOWDA INTERNATIONAL AIRPORT VOBL

BENGALURU

A0789/26	2603040330 / 2606041230
	0330-1230 HORTICULTURE WIP ON BOTH SIDES OF RWY09R/27L AND RWY09L/27R SHOULDERS AT A DIST OF 80M RCL. MEN AND MATERIALS UPTO A HGT OF 4M WILL BE AVBL
A0790/26	2603040330 / 2606041230
	0330-1230 HORTICULTURE WIP ON SHOULDERS OF TWY A B G H P AND Q.EXER CTN
A0791/26	2603060330 / 2606041230
	0330-1230 PREVENTIVE MAINT OF TWY EDGE LGT ON SHOULDER INPR ALONG TWY A A1 A2 A4 A5 A6 A7 A8 A9 A10 A11 B4 B6 K B B1 B2 B3 D R S M N P P1 Q G G1 H H1 H2 H3 H4 H5 H6 H7 H8 H9 H10
A0792/26	2603060330 / 2606041230
	0330-1230 PREVENTIVE MAINT OF AERONAUTICAL GND LGT WIP ON BOTH SIDES OF RWY09R/27L AND RWY09L/27R SHOULDERS AT A DIST OF 80M RCL. MEN AND MATERIALS UPTO HGT OF 4M WILL BE AVBL
A0879/26	2603111525 / PERM
	REFER EAIP AD 2 VOBL.AMEND AND REPLACE SUB PARA 12.1 VIA TAXIWAY-B4 OF PARA 12 TAXING INTO APRON OF AD 2.23 ADDITIONAL INFORMATION WITH THE INFORMATION MENTIONED BELOW. 12.1 VIA TAXIWAY-B4 I)ALL CODE A/B/C TYPE OF AIRCRAFT TAXING FOR SOUTHERN STANDS V68 TO 32 SHALL TURN LEFT ON AIRCRAFT STAND TAXI LANE 'L3'. II)ALL CODE A/B/C TYPE OF AIRCRAFT TAXING FOR SOUTHERN STANDS 33 TO 506 SHALL TURN RIGHT ON AIRCRAFT STAND TAXI LANE 'L3'. III)ALL CODE A/B/C TYPE OF AIRCRAFT TAXING FOR NORTHERN STANDS 65 TO 507 SHALL TURN RIGHT ON AIRCRAFT STAND TAXI LANE 'L1'. IV)ALL CODE A/B/C TYPE OF AIRCRAFT TAXING FOR STANDS 66 TO 123 SHALL TURN LEFT ON AIRCRAFT STAND TAXI LANE 'L1/C' OR 'L3/D'.

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	V)ALL CODE D/E TYPE OF ACFT TAXIING FOR STANDS V69 TO 30 AND 67 TO 122 SHALL TURN LEFT ON ACFT STAND TAXI LANE L2
	VI) ALL CODE D/E TYPE OF ACFT TAXIING FOR STANDS 34 TO 502 AND 51 TO 64 SHALL TURN RIGHT ON ACFT STAND TAXI LANE L2
A1053/26	2603282359 / 2606272359
	TWY CL LGT ON TWY P BTN TWY G AND TWY H SWITCHED OFF TO AVOID INADVERTENT TURN. EXER CTN
A1128/26	2603310000 / 2606292359
	0000-0030 1630-2359 ADDN PRKG STANDS 33A AVBL FOR CODE C AND SMALLER ACFT. STAND COORD 131206.07N 0774212.61E, ELEV 901.6M, PCN 1143/R/B/W/T
A1182/26	2604070830 / 2606301030
	TUE 0830-1030 PORTION OF TWY B BTN TWY B2 AND TWY A1 AND PORTION OF TWY P BTN TWY A1 AND TWY P1 NOT AVBL DUE MAINT
A1183/26	2604100730 / 2607030830
	FRI 0730-0830 TWY B2 AND PORTION OF TWY B BTN TWY B1 AND TWY B2 NOT AVBL
A1184/26	2604090730 / 2607021030
	THU 0730-1030 TWY G, TWY H AND PORTION OF TWY P AND TWY Q BTN TWY N2 AND TWY H NOT AVBL DUE MAINT
A1185/26	2604080730 / 2607021030
	WED 0730-1030 1900-2100 THU 0730-1030 SOUTH RWY 09R/27L NOT AVBL DUE SKED MAINT
A1187/26	2604060830 / 2606291030
	MON 0830-1030 TWY A AND PORTION OF TWY Q BTN TWY A1 AND TWY P1 NOT AVBL DUE MAINT
A1188/26	2604080730 / 2607012100
	WED 0730-1030 1900-2100 TWY P, TWY Q, TWY G, TWY H NOT AVBL
A1370/26	2604220805 / 2607212359
	ACFT STAND MANOEUVRING GUIDANCE LIGHTS ON STAND 87,89,91,93,95,97,99,101,103 AND 105 NOT AVBL.
A1427/26	2604290130 / 2607292330
	0130-2330 MIGRATORY BIRD ACT ON NORTH RWY 09L/27R AND SOUTH RWY 09R/27L BTN 10FT TO 500FT AGL. PILOTS TO EXER CTN
A1430/26	2605040830 / 2608041030
	MON 0830-1030 1900-2100 TUE 0830-1030 NORTH RWY09L/27R NOT AVBL DUE MAINT
A1593/26	2605120530 / 2608111230
	CONST WIP SOUTH OF TWY A BTN TWY B6-K AND TWY K-B4. FOR CODE F ACFT OPS REQUIRED ADDN AREA WILL BE CLEARED WITH 30 MIN PRIOR NOTICE. PILOTS EXER CTN

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

A1603/26	2605130200 / 2608121830EST 0200-1830 BENGALURU ARR SECT OPR ON FREQ 121.250MHZ
A1717/26	2605250555 / 2608262359 INTERMEDIATE HLDG PSN LIGHTS ON TWY B1, TWY M, TWY N SHORT OF TXL C AND ON TWY N1 SHORT OF TXL N WILL BE SWITCHED ON FOR TESTING.PILOTS TO EXER CTN
A1757/26	2606041930 / 2606212330 THU-SUN 1930-2330 SOUTH RWY09R/27L NOT AVBL DUE PHOTOMETRIC TESTING.IN CASE OF OPR REQUIREMENT TEAM WILL VACATE THE AREA WI 15 MIN NOTICE
A1769/26	2606020830 / 2607071030 TUE 0830-1030 PORTION OF TXL L1 AND L2 BTN STAND 59 TO 64 NOT AVBL
VIJAYAWADA VOBZ	
A0843/26	2603061625 / 2606051700EST NEW INTEGRATED TERMINAL BUILDING CONST WIP WITH TALLER CRANES OF 70M HT BEHIND APN III BARRICADING(FM STAND 19 TO 24). PILOTS AND GND PERSONNEL TO EXER CTN.
A0979/26	2603200110 / 2606191700EST WIP IN BASIC STRIP OF RWY26 ON WATCH AND WARD BASIS DUE ILS REPLACEMENT.PILOTS TO EXER CTN.
A1064/26	2603290100 / 2606281620EST 0100-1620 HR OF SER: TWR/APP/ILS/DVOR/DME/ATIS/RFFS CAT-7
A1191/26	2604051115 / 2607041620EST ALL NON SKED ACFT TO CARRY TOW BAR ON BOARD TO FACILITATE PUSH BACK DUE TO SHORTAGE OF POWER IN POWER OUT BAYS
A1192/26	2604051119 / 2607041620EST GRASS CUTTING WIP ON EITHER SIDE OF RWY 08/26 IN BASIC STRIP.EXER CTN WHILE LDG/TKOF
A1194/26	2604051123 / 2607041620EST PAX BOARDING BRIDGE WORK, NOSE WHEEL MARKING OF STANDS 19,20,21,22,23 AND 24 SHIFTED TOWARDS NORTH TEMPORARILY BY 13M. PILOTS TO EXER CTN AND FLW MARSHALLER
A1196/26	2604051128 / 2607041620EST TWY A NOT AVBL DUE WIP
A1198/26	2604051132 / 2607041620EST STAND NR 14 NOT AVBL DUE WIP.PILOTS TO EXER CTN FOR MEN AND MACHINERY ON THE EASTERN SIDE OF APN
COIMBATORE VOGB	
A0901/26	2603130840 / PERM REF EAIP INDIA AD SECTION OF COIMBATORE VOGB AD 2.23 ADDN INFO PARA V AMENDED AS RWY TURN PAD, CAPABLE OF HANDLING B777-300 ER TYPE OF AIRCRAFT, PROVIDED AT BOTH ENDS OF RWY 05/23 FOR SPECIAL OPS WITH PRIOR

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	PERMISSION. PCR OF TURN PAD RWY 05/23: 554/F/B/W/T
A0902/26	2603130855 / PERM
	<p>REF EAIP INDIA AD SECTION OF COIMBATORE THE FLW AMENDMENTS ARE MADE IN VO CB AD 2.24, AS PER PAVEMENT CLASSIFICATION RATING (PCR) EVALUATION</p> <p>AIRCRAFT PARKING/DOCKING CHART TWY A - PCR 935/F/B/W/T TWY B - PCR 620/R/A/W/T TWY E - PCR 700/R/A/W/T TWY C AND ISOLATION BAY - PCR 643/R/A/W/T</p> <p>APN PRKG STANDS 01 TO 11 - 643/R/A/W/T APN PRKG STANDS 13, 14, 16 TO 20 - 800/R/C/W/T</p>
A0904/26	2603130935 / PERM
	<p>REF EAIP INDIA AD SECTION OF COIMBATORE THE FLW AMENDMENTS ARE MADE IN VO CB AD 2.12 COLUMN 4, AS PER PAVEMENT CLASSIFICATION RATING (PCR) EVALUATION. TITLE TO BE AMENDED AS RWY PHYSICAL CHARACTERISTICS, STRENGTH OF PAVEMENT (PCR AND ASSOCIATED DATA) AND SURFACE OF RUNWAY AND ASSOCIATED STOPWAYS RWY (05) PCR: 554/F/B/W/T RWY (23) PCR: 554/F/B/W/T</p> <p>THE FOLLOWING AMENDMENTS ARE MADE IN VO CB AD 2.12 COLUMN 14 REMARKS, AS PER PAVEMENT CLASSIFICATION RATING (PCR) EVALUATION. RWY (05) - POINT 2. RWY PCR (0-300M): PCR: 990/F/A/W/T (COMPOSITE) (300-2590M): PCR: 693/F/B/W/T (2590-2990M): PCR: 554/F/B/W/T RWY (23) - POINT 2. RWY PCR (0-400M) PCR: 554/F/B/W/T (400-2690M): PCR: 693/F/B/W/T (2690-2990M): PCR: 990/F/A/W/T (COMPOSITE)</p>
A1072/26	2603300430 / 2606260730EST
	<p>MON-FRI 0430-0730 ADS-B BASED ATS SURVEILLANCE SERVICES ARE PROVIDED TO SUITABLY EQUIPPED ACFT WI THE COVERAGE OF ADS-B SENSORS ON VHF 120.050MHZ WI COIMBATORE CTR/CTA BTN 0430 AND 0730 UTC AND BEYOND THIS TIME ADS-B BASED ATS SURVEILLANCE SERVICES ARE PROVIDED ON OPPORTUNITY BASIS</p>
A1577/26	2611020630 / 2702010930EST
	<p>MON WED 0630-0930 RWY 05/23 NOT AVBL</p>
COCHIN INTERNATIONAL VO CI	
A0854/26	2603081524 / 2606071355EST
	<p>PORTION OF TWY H FM INT OF TWY H1 TO HANGAR APN NOT AVBL. THIS PORTION WILL BE MADE AVBL ON RQMNTS BASIS</p>

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

A0978/26	2603190000 / 2606162359EST MEN AND MATERIAL BEYOND 105M FM RCL SOUTHSIDE AND 400M FM RWY27 THR DUE ILS GP RWY27 CIVIL WIP. PILOT TO EXER CTN
A1041/26	2603260230 / 2606251230EST MEN AND MATERIAL FM 75M TO 105M FM RCL SOUTHSIDE OF RWY27 DUE ILS GP RWY27 CIVIL WIP ON WATCH AND WARD BASIS. PILOTS TO EXER CTN
A1145/26	2603311620 / 2606301200EST TRANSMISSOMETER RWY 27 U/S.AUTOMATED RVR FOR RWY 27 AND RWY 09 IS PROVIDED USING FORWARD SCATTER METER.
A1272/26	2604210830 / 2607211200EST TUE 0830-1200 RWY 09/27 CLSD DUE MAINT
A1462/26	2604301256 / 2607311230 ACFT STANDS 35 AND 36 NOT AVBL
A1463/26	2604301258 / 2607311230 TAXILANES N AND N1 NOT AVBL
A1558/26	2605090000 / 2608082359EST 0000-0330 0530-2359 REF AIP VOI AD 2.18. TWR AND SMC UNITS ARE COMBIMNED AND OPR ON FREQ 118.800MHZ
A1682/26	2605200630 / PERM PAVEMENT STRENGTH AT COCHIN INTERNATIONAL AP DETERMINED AS PER ACFT CLASSIFICATION RATING -PAVEMENT CLASSIFCATION RATING METHOD. PAVEMENT CLASSIFICATION RATING VALUES(PCR) ARE AS FLW: RWY09/27-INITIAL 100M -950 R/A/W/T AND REMAINING PORTION 3300M OF RWY -850 F/A/W/T TWY C1-FIRST 78.4M LAST 32M-850 F/A/W/T REMAINING PORTION 47.6M OF TWYC1-990 R/A/W/T TWY C2,C3,C4-850 F/A/W/T TWY C5-FM RWY 92.2M FM TWY 55.5M-850 F/A/W/T REMAINING PORTION 159.1M OF TWY C5-990 R/A/W/T TWY C6-FM RWY 47.5M FM TWY 28M-850 F/A/W/T REMAINING PORTION 82.5M OF TWYC6-990 R/A/W/T TWYC7-FIRST 80.4M LAST 31.6M-850 F/A/W/T REMAINING PORTION 46M OF TWYC7-990 R/A/W/T TWY A,B,C,D,E,H,H1,D1,P -850 F/A/W/T TWY F,G-FM TWY C 86.5M-850 F/A/W/T REMAINING PORTION 214.3M OF TWY F,G-990 R/A/W/T TWY N,N1,J,J1,L,L1-990 R/A/W/T ISOLATION BAY-970 R/A/W/T APN PRKG STANDS 01L,1,01R,07-990 R/A/W/T APN PRKG STANDS 02L TO 06-960 R/A/W/T APN PRKG STANDS 08 TO 14-980 R/A/W/T APN PRKG STANDS 15 TO 23L-990 R/A/W/T APN PRKG STANDS 35 TO 36 -990 R/A/W/T APN PRKG STANDS 41 TO 43-890 R/A/W/T

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	APN PRKG STAND 44-900 R/A/W/T
	AMEND EAIP VOCL AD 2.12,AD 2.23 ACCORDINGLY
A1689/26	2605210330 / 2607251230
	0330-1230 CTN DUE GRADING WIP AT RWY 09 APCH ZONE BEYOND 210M FM THR AND OUTSIDE RESA. MACHINERY MAX HGT 3M AGL
A1748/26	2605271230 / 2608261230
	ALL NON-SKED OPR TO OBTAIN PRIOR PERMISSION FM COCHIN INTL FOR PRKG BAYS
A1755/26	2605290540 / 2606121200EST
	PSR NOT AVBL
A1758/26	2605290640 / 2606081100EST
	MULTILATERATION SURVEILLANCE SYSTEM PART OF ADVANCED SFC MOV GUIDANCE CTL SYSTEM NOT AVBL DUE EQPT.SMR AVBL
CALICUT VOCL	
A0317/26	2601290430 / PERM
	SUB-PARA (A) OF PARA 8 IN VOCL AD 2.23 REGARDING RESTRICTIONS ON AERODROME OPERATING MINIMA FOR CODE-C OPERATIONS IS DELETED. ACCORDINLGY RENUMBER SUCCEEDING SUB-PARAS
A0318/26	2601290430 / PERM
	REF LAST PARA IN VOCL AD 2.23 REGARDING EXEMPTION GRANTED BY DGCA FOR NON-COMPLIANT WIDTH OF RWY. THE PERIOD OF EXEMPTION IS AMD UP TO 07.09.2027 IN PLACE OF 07.09.2025 AND DATE OF DGCA LETTER IS AMD AS 10.09.2025 IN PLACE OF 08.09.2022
A1056/26	2603310900 / 2606301200EST
	TUE THU 0900-1200 RWY 10/28 NOT AVBL
A1114/26	2603300130 / 2606301630EST
	0130-0430 1130-1630 ADS B BASED SURVEILLANCE SER PROVIDED TO SUITABLY EQUIPPED ACFT FLYING WI THE JURISDICTION OF CALICUT AIRSPACE ON FREQ 122.950MHZ.BEYOND THIS PERIOD SURVEILLANCE SER WILL BE PROVIDED TO ADS B EQUIPPED ACFT ON REQUEST BASIS SUBJECT TO AVBL OF SUITABLY RATED CONTROLLERS.SURVEILLANCE SER WILL NOT BE AVBLDRG PROCEDURAL TRG AND PROFICIENCY CHECK OF ATCOS. REF E AIP INDIA VOCL AD 2.22
A1440/26	2604291237 / 2607311230EST
	KERF CUTTING WIP ON THE TURN PAD AT BEGINNING OF RWY10 AND RWY28 FOR THE INSTL OF TURN PAD LGT.PILOTS TO EXER CTN
A1480/26	2605021420 / 2606301230EST
	ADVANCED VISUAL DCKG GUIDANCE SYSTEM BAY NR 1 NOT AVBL
A1487/26	2605040500 / PERM
	NON SKED OPR TO OBTAIN POSITIVE CLR ATLEAST 24HR IN ADVANCE BEFORE OPERATING FLT TO CALICUT AP DUE ACUTE SHORTAGE OF ACFT STANDS.REQ FOR PERMISSION TO BE SENT THRU EMAIL TO:SLOTS.CALICUT(A)AAI.AERO INSERT IN VOCL AD 2.3(12) OF EAIP INDIA
A1524/26	2605060130 / 2608061630EST

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	0130-0430 1130-1630 TWR SMC COMBINED FREQ 123.350MHZ(MAIN), 119.150MHZ(SDBY) AND APP FREQ 122.950MHZ(MAIN), 119.150MHZ(SDBY). BEYOND THIS PERIOD, TWR/SMC AND APP AVBL ON 123.350MHZ(MAIN), 119.150MHZ(SDBY). REF EAIP INDIA VOCL AD 2.18
MOPA VOGA	
A1671/26	2605181506 / 2606201130
	VISUAL DCKG GUIDANCE SYSTEM FOR STAND 13 NOT AVBL DUE MAINT.PILOTS TO FLW MANUAL MARSHALLING FOR DCKNG TO STAND 13
A1688/26	2605201215 / 2608191415
	WED 1215-1415 RWY 10/28 NOT AVBL DUE MAINT
GOA VOGO	
A1468/26	2604301830 / 2608011829
	1.REAR HOOK ARRESTER GEAR SYSTEM INSTL AT 380M AND 600M SHORT OF STOP END RWY 08 AND RWY 26 RESPECTIVELY. 2.ARRESTING CABLE LAID OUT ACROSS FULL WIDTH OF RWY IN USE AT ABOVE STATED DISTANCES. 3.ARRESTING CABLE DOES NOT CONSTITUTE A HAZARD TO ACFT USING RWY.CABLE MAY BE TRAVERSED BY ALL TYPES OF ACFT WHILE TAX.
A1469/26	2604301830 / 2608011829
	PERM OBSTRUCTIONS WI FLT STRIP DUE REAR HOOK ACFT ARRESTING GEAR INSTL ON SHOULDERS OF RWY 08/26 INCLUDING EQPT AND CONCRETE PLINTH. 1.RWY 26 SIDE: DIST FM RWY 26 THR 380M DIST FM RWY EDGE 37M (EQPT HGT OF 2M) DIST OF PLINTH FM RWY EDGE 10M HGT 0.4M 2.RWY 08 SIDE: DIST FM RWY 08 THR 450M DIST FM RWY EDGE 37M (EQPT HGT OF 2M) DIST OF PLINTH FM RWY EDGE 10M HGT 0.4M 3.OBST MARKING AVBL
A1722/26	2605251530 / 2606021829
	BAY NR 03 NOT AVBL
A1774/26	2606010100 / 2606301300
	DLY 0100-0315 1015-1045 1130-1300 EXCESSIVE BIRD ACT OBS AROUND THE AIRFIELD. PILOTS TO EXER CTN WHILE TKOF/LDG
RAJIV GANDHI INTERNATIONAL AIRPORT, SHAMSHABAD VOHS	
A0935/26	2603160730 / PERM
	REF EAIP INDIA VOHS AD 2.1 SUB PARA 2.24 CHARTS RELATED TO AN AERODROME SNO.23 FOR RWY 27R READ TORA FOR TWY B2 INTERSECTION AS 3030M
A1121/26	2604020000 / 2607012359
	0000-1730 2330-2359 REF EAIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS PARA 5. AP COLLABORATIVE DECISION MAKING(ACDM) WILL BE IN PLACE. ACFT OPR TO UPDATE TARGET OFF BLOCK TIME(TOBT) AND ADHERE TO TARGET START UP APPROVAL TIME(TSAT)

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

A1122/26	2603301115 / 2606301230
	RWY09L IS NON PRECISION DUE WIP ALONG THE DRAIN IN BASIC STRIP
A1674/26	2605190028 / 2608191230
	GRASS CUTTING AND PESTICIDE SPRAYING WIP ON BOTH SIDES OF RWY 09R/27L SHOULDERS AT A DIST OF 107M FM RWY CL. PILOTS TO EXER CTN
A1705/26	2605220930 / 2606251230
	REF E-AIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS PARA 4 SUB PARA 4.2. TWY B1 NOT AVBL AS AN ALTN ISOLATION PRKG PSN DUE WIP
A1706/26	2605220930 / 2606251230
	WIP AT DIST OF 110M NORTH OF RWY 09L/27R CL BTN TWY B1 AND TWY B2.MAX EQPT HGT WILL BE 2.5M.PILOTS TO EXER CTN
A1707/26	2605220930 / 2606251230
	TWY B1 AVBL UPTO CODE C OPS UNDER TOWING AND FLW ME GUIDANCE WITH ONE HOUR MNM PRIOR NOTICE
A1770/26	2605291245 / 2607031230
	VISUAL DCKG GUIDANCE SYSTEM FOR STANDS 44,45,46,47,48 NOT AVBL FOR OPS.PILOTS TO FLW MARSHALLER FOR PRKG GUIDANCE
KANNUR VOKN	
A1219/26	2604080000 / 2607072359
	GRASS CUTTING WIP BEYOND 75M FM RWY CL ON EITHER SIDES OF RWY STRIP.EXER CTN FOR PRESENCE OF MEN AND EQPT
A1710/26	2605270600 / 2608260700
	WED 0600-0700 RWY 07/25 CLSD DUE SKED MAINT
MADURAI VOMD	
A1771/26	2605291430 / 2606011200EST
	DIGITAL CURRENT WX INSTR SYSTEM RWY 09 U/S
CHENNAI FIR VOMF	
A0812/26	2603050030 / 2606051230
	SR-SS GEO PHYSICAL SURVEY USING ACFT CESSNA C208B WITH REG VHZKG AND VHZKA WI AREA BOUNDED BY COORD: 140622N 0742838E-150016N 0753243E- 160004N 0753231E-160042N 0740037E- 161758N 0740053E-161641N 0732911E- 160618N 0733053E-152118N 0743308E- 141933N 0743845E-141021N 0742732E- 140622N 0742838E FROM : SFC TO : 7000FT AMSL
A0871/26	2603150001 / 2606141400
	0001-0200 1200-1400 MET AIR BALLOON FLT WITH PAYLOAD OF RADIOSONDE WILL BE RELEASED FM INDIAN NAVAL SHIP, DETAILS MENTIONED BLW: COORD OF LAUNCH 1500N 07100E-1530N 07330E-1200N 07200E- 1300N 07400E-1500N 07100E

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	<p>TYPE OF BALLOON: HELIUM FILLED BALLOON CAT: MET RDL AREA: 140-170NM WT OF UNFILLED BALLOON: 600 GRAMS RATE OF ASCENT: 300M PER MIN BURSTING ALT: 30KM AND ABV FLT DUR: APPROX 2 HR FROM : SFC TO : UNL</p>
A0887/26	2604060900 / 2606291200
	<p>MON 0900-1200 FRI 0900-1200 1230-1430 EXC MAY 01 ANTI-ACFT FRNG RANGE VOD172 (COCHIN) ACT FROM : SFC TO : 33000FT AMSL</p>
A0908/26	2603131100 / 2606121300
	<p>2300-0100 1100-1300 RDO SONDE MET UNMANNED FREE HYDROGEN BALLOON WILL BE RELEASED FM INDIAN NAVAL SHIP PARUNDU NAVAL AIR STN (ARP COORD: 091921.328N 0785819.487E) FOR MET OBS AS PER FLW DETAILS: LAUNCH SITE:0919N07858E BALLOON FLT ID/NDB:400MHZ-406MHZ CLASSIFICATION AND DESCRIPTION:LIGHT WT CAT,WT 350GRAMS COLOUR: WHITE DIAMETER:1.5M HYDROGEN FILLED RATE OF ASCENT:300M/MIN MAX VERTICAL EXTENSION:UPTO 40KM EET TO PASS 18KM: 01HR MAX LIFE SPAN OF BALLOON: 03HR FROM : GND TO : UNL</p>
A1002/26	2606030830 / 2606031200
	<p>GPS SONDE BALLOON LAUNCH WILL TAKE PLACE AS PER THE FLW DETAILS: LAUNCH SITE: PACHAL,NAMAKKAL LAUNCH COORD: 112440N0780939E BALLOON COLOR: WHITE MAX MASS OF BALLOON WITH PAYLOAD:1200 GRAMS BALLOON CLASSIFICATION:LIGHT BALLOON DIAMETER : 3M TYPE OF GAS TO BE FILLED:HELIUM SIZE OF SONDE: 15X45 CM CEILING ALT: 40KM FLOATING AREA:100KM FLOATING TIME:1HR 30MIN ASCENT RATE: 3M/SEC TO 5M/SEC IN FIRST 10KM ALT REGION TOTAL DUR OF FLT:3HR 30MIN FREQ OF OPERATION: 400MHZ TO 406MHZ FROM : GND TO : UNL</p>
A1003/26	2606180830 / 2606181200
	<p>GPS SONDE BALLOON LAUNCH WILL TAKE PLACE AS PER THE FLW DETAILS:</p>

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	<p>LAUNCH SITE: PACHAL,NAMAKKAL LAUNCH COORD: 112440N0780939E BALLOON COLOR: WHITE MAX MASS OF BALLOON WITH PAYLOAD:1200 GRAMS BALLOON CLASSIFICATION:LIGHT BALLOON DIAMETER : 3M TYPE OF GAS TO BE FILLED:HELIUM SIZE OF SONDE: 15X45 CM CEILING ALT: 40KM FLOATING AREA:100KM FLOATING TIME:1HR 30MIN ASCENT RATE: 3M/SEC TO 5M/SEC IN FIRST 10KM ALT REGION TOTAL DUR OF FLT:3HR 30MIN FREQ OF OPERATION: 400MHZ TO 406MHZ FROM : GND TO : UNL</p>
A1092/26	2604010130 / 2606301330
	<p>0130-1330 AERO SPORTS ACT LIKE PARAGLIDING AND MICROLIGHT FLYING UNDER VMC WI AREA BOUNDED BY 131424N0775217E-131451N0775046E- 131521N0775523E-131445N0775248E- 131424N0775217E FROM : SFC TO : 3500FT AMSL</p>
A1228/26	2604100001 / 2607081400
	<p>0001-0200 1200-1400 MET AIR BALLOON FLT LAUNCH FM INDIAN NAVAL SHIP HANSA. DETAILS MENTIONED BLW: LCA OF LAUNCH : 152231N0734947E TYPE OF BALLOON : HYDROGEN FILLED BALLOON CAT : MET RADIAL AREA : 50 NM WT OF UNFILLED BALLOON : 350 GRAMS DIAMETER OF FILLED BALLOON : 141 CM WT OF RDO SONDE : 300 GRAMS RATE OF ASCENT : 300 M PER MIN BURSTING ALT : 30 KM FLOATING TIME : 0200 HR FROM : SFC TO : UNL</p>
A1282/26	2604170100 / 2606260300
	<p>FRI 0100-0300 HYDROGEN BALLOON LAUNCH WILL TAKE PLACE WITH FLW DETAILS: LAUNCH COORD:104300N0790600E TYPE OF BALLOON :JR-27 BALLOON COLOUR :PINK DIAMETER OF BALLOON :01M TYPE OF GAS FILLED :HYDROGEN FLOATING AREA :30 KM ASCENT RATE:175M/MIN MAX HGT:12 KM FROM : SFC TO : 40000FT AMSL</p>

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

A1348/26	<p>2604210130 / 2606101230</p> <p>0130-1230</p> <p>GEO PHYSICAL SURVEY USING ACFT C-208B WITH REG VTASU AND VTIC WI AREA BOUNDED BY COORD:</p> <p>1148N 07555E- 1236N 07643E- 1236N 07659E- 1239N 07659E- 1240N 07714E- 1242N 07719E- 1245N 07759E- 1214N 07759E- 1213N 07744E- 1133N 07606E- 1148N 07555E</p> <p>FROM : GND TO : 4000FT AMSL</p>
A1401/26	<p>2604302300 / 2607301300</p> <p>2300-0100 1100-1300</p> <p>RDO SONDE HYDROGEN BALLOON WILL BE LAUNCHED FM GARUDA NAVAL AIR STN FOR MET OBS.</p> <p>DETAILS ARE AS FLW:</p> <p>LAUNCH SITE COORD:095653.66N 0761626.47E</p> <p>WT:300GRAMS</p> <p>COLOUR:CREAMY WHITE</p> <p>RATE OF ASCENT:300M PER MIN</p> <p>MAX VER LIMIT:60000-80000FT</p> <p>SIZE OF IMPACT: 50-70KM TOWARDS WEST FM LAUNCH STN</p> <p>MAX LIFE SPAN OF BALLOON: NEARLY 02HR 30MIN</p> <p>OPR FREQ:400-405MHZ</p> <p>DIAMETER:APRX 01M</p> <p>FROM : GND TO : UNL</p>
A1439/26	<p>2604291200 / 2607290300</p> <p>1200-2359 0000-0300</p> <p>CHENNAI CTL AREA-SECTOR UPPER THIRUVANANTHAPURAM(UTV) CONSOLIDATED WITH THIRUVANANTHAPURAM CTL AREA.</p> <p>OPR FREQ 125.95MHZ(MAIN),132.25MHZ(SDBY).</p> <p>UNIT PROVIDING SER:THIRUVANANTHAPURAM ACC.</p> <p>FOR FLIGHTS TRANSITING THRU UPPER THIRUVANANTHAPURAM(UTV) SECT ON ATS ROUTES P570,P895,M641, M300,UL425,L899,R457,R461,N640,G325</p> <p>FPL TO BE ADDRESSED TO VOMLZRZX VOTVZRZX.</p> <p>BEYOND THE NOTIFIED PERIOD, IN CASE OF ANY CONTINGENCY CHENNAI CTL AREA-SECTOR UPPER THIRUVANANTHAPURAM(UTV) CONSOLIDATED WITH THIRUVANANTHAPURAM CTL AREA.</p> <p>REF E-AIP INDIA ENR 2.1.2 CHENNAI CTL AREA-SECTOR UPPER THIRUVANANTHAPURAM(UTV)</p>
A1471/26	<p>2605010030 / 2607301230</p> <p>0030-1230</p> <p>PARAMOTORING ACT WI 1NM RADIUS OF 115452N0794944E.</p> <p>FROM : GND TO : 500FT AGL</p>

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

A1472/26	2605010430 / 2606301230 0430-1230 PARAMOTORING ACT ALONG LINE JOINING THE COORD 115111.4N794838.4E TO 115506.2N794941.5E FROM : GND TO : 300FT AGL
A1552/26	2605080830 / 2608071000 0830-1000 GRAW RADIOSONDE LAUNCH FROM COCHIN UNIVERSITY FOR GETTING UPPER WEATHER DATA. DETAILS ARE AS FLW: LAUNCH SITE COORD: 100241N 0761934E WT OF SONDE :90GRAMS COLOUR:OFF WHITE DIAMETER:1.2 M LENGTH OF CODE:20M RATE OF ASCENT:250-300 M/MIN FLOATING TIME: 1.0- 1.5 HR MAXIMUM VER LIMIT: APRX 25KM FLOATING AREA: 20NM FROM : GND TO : UNL
A1555/26	2605090030 / 2608080030 VOD 179A ACT FROM : GND TO : 5000FT AMSL
A1556/26	2605090030 / 2608080030 VOD 179B ACT FROM : GND TO : 6000FT AMSL
A1559/26	2605080100 / 2608051230 0100-1230 MULTI SENSOR AIRBORNE GEOPHYSICAL SURVEY WILL BE CARRIED OUT WI THE AREA BOUNDED BY THE FLW COORD: 140630N0740520E- 153815N0732123E- 153828N0741155E- 151147N0742411E- 150748N0743111E- 142248N0743641E- 140630N0740520E FROM : SFC TO : 265FT AGL
A1560/26	2605080100 / 2608051230 0100-1230 MULTI SENSOR AIRBORNE GEOPHYSICAL SURVEY WILL BE CARRIED OUT WI THE AREA BOUNDED BY THE FLW COORD: 150008N0753248E-150007N0755954E- 130707N0755956E-130634N0744437E- 140128N0742811E-150008N0753248E FROM : SFC TO : 7000FT AMSL
A1599/26	2605121002 / 2608121300EST REF E-AIP INDIA, ENR-2 AIR TFC SERVICES AIRSPACE ENR 2.1 FLT INFO REGION (FIR), TERMINAL AREA(TMA)-UNDER CHENNAI

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	<p>CTL AREA-SECT UMM.</p> <p>1.DRG HIGH DENSITY TFC DYNAMIC BIFURCATION OF UMM SECT INTO UMM-NORTH AND UMM-SOUTH ON TRIAL BASIS WILL BE IN PROGRESS</p> <p>2.UMM-SOUTH AREA BOUNDED BY COORD:</p> <p>140100N 0791657E THEN ALONG ANTICLOCKWISE ARC OF 80NM RADIUS CENTERED AT (125936.1N0801014.5E) TO 130000N0784800E;130000N0782500E; 124500N0782500E;122805N0791655E; THEN ALONG CLOCKWISE ARC OF 100NM RADIUS CENTERED AT 125705.1N0773955.7E TO 112130N0780745E;111400N0781200E; 110300N0781700E;100000N0794000E;100000N0800000E; 100000N0814141E; THEN ALONG THE ANTICLOCKWISE ARC OF 200NM CENTERED AT (125936.1N0801014.5E) TO 123935N0833323E 125930N0833920E 134411N0821108E 131746N0803544E 131926N0802640E 131542N0800853E 133716N0795532E TO 140100N0791657E</p> <p>FL460/FL145</p> <p>FREQ-125.300MHZ MAIN, 133.950MHZ, SDBY</p> <p>3.UMM-NORTH AREA BOUNDED BY COORD:</p> <p>140100N0791657E 133716N0795532E 131542N0800853E 131926N0802640E 131746N0803544E 134411N0821108E 125930N0833920E 160538N0843552E 164604N0823847E 165700N0822430E 171500N0820000E 155900N0791300E 155800N0784500E 142300N0785400E 140100N0791657E</p> <p>FL460/FL145</p> <p>170916N0820800E 165700N0822430E 164604N0823847E 160538N0843552E 163721N0845647E 184100N0824900E 184250N0820000E 175100N0820000E 171500N0820000E 170916N0820800E</p> <p>FL255/FL145</p> <p>FREQ-134.250MHZ MAIN, 133.950MHZ SDBY FROM : FL145 TO : FL460</p>
A1643/26	2605150430 / 2606131130
	<p>0430-1130</p> <p>AERIAL SURVEY WI AREA BOUNDED BY COORD:</p> <p>171257N0800242E- 165624N0803135E- 170127N0804715E- 164059N0805413E- 162521N0813201E- 161515N0813253E-</p>

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	<p>153959N0810157E- 155109N0802956E- 161608N0795116E- 164451N0795713E- 171257N0800242E DETAILS OF FLIGHT: BASE OF OPERATION: RGIA HYDERABAD/VIJAYAWADA CALL SIGN AND TYPE:VTEBB/VTEQK, SKA B-200 FROM : 8500FT AMSL TO : 9500FT AMSL</p>
A1646/26	<p>2605180030 / 2608101730 MON WED FRI 0030-0930 1230-1730, TUE THU SAT 0030-0430 1130-1730 DRONE OPS NEAR KURNOOL,ANDHRA PRADESH. 1.LCA COORD : 154241.50N 0780939.40E 2.RADIUS OF FLY CIRCLE : 3NM AROUND 154241.50N0780939.40E 3.DRONE WT : 75KG 4.DRONE SPEED : CRUISE SPEED: 55NM(99KMH) RATE OF CLIMB: UPTO 1000FPM RATE OF DESCEND: 600FPM PILOTS TO EXER CTN FROM : GND TO : 4000FT AGL</p>
A1657/26	<p>2606010900 / 2606302330 0900-1130 1200-1430 1800-2030 2100-2330 GPS SONDE/RADIOSONDE MET UNMANNED BALLOON FLT OPS FM DEPARTMENT OF SPACE,NATIONAL ATMOSPHERIC RESEARCH LABORATORY,GADANKI AS FLW: 1.LAUNCH SITE:132848N0791048E 2.BALLOON FLT ID/NDB:NARL,GADANKI/400MHZ-406MHZ 3.CLASSIFICATION AND DESCRIPTION:LGTT WT CAT,WT 150GRAMS 4.COLOUR: WHITE 5.DIAMETER:1.5M HYDROGEN FILLED 6.NR OF BALLOONS TO BE LAUNCHED:ONE PER DAY 7.EXP DIRECTION AND RATE OF ASCENT:EASTERLY/NORTH EASTERLY 300M PER MIN 8.CRUISE LVL:300M PER MIN UPTO 32-35KM VERTICAL HGT 9.EET TO PASS 18KM WITH LCA EST:01HR 30MIN 10.MAX LIFE SPAN OF BALLOON:02HR30MIN FROM : GND TO : UNL</p>
A1663/26	<p>2605181100 / 2606220400 NAVAL ACFT WILL BE OPR WI THE AREA BOUNDED BY COORD: 125600N0792900E-124944N0793221E- 125946N0794731E-130313N0794823E- 130829N0795024E-125600N0792900E ACFT SHALL CTC ARAKKONAM ATC ON 120.700MHZ/126.900MHZ BFR ENTERING THE AIRSPACE FROM : SFC TO : 1800FT AMSL</p>
A1664/26	<p>2605181105 / 2606220400 NAVAL ACFT WILL BE OPR WI THE AREA BOUNDED BY COORD:</p>

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	1304N07925E-1317N07950E-1310N07953E-1256N07929E-1304N07925E ACFT SHALL CTC ARAKKONAM ATC ON 120.700MHZ/126.900MHZ BFR ENTERING THE AIRSPACE FROM : SFC TO : 2000FT AMSL
A1666/26	2605210330 / 2606041130
	0330-1130 AERIAL SURVEY INPR WI AREA BOUNDED BY COORD: 135656N0800037E-140329N0801916E-134646N0802534E-134016N0802408E-132847N0802930E-132040N0801236E-133400N0800135E-134356N0795907E-135207N0800156E-135656N0800037E DETAILS OF OPERATION- BASE OF OPERATION: BEGUMPET/TIRUPATI CS AND TYPE: VT-EBB/VT-EQK, SKA B-200 FROM : 3000FT AMSL TO : 4000FT AMSL
A1667/26	2605180030 / 2608181430EST
	0030-1430 VOD-188 CHENGALPATTU FRNG RANGE ACT FROM : GND TO : 5000FT AGL
A1687/26	2605210900 / 2608211030
	0900-1030 GPS RADIO SONDE UNMANNED FREE BALLOON OPS FM NATIONAL CENTRE FOR EARTH SCIENCE STUDIES WITH FLW DETAILS: LAUNCH COORD : 083123.6N 0765435.1E, NCESS, AKKULAM, THIRUVANANTHAPURAM DESCRIPTION : 36 GRAMS, OFF WHITE IN COLOUR LEN OF CODE : 20M SIZE OF SONDE : 9.8CM X 6.3CM X 4.2CM DIAMETER OF BALLOON: 120CM CEILING ALT : 25KM RATE OF ASCENT : 250-300M PER MIN EXP FLOATING TIME : 60 TO 90 MIN FLOATING AREA : 20NM FROM : GND TO : UNL
A1693/26	2605220200 / 2606121200
	0200-1200 AERIAL LIDAR SURVEY WI 2NM ON EITHER SIDE ALONG THE LINE JOINING COORD: 1657N07849E-1632N08001E-1629N08032E 1551N08019E-1518N07959E-1428N08000E 1337N07931E-1326N07934E-1316N08011E DETAILS OF FLT: BASE OF OPERATION: BEGUMPET AP, VIJAYWADA AP AND TIRUPATI AP CS AND TYPE: VTHSR, CESSNA P206 FROM : 3300FT AMSL TO : 5400FT AMSL
A1701/26	2606020200 / 2606061630
	0200-1200 1330-1630 FLD FRNG RANGE ACT AREA OF OPS: 5NM AROUND COORD 104010N0782500E

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	FROM : GND TO : 1500FT AMSL
A1709/26	2605250330 / 2606241100
	0330-1100 DRONE OPS WILL BE CONDUCTED AT BELAGAVI BOUNDED BY COORD: 154817.12N 0743252.98E-154810.63N 0743602.86E 154848.34N 0744028.85E-155105.66N 0744052.26E 155106.70N 0744223.47E-155435.08N 0744230.78E 155454.27N 0743706.10E-155445.37N 0743313.37E 155141.56N 0743038.00E-155139.22N 0742956.97E 155142.36N 0742723.18E-154926.72N 0742654.28E 154747.51N 0742711.16E-154835.48N 0743052.85E 154817.12N 0743252.98E FROM : GND TO : 400FT AGL
A1726/26	2606160500 / 2607040900
	0500-0900 ROCKET LAUNCH FM SHAR RANGE, SRIHARIKOTA WILL TAKE PLACE AS PER FLW DETAILS.THE LAUNCH WILL BE ON ANY ONE OF THE DAY DRG THIS PERIOD.ACTUAL DATE OF LAUNCH WILL BE INTIMATED ATLEAST 24 HR IN ADVANCE THROUGH A SEPARATE NOTAM. LAUNCH PAD COORD: 134400N 0801406E NO FLT IS PERMITTED OVER THE DNG ZONES. 1) DANGER ZONE -1: IS A CIRCLE OF 10 NAUTICAL MILES AROUND THE LAUNCHER. 2) DANGER ZONE -2: IS AN AREA BOUNDED BY FOLLOWING COORDINATES: I. 1115N 08205E II. 1135N 08225E III. 1010N 08330E IV. 0950N 08310E V. 1115N 08205E RTE AFFECTED IN CHENNAI FIR: W20, Q11, Q23, Q24, V4, V9, L896, N564, N563, T3 CLOSURES/ALTN RTE FOR OVERFLYING: 1. W20 NOT AVBL BTN MMV-KAMGU ALTN: MMV-DCT-PAPKI-DCT-ANGAK-KAMGU 2. Q11 NOT AVBL BTN GURAS-MMV ALTN: GURAS-DCT-MMV (UNIDIRECTRIONAL) 3. Q23 NOT AVBL BTN RINTO-MMV ALTN: RINTO-V11-TTP-DCT-GUANI-DCT-MMV 4. Q24 NOT AVBL BTN MMV-KAMGU ALTN: MMV-DCT-PAPKI-DCT-ANGAK-KAMGU 5. V4 NOT AVBL BTN BOPRI-MMV ALTN: BOPRI-DCT-RINTO-V11-TTP-DCT-GUANI-DCT-MMV 6. V9 NOT AVBL BTN GUNRI-MMV ALTN: GUNRI-V11-TTP-DCT-GUANI-DCT-MMV 7. L896 NOT AVBL BTN MMV-DUGOS. NO ALTN RTE 8. N564 NOT AVBL BTN AKMIL-DUGOS. NO ALTN RTE 9. N563 NOT AVBL BTN AKMIL-XOKRO

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	<p>ALTN: AKMIL-DCT-AVNOS-DCT-XOKRO 10. T3 NOT AVBL BTN BEBOK-ADKIT. NO ALTN RTE</p> <p>DEPARTURES FM CHENNAI MAY FPL AS FLW: 1. W20/Q24 NOT AVBL BTN MMV-KAMGU ALTN: MMV-DCT-PAPKI-DCT-ANGAK-KAMGU</p> <p>ARRIVALS TO CHENNAI MAY FPL AS FLW: 1. Q11 NOT AVBL BTN GURAS-MMV ALTN: GURAS-DCT-MMV 2. Q23 NOT AVBL BTN RINTO-MMV ALTN: RINTO-V11-TTP-DCT-GUANI-DCT-MMV 3. V4 NOT AVBL BTN BOPRI-MMV ALTN: BOPRI-DCT-RINTO-V11-TTP-DCT-GUANI-DCT-MMV 4. V9 NOT AVBL BTN GUNRI-MMV ALTN: GUNRI-V11-TTP-DCT- GUANI-DCT-MMV 5. A465 NOT AVBL BTN GURAS-MMV ALTN: GURAS-DCT-MMV FROM : GND TO : UNL</p>
A1728/26	<p>2605260900 / 2608260100</p> <p>0900-1100 2300-0100 RDO SONDE MET UNMANNED FREE HYDROGEN BALLOON WILL BE RELEASED FM INDIAN NAVAL SHIP RAJALI NAVAL AIR STN AS FLW: LAUNCH SITE:130419N0794118E(AROUND 80KM RADIUS) BALLOON FLT ID/NDB:400MHZ-406MHZ CLASSIFICATION AND DESCRIPTION:LIGHT WT CAT,WT 350GRAMS COLOUR: OFF WHITE DIAMETER:1.41M HYDROGEN FILLED ALT:40000M NR OF BALLOONS TO BE LAUNCHED:TWO PER DAY RATE OF ASCENT:300M/MIN CRUISING LVL:UPTO 40KM VER EET TO PASS 18KM: 01HR MAX LIFE SPAN OF BALLOON: 03HR FROM : GND TO : UNL</p>
A1743/26	<p>2605280100 / 2606301330</p> <p>0100-0330 1130-1330 DRONE OPS WI AREA BOUNDED BY COORD: 125558.63N0773706.21E- 125546.74N0773718.87E- 124840.28N0773039.59E- 124849.55N0773029.52E- 125558.63N0773706.21E FROM : GND TO : 400FT AGL</p>
A1744/26	<p>2605270100 / 2606301400</p> <p>0100-1400 POWERED PARAGLIDING AND WINCH PARAGLIDING ACT WI RADIUS OF 1.6NM FM FLW COORD: 1.151919N 0735352E 2.151716N 0735435E</p>

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	3.151705N 0735439E 4.151451N 0735518E 5.145927N 0740212E FROM : SFC TO : 800FT AMSL
A1745/26	2605270100 / 2606301400
	0100-1400 POWERED PARAGLIDING AND WINCH PARAGLIDING ACT WI RADIUS OF 3.2NM FM COORD 151026.5N 0735922.6E FROM : SFC TO : 900FT AMSL
A1754/26	2606030830 / 2606241045
	03 10 24 0830-1045,17 0230-1045, 18 19 1130-1715 GPS SONDE HIGH ALT BALLOON ASCENT FM THUMBA EQUATORIAL ROCKET LAUNCHING STN (TERLS) RANGE. LAUNCH COORD: 083200N 0765218E DESCRIPTION: WHITE ORDINARY MET BALLOON WITH 2M DIAMETER INSTR WT: GPS SONDE 900GRAM-1800GRAM MAX ALT EXP: 32 KM TRANSPONDER FREQ: 400MHZ-405MHZ RATE OF ASCENT: 4-5 MPS RATE OF DESCENT: 25 MPS (UPTO 20KM) 5 MPS (BLW 20KM) EXP FLOATING TIME: 0215 HR FROM : GND TO : UNL
A1759/26	2606020430 / 2606061030
	02 06 0430-0630 0830-1030 FRNG PRACTICE BY MIL ACFT WI AREA BOUNDED BY: 1140N09227E-1148N09229E-1152N09219E- 1143N09216E-1140N09227E FROM : SFC TO : 2000FT AMSL
A1760/26	2606160430 / 2606231030
	16 23 0430-0630 0830-1030 FRNG PRACTICE BY MIL ACFT WI AREA BOUNDED BY: 1140N09227E-1148N09229E-1152N09219E- 1143N09216E-1140N09227E FROM : SFC TO : 2000FT AMSL
A1761/26	2606030830 / 2606241030
	03 05 10 12 17 19 24 0830-1030 FRNG PRACTICE BY MIL ACFT WI AREA BOUNDED BY: 1250N09340E-1250N09410E-1300N09340E- 1300N09410E-1250N09340E FROM : SFC TO : 6000FT AMSL
CHENNAI/KOLKATA FIR VOMF/VECF	
A1764/26	2606070230 / 2606091030
	0230-0630 0830-1030 NAVAL SHIPS FRNG INPR WI AREA BOUNDED BY COORDS: 163730N0844112E- 135348N0874724E- 122248N0860948E- 152648N0825818E-

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	<p>163730N0844112E NO OVER FLY ACT IS APPROVED WI THE ABV MENTIONED DNG AREAS. DRG THE HR OF ACT, THE FLW ATS RTE/SEGMENTS ARE RERTE/NOT AVBL IN CHENNAI/KOLKATA FIR: 1. N877 NOT AVBL BTN SUPLU AND DUMAR. NO ALTN RTE 2. L518 NOT AVBL BTN KASRO AND DUMAR. NO ALTN RTE 3. Q10 NOT AVBL BTN VATMO AND OLSOR. NO ALTN RTE. 4. P761 NOT AVBL BTN IDASO AND DUMAR. NO ALTN RTE. FROM : SFC TO : UNL</p>
A1767/26	2606010000 / 2606012359
	<p>AIRSPACE USE PLAN (AUP) TSA/TRA/AMC-MANAGEABLE AIRSPACE ACT AS FLW : NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL 1 TRA503(A) [PUNE] 0130 1200 FL325 FL460 2 TRA503(A) [PUNE] 1330 1730 FL325 FL460 3 TRA503(B) [PUNE] 0130 1200 FL325 FL460 4 TRA503(B) [PUNE] 1330 1730 FL325 FL460 5 TRA601(A) [PANAGARH] 0053 1122 GND 4000FT AMSL 6 TRA601(B) [PANAGARH] 0053 1122 GND FL105 7 TRA601(C) [PANAGARH] 0053 1122 GND FL105 8 TRA604 [TEZPUR] 0230 1130 FL130 FL380 9 TRA604 [TEZPUR] 1200 1829 FL130 FL380 10 TRA607(A) [CHABUA] 0130 1700 FL325 FL460 11 TRA607(B) [CHABUA] 0130 1700 FL325 FL460 12 TRA607(C) [CHABUA] 0130 1700 FL325 FL460 13 TRA609(A) [HASHIMARA] 0230 1130 FL325 FL500 14 TRA609(A) [HASHIMARA] 1300 1700 FL325 FL500 15 TRA609(B) [HASHIMARA] 0230 1130 FL325 FL500 16 TRA609(B) [HASHIMARA] 1300 1700 FL325 FL500 17 TRA610 [GUWAHATI] 0230 1130 FL325 FL500 18 TRA610 [GUWAHATI] 1300 1700 FL325 FL500 19 TRA612(A) [TEZPUR] 0230 1130 FL325 FL380 20 TRA612(A) [TEZPUR] 1200 1829 FL325 FL380 21 TRA612(B) [TEZPUR] 0230 1130 FL325 FL380 22 TRA612(B) [TEZPUR] 1200 1829 FL325 FL380 23 TRA612(C) [TEZPUR] 0230 1130 FL325 FL380 24 TRA612(C) [TEZPUR] 1200 1829 FL325 FL380 25 TRA805(A) [VISHAKHAPATNAM] 0100 1700 FL145 FL230 26 TRA806(A) [COCHIN] 0300 1730 6000FT AMSL 6000FT AMSL 27 TRA806(B) [COCHIN] 0300 1730 FL060 FL170 28 TRA806(C) [COCHIN] 0300 1730 FL150 FL170 29 TRA806(D) [COCHIN] 0300 2100 FL060 FL130 30 TRA806(E) [COCHIN] 0300 2100 FL060 FL170 31 TRA806(F) [COCHIN] 0300 2100 FL060 FL130 32 TRA806(G) [COCHIN] 0300 2100 FL060 FL170 33 TRA807(A) [SULUR] 0230 1159 GND 9000FT AMSL 34 TRA807(D) [SULUR] 0330 1029 FL275 FL400 35 TRA807(D) [SULUR] 1330 1629 FL275 FL400 36 TRA807(E) [SULUR] 0230 1829 GND 3000FT AMSL 37 TRA807(E) CORRIDOR1[SULUR] 0230 1829 GND 3000FT AMSL</p>

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

38 TRA807(E) CORRIDOR2[SULUR] 0230 1829 GND 5000FT AMSL
39 TRA808(A) [VISHAKHAPATNAM] 0100 1400 FL145 FL230
40 TRA808(B) [VISHAKHAPATNAM] 0100 1400 FL145 FL230
41 TSA602 [DUDHKUNDI] 0000 2359 GND FL215
42 TSA801(B) [THANJAVUR] 0330 0629 MSL FL135
43 TSA801(B) [THANJAVUR] 0830 1029 MSL FL135
44 TSA801(B) [THANJAVUR] 1330 1629 MSL FL135
45 TSA803(A) [VISHAKHAPATNAM] 0100 1700 MSL FL230
46 TSA803(B) [VISHAKHAPATNAM] 0100 1700 MSL FL145
47 TSA803(C) [VISHAKHAPATNAM] 0100 1700 MSL FL230
CONDITIONAL ROUTE (CDR2) AVBL AS FLW :
NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
1 J1 0000 0129 FL080 FL410
2 J1 0130 0329 FL290 FL410
3 J1 0631 1200 FL290 FL410
4 J1 1201 1429 FL080 FL410
5 J1 1626 1830 FL290 FL410
6 J3 1830 2359 FL100 FL250
7 J4 0000 0030 FL110 FL460
8 J4 0031 1251 FL330 FL460
9 J4 1252 1829 FL250 FL460
10 J4 1830 2359 FL110 FL460
11 J5 0000 0129 FL260 FL410
12 J5 1201 1329 FL260 FL410
13 J5 1731 2359 FL260 FL410
14 J8 0145 0229 FL130 FL380
15 J8 1131 1159 FL130 FL380
16 J10 1131 1159 FL130 FL380
17 J11 1131 1159 FL130 FL380
18 J13 0240 0329 FL280 FL400
19 J13 1230 1329 FL140 FL400
20 J13 1630 1825 FL280 FL400
21 J14 0101 0229 FL110 FL460
22 J14 0230 0329 FL280 FL460
23 J14 0330 1029 FL410 FL460
24 J14 1030 1159 FL280 FL460
25 J14 1200 1329 FL110 FL460
26 J14 1330 1629 FL410 FL460
27 J14 1630 1729 FL280 FL460
28 J15 0000 0229 FL110 FL460
29 J15 0230 0329 FL280 FL460
30 J15 0330 1029 FL410 FL460
31 J15 1030 1159 FL280 FL460
32 J15 1200 1329 FL110 FL460
33 J15 1330 1629 FL410 FL460
34 J15 1630 1829 FL280 FL460
35 J15 1830 2359 FL110 FL460
36 J16 0101 0229 FL110 FL400
37 J16 0230 0329 FL280 FL400
38 J16 1700 1729 FL280 FL400

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

39 J17 0015 0300 FL110 FL460
40 J17 1130 1310 FL110 FL460
41 J17 1435 1935 FL110 FL460
42 J18 0000 0300 FL110 FL460
43 J18 1130 2359 FL110 FL460
44 J26 0000 0030 FL160 FL460
45 J26 0031 1251 FL330 FL460
46 J26 1252 1829 FL250 FL460
47 J26 1830 2359 FL160 FL460
48 J27 0000 0030 FL110 FL460
49 J27 0031 1251 FL330 FL460
50 J27 1252 1829 FL250 FL460
51 J27 1830 2359 FL110 FL460
52 J29 0000 0129 FL150 FL250
53 J29 1201 1329 FL150 FL250
54 J29 1731 2359 FL150 FL250
55 J36 1330 2359 FL110 FL245
56 J39 0000 0129 FL170 FL460
57 J39 0130 0329 FL290 FL460
58 J39 0631 1200 FL290 FL460
59 J39 1201 1429 FL170 FL460
60 J39 1626 1829 FL290 FL460
61 J39 1830 2359 FL170 FL460
62 J41 0100 0129 FL330 FL410
63 J41 1201 1329 FL330 FL410
64 J42 1830 2359 FL110 FL245
65 J44 0000 0151 FL110 FL210
66 J44 1142 1800 FL110 FL210
67 J45 0000 0030 FL110 FL460
68 J45 0031 1251 FL330 FL460
69 J45 1252 1829 FL250 FL460
70 J45 1830 2359 FL110 FL460
71 J46 0000 0030 FL110 FL460
72 J46 0031 1251 FL330 FL460
73 J46 1252 1829 FL250 FL460
74 J46 1830 2359 FL110 FL460
75 J47 0100 0129 FL170 FL410
76 J47 0130 0329 FL290 FL410
77 J47 0631 1200 FL290 FL410
78 J47 1201 1300 FL170 FL410
79 J48 0631 0930 FL290 FL410
80 J56 0000 2359 FL080 FL250
81 J57 0200 0229 FL080 FL250
82 J57 0230 1530 FL220 FL250
83 J59 0200 1530 FL110 FL410
84 J63 0000 0030 FL110 FL410
85 J63 0031 1829 FL255 FL410
86 J63 1830 2359 FL110 FL410
87 J65 0000 0129 FL230 FL410
88 J65 1201 1329 FL230 FL410

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

89 J65 1731 2359 FL230 FL410
90 J66 0000 0030 FL110 FL250
91 J66 1330 2359 FL110 FL250
92 J67 0000 0030 FL110 FL255
93 J67 1330 2359 FL110 FL255
94 J71 0200 1246 FL330 FL460
95 J71 1247 1501 FL220 FL460
96 J71 1502 1730 FL330 FL460
97 J71 1731 1930 FL250 FL460
98 J71 1931 2000 FL110 FL460
99 J73 0100 0329 FL330 FL410
100 J73 0631 1300 FL330 FL410
101 J75 0000 0030 FL110 FL400
102 J75 0031 1251 FL330 FL400
103 J75 1252 1829 FL250 FL400
104 J75 1830 2359 FL110 FL400
105 J82 0000 2359 FL330 FL400
106 J83 0200 1900 FL110 FL400
107 J89 0000 0030 FL110 FL245
108 J89 1830 2359 FL110 FL245
109 J92 0200 0229 FL110 FL380
110 J92 0230 1400 FL220 FL380
111 J93 0000 0030 FL150 FL460
112 J93 1830 2359 FL150 FL460
113 J95 0000 0151 FL110 FL460
114 J95 0152 0300 FL255 FL460
115 J95 1130 1141 FL255 FL460
116 J95 1142 2359 FL110 FL460
117 J96 0000 0300 FL110 FL250
118 J96 1130 2359 FL110 FL250
119 J97 0000 0030 FL080 FL245
120 J97 1830 2359 FL080 FL245
121 J98 0000 0032 FL160 FL280
122 J98 1247 1501 FL220 FL280
123 J98 1731 1930 FL250 FL280
124 J98 1931 2359 FL160 FL280
125 J104 0000 0129 FL110 FL380
126 J104 1201 1329 FL110 FL380
127 J104 1731 2359 FL110 FL380
128 J105 0230 1300 FL220 FL460
129 J107 1830 2359 FL110 FL255
130 J116 0000 0129 FL080 FL250
131 J116 1201 1329 FL080 FL250
132 J116 1731 2359 FL080 FL250
133 J120 0000 2359 FL085 FL460
134 J121 0000 2359 FL085 FL460
135 J122 0000 2359 FL085 FL460
136 Z2 0000 2359 FL330 FL460
137 Z5 0000 0129 FL290 FL410
138 Z5 1201 1329 FL290 FL410

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	<p>139 Z5 1731 2359 FL290 FL410 140 Z12 0000 2359 FL330 FL460 141 Z13 0000 0229 FL110 FL410 142 Z13 0230 1630 FL220 FL410 143 Z13 1631 2359 FL110 FL410 144 Z14 0000 2359 FL330 FL460</p> <p>NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAMS FOR AIRSPACE CLOSURES. FROM : SFC TO : FL500</p>
MANGALORE VOML	
A0920/26	2603150103 / 2606152230
	<p>STORM WATER DRAINS WIP NORTH OF RWY BEYOND DECLARED RWY STRIP AT 106M FM RCL. MAX HGT OF EQPT IS 5M. PILOTS TO EXER CTN DRG LDG AND TKOF. NO IMPACT ON OPS;WIP OUTSIDE DECLARED RWY STRIPS. NORTH OF RWY BEYOND 106M FM RCL</p>
A1433/26	2604291028 / 2607302359EST
	<p>HR OF SER: TWR (122.100MHZ)/APP/RFFS CAT-7: H24 ACC (127.550 MHZ)/DVOR/ILS/MSSR: H24 SURVEILLANCE BASED APP CTL SER(125.050 MHZ):0200-0600,1000-1400. BEYOND THIS PERIOD SURVEILLANCE BASED APP CTL SER WILL BE PROVIDED ON REQ BASIS SUBJECT TO AVBL OF SUITABLY RATED CONTROLLERS. RFFS CAT-8 WILL BE MADE AVBL WITH 1HR PRIOR NOTICE</p>
A1456/26	2604301113 / 2607302259
	RWY 06/24 CL LGT (SDBY CIRCUIT) NOT AVBL DUE MAINT
A1618/26	2605132330 / PERM
	EFFECTIVE DATE OF AIP SUP 75/2026 AMENDED AS 11 JUN 2026 INSTEAD OF 14 MAY 2026
CHENNAI VOMM	
A1023/26	2603241205 / 2606241230EST
	<p>TRIAL OPS OF SIMUL OPS ON DIVERGING RWY25 AND RWY30 WILL TAKE PLACE WITH THE FLW DETAILS: 1. ARR AND DEP OPS ON RWY25 AND DEP OPS ON RWY30 2. DEP FM RWY30 TO LINE UP AT TWY R3 INT (TORA 2509M) 3. DRG HR OF DAYLIGHT ON NEED BASIS INFO WILL BE BCST ON ATIS 4. NO SID WILL BE ISSUED PRIOR TO DEP 5. IN CASE OF MISSED APCH ARR ACFT ON RWY25 SHALL CMB STRAIGHT AHEAD 3000FT AND FURTHER CMB UNDER RADAR DRG SIMUL OPS ON RWY25 AND RWY30</p>
A1024/26	2603241208 / 2606241230EST
	<p>THE FLW TRIAL PROC PERMITTING SIMUL PUSH-BACK AND START WILL BE IN VOGUE: 1.ACFT UP TO CODE 'C' MAY BE PERMITTED TO START ENGINES ON IDLE-PWR DRG THE PUSHBACK MANEUVERS.</p>

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	<p>2.SIMUL PUSHBACK AND START-UP MAY BE PERMITTED FOR ACFT FM STAND SEPARATED BY ATLEAST ONE STAND.</p> <p>3.AIRLINES TO ENSURE REQUIRED CLEARANCES WITH RESPECT TO ACFT ON ADJOINING/REAR STANDS,EQPT AND PERSONNEL.</p> <p>4.PRIORITY ACCORDED FOR ACFT ABLE TO PUSHBACK AND SIMUL START</p>
A1452/26	2604300930 / 2606291230
	<p>WIP ON THE BASIC STRIP OF RWY 12/30 BTN TWY P1 AND TWY R3 AT A DISTANCE OF 110M AWAY FM THE RWY CL.</p> <p>RMK:</p> <p>1. PORTION OF TWY N BTN TWY P1 AND TWY R3 CLSD FOR OPS.</p> <p>2. PORTION OF TWY Q BTN TWY Q2 AND TWY N CLSD FOR OPS.</p> <p>3. TWY Q1 CLSD FOR OPS</p>
A1680/26	2605200431 / 2606101230
	STAND IDENTIFICATION BOARDS AT BAY NR 07, 08 AND BAY NR 09 NOT AVBL
A1681/26	2605200600 / 2608201230
	STAND 30 RESTRICTED UPTO CODE C OPS
A1730/26	2606160500 / 2607040900
	<p>0500-0900</p> <p>REF VOMF NOTAM A1726/26 REG ROCKET LAUNCH FM SHAR RANGE. DRG ACT, THE FLW SID NOT AVBL:</p> <p>RWY07 KAMGU 2A</p> <p>RWY25 KAMGU 2B</p> <p>RWY12 KAMGU 2C</p> <p>RWY30 KAMGU 2D</p> <p>DEPARTURES MAY EXP TACTICAL RADAR VECTORING CLR OF THE ACT</p>
A1731/26	2606160500 / 2607040900
	<p>0500-0900</p> <p>REF VOMF NOTAM A1726/26 REG ROCKET LAUNCH FM SHAR RANGE. DRG ACT, THE FLW STARS NOT AVBL:</p> <p>RWY07 BOPRI 2E RINTO 2E GUNRI 2E DOKET 2E GURAS 2E</p> <p>RWY12 BOPRI 2G RINTO 2G GUNRI 2G DOKET 2G GURAS 2G</p> <p>RWY25 BOPRI 2F RINTO 2F GUNRI 2F DOKET 2F GURAS 2F</p> <p>RWY30 BOPRI 2H RINTO 2H GUNRI 2H DOKET 2H GURAS 2H</p> <p>ARRIVALS MAY EXP TACTICAL RADAR VECTORING CLR OF THE ACT</p>
SRI VIJAYA PURAM VOPB	
A0865/26	2603100452 / 2606101230
	FM RWY04 BEGINNING TO 600M INCLUDING TURNING PAD: PCN 63/R/C/X/T AND REST 2100M TILL W3:PCN 75/F/C/X/T.
A1303/26	2604180001 / PERM
	<p>SRI VIJAYA PURAM IS A JOINT USER MILITARY AIR STATION AND ALL CIVIL FLIGHTS TO/FROM SRI VIJAYA PURAM (VOPB) OPERATE ONLY WITH PRIOR APPROVAL. CIVIL AIRCRAFT OPERATORS NOT TO FILE SRI VIJAYA PURAM (VOPB) AS AN ALTERNATE AERODROME UNLESS SPECIFICALLY CLEARED BY THE STATION AUTHORITIES.</p> <p>INSERT IN VOPB AD 2.3(12)</p>
A1385/26	2604241045 / 2607232230

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

A0964/26	2603171330 / 2606161330EST FUNCTIONS OF THIRUVANANTHAPURAM TWR AND SMC UNITS ARE COMBINED DRG LEAN TFC PERIOD AND SERVICES PROVIDED ON 118.100MHZ. PILOTS TO MONITOR ATIS FOR SMC OPR HR
A1138/26	2603311235 / 2606301230EST PILOTS TO EXER CTN FOR THE PRESENCE OF MEN AND MATERIAL DUE GRADING WIP BTN RWY STRIP AND TWY P STRIP
A1139/26	2603311236 / 2606301230EST SEQUENTIAL FLASHING LGT NOT AVBL
A1140/26	2603311237 / 2606301230EST PILOTS TO EXER CTN FOR EQPT AT RWY STRIP UP TO HGT OF 10M AT 90M FM SOUTH OF RCL
A1297/26	2604161630 / 2606301830EST TWY C DOWNGRADED TO CODE C ACFT AND BELOW
A1298/26	2604161630 / 2606301830EST TWY C-B INT TO STAND NR 09 DOWNGRADED TO CODE C ACFT AND BELOW
A1326/26	2604180444 / 2607171230EST AP COLLABORATIVE DECISION MAKING(A-CDM) NOT AVBL DUE SYSTEM INTEGRATION
A1418/26	2604300430 / 2607281230EST ACFT STANDS 11 AND 12 NOT AVBL
A1419/26	2604300430 / 2607281230EST TWY A NOT AVBL
A1426/26	2604300430 / 2607281230EST REF EAIP INDIA AD 2 VOTV 2.20 PARA II(ROMAN).ALL ACFT STANDS IN DOMESTIC APN ARE PWR IN PUSHBACK STANDS.PUSHBACK SHALL BE CARRIED OUT ON TO TWY B
A1467/26	2604301449 / 2606301330EST MACHINERY UPTO HGT OF 10M AT DIST OF 90M FM RWY14 CL ON EITHER SIDE EXTD FM PHYSICAL BEGINNING OF RWY14 UPTO 500M TOWARD RWY32 DUE DRAINAGE CONST WIP. EXER CTN
A1534/26	2605061230 / 2606051230EST VISUAL DCKG GUIDANCE SYSTEM FOR STAND 5 NOT AVBL
VISHAKAPATNAM VOVZ	
A0899/26	2603130814 / 2606142359 REFER EAIP (INDIA) PAGE AD 2 VOVZ 2-101 13 JUN 2024 REGARDING INSTRUMENT APPROACH CHART ILS RWY28 VISAKHAPATNAM AIRPORT (VOVZ) ILS RWY28 PROCEDURE IS TEMPO WITHDRAWN DUE OVER RUN AREA CONSTRUCTION WORK
A0900/26	2603130819 / 2606142359 REFER EAIP(INDIA) PAGE AD2 VOVZ 2-103 DATED 02 NOV 2023 AND AD2 VOVZ 2 104 DATED 02 NOV 2023 REGARDING ILS W RWY28 VISAKHAPATNAM(VOVZ). ILS W RWY28 PROCEDURE IS TEMPO WITHDRAWN DUE OVER RUN AREA CONSTRUCTION WORK
A0911/26	2603131330 / 2606142359 ILS RWY28 NOT AVBL

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

A0985/26	2603200410 / 2606192359
	WIP FOR CONST OF PARL TWY SOUTH OF MAIN RWY 10/28.FOREIGN OBJECT DEBRIS BARRIER OF HGT 5M INSTL AT A DIST OF 135M FM RCL
A1113/26	2603302359 / 2606302359
	VISAKHAPATNAM VOVZ IS A JOINT USER MIL AIR STN AND ALL CIV FLT TO FM OPR ONLY WITH PRIOR APPROVAL. CIV ACFT OPR ARE NOT TO FILE VOVZ AS AN ALTN AD UNLESS SPECIFICALLY CLR BY THE STN AUTHORITIES
A1214/26	2604080001 / 2606072359
	TEMPO OBST CRANE/PILING RIG ERECTED WITH MAX HGT 25M AGL. PILING WIP NEAR DISPERSAL(PRKG) AREA B-C LINK. PILOTS TO EXER CTN
A1243/26	2604101829 / 2606300030
	1829-0030 CONST WIP ON BOTH SIDES OF TWY S1 IN AREA OF DIMENSIONS 110M X 14M X 2M ADJ TO TWY. PILOTS TO EXER CTN
A1489/26	2605040610 / 2608042359
	RWY28 THR IS DISPLACED BY 520M DUE EXTENSION OF SWY WORK. DISPLACED RWY PORTION IS NOT AVBL FOR ACFT MOV IN VIEW OF THE SKED WORK. DISPLACED THR IS MARKED BY RWY MARKING (DAY), ELEVATED WING BAR AND END LIGHTS FOR NIGHT /LOW VIS OPS. PILOTS TO EXER CTN WHILE LDG AND TKOF. CTN TURN PAD NOT AVBL AT DTHR RWY28. REVISED DECLARED DIST AS FLW: RWY TORA TODA ASDA LDA 10 2530M 2530M 2530M 2530M 28 2530M 2530M 2530M 2530M
A1492/26	2605040636 / 2608042359
	REFER EAIP(INDIA) PAGES AD 2 VOVZ 3-901 02 NOV 2023 AND AD 2 VOVZ 3 902 02 NOV 2023 REGARDING INSTR APCH CHART RNP Y RWY28 VISAKHAPATNAM AIRPORT,VISAKHAPATNAM(VOVZ). FLW TEMPO AMENDMENTS ARE MADE IN INSTR APCH CHART FOR RNP Y RWY28 DUE TO TEMPO DISPLACEMENT OF THR RWY28 BY 520M (REVISED THR COORD 174320.60N0831433.43E) 1.FAF IS RE DESIGNATED AS VZ098(174246.14N0832133.30E) 2.COORD RWY28 (MAPT)ARE AMENDED AS 174320.60N831433.44E 3.DIST BTN WAYPOINTS VZ804(IF)AND VZ098(FAF) IS 6.93NM
A1493/26	2605040644 / 2608042359
	REFER EAIP (INDIA) PAGES AD 2 VOVZ 2-201 DATED 13 JUN 2024 REGARDING INSTR APCH CHART VOR RWY28 VISAKHAPATNAM AP, VISAKHAPATNAM(VOVZ) FLW TEMPO AMENDMENTS ARE MADE IN INSTR APCH CHART FOR VOR RWY28 DUE TO TEMPO DISPLACEMENT OF THR RWY28 BY 520M (REVISED THR COORD 174320.60N0831433.43E) 1. BASE TURN ALT IS REVISED AS 2300FT. 2. FAF ALT IS REVISED AS 2300FT. 3. DIST ALT INFO TABLE IS AMENDED AS FLW:

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

	DIST (VSP DME) (NM) 7.4 7 6 5 4 3 ALT (FT) 2300 2180 1860 1540 1230 910
A1594/26	2605150001 / 2608152359 TWY S1 NOT AVBL
A1595/26	2605150000 / 2608152359 FOR RWY 28 DEP, ALL ACFT TO MAKE 180 DEG TURN ON RWY WITHOUT WHEEL LOCK
A1596/26	2605131831 / 2608130100 1831-0100 AIRFIELD CLSD FOR OPS
A1650/26	2605151215 / 2606142359 WIP FOR FOUNDATION OF ACFT ARST GEAR (AAG) AT 427M FM RWY 10 THR AND 30M FM RCL. PILOTS TO EXER CTN FOR PRESENCE OF MEN, MATERIAL AND MACHINERY OF HGT 05M
A1651/26	2605151229 / 2608172359 RWY 05/23 NOT AVBL FOR FIXED WING ACFT OPS EXC FOR TAX. OVER RUN AREA (ORA) RWY05 AND PARL TAX TR CONST WIP BTN TWY S1 AND TWY S2.RWY 05/23 BTN TWY S3 AND TWY S4 AVBL FOR ACFT TAX AND HEL OPS.TXL L1, L2 AND NEWLY CONST PARL TAX TR PORTION BTN TXL L1 AND TXL L2 AVBL FOR TAX AND HEL OPS
A1656/26	2605180448 / 2608192359 PRKG AREA ('A' DISPERSAL) NOT AVBL FOR ACFT OPS
A1700/26	2605220541 / 2607192359 DO NOT MISTAKE NEW RWY STRIP OF BHOGAPURAM AP AS VISHAKHAPATNAM AP.BHOGAPURAM AP IN CLOSE PROXIMITY OF VISHAKHAPATNAM AP.COORD OF BHOGAPURAM AP 175826.263N 0833020.391E. EXER CTN
A1725/26	2605260230 / 2608281230EST 0230-1230 GRASS CUTTING WIP ON EITHER SIDE OF RWY10/28 AND RWY05/23.EXER CTN FOR MEN AND MATERIAL WHILE TAX,LDG AND TKOF
A1747/26	2606010015 / 2606301315 0015-0415 0830-1000 1100-1315 HVY BIRD ACT INCLUDING MIGRATORY BIRDS OBS IN AND AROUND AIRFIELD FM 0015-0230 AND 1130-1315.CTN/ORANGE PERIOD FM 0230-0415,0830-1000 AND 1100-1130.PILOTS TO EXER CTN DRG LDG,TKOF AND FLYING WI VCY OF THE AD
<p>LATEST PUBLICATIONS: AIP: EAIP INDIA 2.0 AVBL ON WWW.AIM-INDIA.AAI.AERO AIP AIRAC AMDT 05/2026 EFFECTIVE DATE 11 JUN 2026 AIP AIRAC SUP 110/2026 EFFECTIVE DATE 09 JUL 2026 AIC ISSUEDBY DGCA INDIA. REF HTTPS://WWW.DGCA.GOV.IN AIS PRODUCTS AVBL ON AIM INDIA WEBSITE (HTTPS://AIM-INDIA.AAI.AERO)</p>	
<p><u>AIP SUP CHECKLIST AS ON 01st JUN 2026:</u> YEAR=2008 35 36 37 YEAR=2010 14 YEAR=2011 61</p>	

CHENNAI NOTAM SUMMARY (A-SERIES) JUN 2026

YEAR=2018 150

YEAR=2020 84

YEAR=2024 98 105 136 154 290

YEAR=2025 41 83 141 142 148 152 153 154 155 156 157 158 162 164 167 168 169 170 171 172 174 179 180
188 192 194 195 196 197 198 201 202 203 205 206 207 208 209 210 212 213 230 233 241 244

YEAR=2026 13 14 15 23 25 27 28 30 34 35 36 37 38 39 40 41 42 43 51 52 59 60 66 67 68 69 70 71 72 73 74 75
76 77 78 79 80 81 82 83 84 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109
110