

TEL: 91-44-22567040 FAX: 91-44-22561588 AFS: VOMMYNYX E-mail: nofvomm@aai.aero	 AIRPORTS AUTHORITY OF INDIA INTERNATIONAL NOTAM OFFICE CHENNAI AIRPORT CHENNAI-600027	NOTAM Series A <u>01 OCT 2026</u>
---	--	---

The following **A SERIES NOTAM** are valid as on **1st OCT 2026**. NOTAM not included in the list have been cancelled, time expired, superseded by AIP Supplement or incorporated in the AIP.

NOTE: SUMMARY OF JAN 2026 SHOULD BE PRESERVED TILL NEXT JANUARY.

CHECKLIST	
YEAR=2018 1650 1651 1652 YEAR=2024 1555 YEAR=2026 0935 1577 1808 2005 2071 2087 2100 2101 2102 2103 2107 2110 2119 2132 2170 2195 2196 2201 2202 2218 2235 2277 2278 2285 2294 2325 2331 2341 2342 2343 2344 2345 2346 2355 2356 2357 2371 2379 2385 2386 2387 2388 2404 2408 2414 2415 2416 2422 2426 2427 2447 2451 2456 2472 2473 2493 2497 2498 2500 2501 2502 2505 2506 2507 2508 2511 2512 2522 2523 2530 2532 2535 2538 2549 2554 2555 2563 2565 2572 2586 2587 2597 2605 2608 2609 2610 2614 2617 2619 2627 2632 2637 2643 2644 2660 2661 2662 2671 2673 2674 2676 2677 2678 2679 2692 2696 2712 2723 2733 2734 2735 2740 2741 2742 2743 2749 2757 2771 2773 2793 2796 2799 2800 2801 2826 2838 2843 2850 2860 2863 2876 2880 2881 2888 2890 2891 2892 2893 2894 2895 2896 2897 2900 2904 2905 2906 2908 2909 2913 2921 2922 2923 2924 2925 2926 2927 2929 2930 2932 2933 2939 2942 2943 2944 2945 2947 2948 2949 2950 2951 2956 2957 2958 2961 2966 2968 2969 2971 2973 2974 2975 2976 2984 2985 2986 2992 2995 3000 3001 3002 3003 3004 3005 3006	
HAL AIRPORT	VOBG
BENGALURU	
A2087/26	2607031250 / 2610021324
	SS MINUS30-SS PLUS45 EXTENSIVE BAT ACT OVER AD. EXP DLA. AVOID ARR/DEP DRG THIS PERIOD
A2741/26	2609060530 / 2612040930

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	ALL OPERATORS SHALL OBTAIN POSITIVE CLR FM HAL ATC ATLEAST 24 HR IN ADVANCE DUE SHORTAGE OF PRKG SPACE
A2742/26	2609060530 / 2612040930
	WIDENING WORK OF SERVICE ROAD IN PARL ALONG RWY09/27 STRIP BEYOND THE GRADED PORTIONS OF RWY. PILOT TO EXER CTN FOR MEN AND MATERIAL
A2951/26	2610030130 / 2701020630
	SAT 0130-0630 RWY 09/27 NOT AVBL
KEMPEGOWDA INTERNATIONAL AIRPORT VOBL BENGALURU	
A1808/26	2606040330 / PERM
	REFER EAIP AD 2 VOBL. AMEND AND REPLACE SUB PARA 3 ADVANCE VISUAL DCKG GUIDANCE SYSTEM ON STANDS OF AD 2.9(1) SFC MOV GUIDANCE AND CTL SYSTEM AND MARKINGS MENTIONED BLW. ADVANCED VISUAL DCKG GUIDANCE SYSTEM INSTL ON STANDS V36,V37,V38,V39,V40,V41,V42,V43,V44,V45,V46,V47,V48,V49,V50, V51,V52,V53,V54,V55,V56,V57,V58,V59,V60,V61,V62,V63,V68,V69, V70,02,03,05,06,08,09,11,12,13,14,15,16,17,18,19,20,22,23, 25,26,28,29,31,32,87,89,91,93,95,97,99,101,103,105,106,107, 108,111,112,113,115,116,117,118,120,121 AND 123. ACFT TO FLW ADVANCED VISUAL DCKG GUIDANCE SYSTEM FOR PRKG.
A2071/26	2607100730 / 2610020830
	FRI 0730-0830 TWY B2 AND PORTION OF TWY B BTN TWY B1 AND TWY B2 NOT AVBL
A2196/26	2607161200 / PERM
	REFER EAIP AD 2 VOBL.AMEND AND REPLACE PARA 4 GROUND HANDLING ARRANGEMENTS INFORMATION MENTIONED BLW. GROUND HANDLING ARRANGEMENTS: ALL OPERATORS, OPERATING TO/FROM KEMPEGOWDA INTERNATIONAL AIRPORT, BENGALURU SHALL EMPLOY THE SERVICES OF GROUND HANDLING AGENT AUTHORIZED BY BIAL OPERATORS SHOULD CONTACT THE KEMPEGOWDA INTERNATIONAL AIRPORT, BENGALURU FOR FURTHER INFORMATION ON GROUND HANDLING ARRANGEMENTS. ALL NON-SCHEDULED OPERATORS OPERATING TO/FROM KIAB TO MAKE NECESSARY GROUND HANDLING ARRANGEMENTS WITH GHAS IN ADVANCE. THE THREE GROUND HANDLING AGENTS ARE INDIA-SATS, GLOBE GROUND INDIA AND MENZIES AVIATION. THE CONTACT DETAILS ARE AS FLW: AIR INDIA SATS: 91-9538925272/91-9538086027 GLOBE GROUND INDIA:91-9741393114/91-9740433990 MENZIES AVIATION:91-9900543254/91-9187227652
A2202/26	2607170330 / 2610141230

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	REFER AIP SUP 116/2026 IN PHASE 2E, PARA B POINT V AND VI TO BE REPLACED WITH BLW MENTIONED TEXT. WHEN RWY 27L IN USE, ACFT CROSSING TWY H8 SHALL VACATE RWY VIA TWY H9 OR TWY H10.AFTER OBTAINING ATC CLEARANCE THE ACFT WILL ENTER RWY VIA TWY H9 OR TWY H10 AND WILL VACATE VIA TWY H8
A2235/26	2607200611 / 2610202359
	ACFT STAND MANOEUVRING GUIDANCE LIGHTS ON STAND 87,89,91,93,95,97,99,101,103 AND 105 NOT AVBL.
A2325/26	2607270130 / 2610282330
	0130-2330 MIGRATORY BIRD ACT ON NORTH RWY 09L/27R AND SOUTH RWY 09R/27L BTN 10FT TO 500FT AGL. PILOTS TO EXER CTN
A2447/26	2608061240 / 2611101230
	CONST WIP SOUTH OF TWY A BTN TWY B6-K AND TWY K-B4. FOR CODE F ACFT OPS REQUIRED ADDN AREA WILL BE CLEARED WITH 30 MIN PRIOR NOTICE. PILOTS EXER CTN
A2500/26	2608121240 / 2611122359EST
	BENGALURU ARR SECT OPR ON FREQ 121.250MHZ.SECT MAY BE COMBINED WITH DEP SECT ON FREQ 127.750MHZ DRG LEAN TFC
A2506/26	2608240530 / 2611240730
	MON 0530-0730 1930-2130, TUE 0530-0730 NORTH RWY 09L/27R NOT AVBL DUE MAINT
A2507/26	2608240530 / 2611230730
	MON 0530-0730 TWY A AND PORTION OF TWY Q BTN TWY A1 AND TWY P1 NOT AVBL
A2508/26	2608250530 / 2611240730
	TUE 0530-0730 PORTION OF TWY B BTN TWY B2 AND TWY A1 AND PORTION OF TWY P BTN TWY A1 AND TWY P1 NOT AVBL
A2511/26	2608270530 / 2611260830
	THU 0530-0830 TWY G, TWY H AND PORTION OF TWY P AND TWY Q BTN TWY N2 AND TWY H NOT AVBL DUE MAINT
A2512/26	2608280530 / 2610300730
	FRI 0530-0730 PORTION OF TXL L1 AND L2 BTN STANDS 59 TO 64 NOT AVBL DUE SFC RECTIFICATION WORK
A2563/26	2608270000 / 2611252359
	INTERMEDIATE HLDG PSN LIGHTS ON TWY B1, TWY M, TWY N SHORT OF TXL C AND ON TWY N1 SHORT OF TXL N WILL BE SWITCHED ON FOR TESTING.PILOTS TO EXER CTN
A2587/26	2608211230 / 2610041230
	TWY B6 NOT AVBL FOR CODE D AND ABV TYP
A2643/26	2609020530 / 2610220830
	WED 0530-0830 1930-2130, THU 0530-0830

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	SOUTH RWY 09R/27L NOT AVBL DUE MAINT
A2644/26	2609020530 / 2610212130
	WED 0530-0830 1930-2130 TWY P, TWY Q, TWY G AND TWY H NOT AVBL
A2671/26	2609040330 / 2612021230
	0330-1230 HORTICULTURE WIP ON BOTH SIDES OF RWY09R/27L AND RWY09L/27R SHOULDERS AT A DIST OF 80M RCL. MEN AND MATERIAL UPTO A HGT OF 4M WILL BE AVBL
A2676/26	2609040330 / 2612021230
	0330-1230 HORTICULTURE WIP ON SHOULDERS OF TWY A,B,G,H,P AND Q.EXER CTN
A2677/26	2609040330 / 2612021230
	0330-1230 PREVENTIVE MAINT OF TWY EDGE LGT ON SHOULDER INPR ALONG TWY A A1 A2 A4 A5 A6 A7 A8 A9 A10 A11 B4 B6 K B B1 B2 B3 D R S M N P P1 Q G G1 H H1 H2 H3 H4 H5 H6 H7 H8 H9 H10
A2679/26	2609040330 / 2612021230
	0330-1230 PREVENTIVE MAINT OF AERONAUTICAL GND LGT WIP ON BOTH SIDES OF RWY09R/27L AND RWY09L/27R SHOULDERS AT A DIST OF 80M RCL. MEN AND MATERIALS UPTO HGT OF 4M WILL BE AVBL
A2929/26	2609241202 / 2612251830
	TWY CL LGT ON TWY P BTN TWY G AND TWY H SWITCHED OFF TO AVOID INADVERTENT TURN. EXER CTN
A2930/26	2609290000 / 2612282359
	0000-0030 1630-2359 ADDN PRKG STANDS 33A AVBL FOR CODE C AND SMALLER ACFT. STAND COORD 131206.07N 0774212.61E, ELEV 901.6M, PCN 1143/R/B/W/T
A3002/26	2610090730 / 2610230830
	FRI 0730-0830 TWY B2 AND PORTION OF TWY B BTN TWY B1 AND TWY B2 NOT AVBL
A3006/26	2609301830 / 2610021830
	TXL L4 BTN 78A TO 69A NOT AVBL
VIJAYAWADA VOBZ	
A2100/26	2607041533 / 2610031620EST
	GRASS CUTTING WIP ON EITHER SIDE OF RWY 08/26 IN BASIC STRIP.EXER CTN WHILE LDG/TKOF
A2101/26	2607041535 / 2610031620EST
	PAX BOARDING BRIDGE WORK, NOSE WHEEL MARKING OF STANDS 19,20,21,22,23 AND 24 SHIFTED TOWARDS NORTH TEMPORARILY BY 13M. PILOTS TO EXER CTN AND FLW MARSHALLER
A2102/26	2607041540 / 2610031620EST
	TWY A NOT AVBL DUE WIP
A2103/26	2607041544 / 2610031620EST
	STAND NR 14 NOT AVBL DUE WIP.PILOTS TO EXER CTN FOR MEN AND MACHINERY ON THE EASTERN SIDE OF APN
A2692/26	2609010525 / 2610311700EST

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	WIP IN BASIC STRIP OF RWY26 ON WATCH AND WARD BASIS DUE ILS REPLACEMENT. PILOTS TO EXER CTN
A2932/26	2609250100 / 2610241620EST
	0100-1620 HR OF SER: TWR/APP/ILS/DVOR/DME/ATIS/RFFS CAT-7
A2956/26	2609271421 / 2610011620EST
	ALS RWY26 U/S. PILOTS TO EXER CTN
COIMBATORE VOGB	
A1577/26	2611020630 / 2702010930EST
	MON WED 0630-0930 RWY 05/23 NOT AVBL
A2921/26	2609240430 / 2612240730EST
	MON-FRI 0430-0730 ADS-B BASED ATS SURVEILLANCE SERVICES ARE PROVIDED TO SUITABLY EQUIPPED ACFT WI THE COVERAGE OF ADS-B SENSORS ON VHF 120.050MHZ WI COIMBATORE CTR/CTA BTN 0430 AND 0730 UTC AND BEYOND THIS TIME ADS-B BASED ATS SURVEILLANCE SERVICES ARE PROVIDED ON OPPORTUNITY BASIS
COCHIN INTERNATIONAL VOCL	
A2285/26	2607280830 / 2610201200EST
	TUE 0830-1200 RWY 09/27 CLSD DUE MAINT
A2456/26	2608080000 / 2611052359EST
	0000-0230 0430-2359 REF AIP VOCL AD 2.18. TWR AND SMC UNITS ARE COMBIMNED AND OPR ON FREQ 118.800MHZ
A2632/26	2608261700 / 2611221230
	ALL NON-SKED OPR TO OBTAIN PRIOR PERMISSION FM COCHIN INTL FOR PRKG BAYS
A2757/26	2609081200 / 2612071200EST
	PORTION OF TWY H FM INT OF TWY H1 TO HANGAR APN NOT AVBL.THIS PORTION WILL BE MADE AVBL ON RQMNTS BASIS
A2949/26	2609260230 / 2610311230
	MEN AND MATERIAL FM 75M TO 105M FM RCL SOUTHSIDE OF RWY27 DUE ILS GP RWY27 CIVIL WIP ON WATCH AND WARD BASIS. PILOTS TO EXER CTN
A2950/26	2609260230 / 2610311230
	MEN AND MATERIAL FM 105M FM RCL SOUTHSIDE AND 400M FM RWY27 DUE ILS GP RWY27 CIVIL WIP. PILOTS TO EXER CTN
CALICUT VOCL	
A2371/26	2607300654 / 2610311230EST
	KERF CUTTING WIP ON THE TURN PAD AT BEGINNING OF RWY10 AND RWY28 FOR THE INSTL OF TURN PAD LGT.PILOTS TO EXER CTN
A2451/26	2608070130 / 2611041630EST
	0130-0430 1130-1630 TWR SMC COMBINED FREQ 123.350MHZ(MAIN), 119.150MHZ(SDBY) AND APP FREQ 122.950MHZ(MAIN), 119.150MHZ(SDBY).

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	BEYOND THIS PERIOD, TWR/SMC AND APP AVBL ON 123.350MHZ(MAIN), 119.150MHZ(SDBY). REF EAIP INDIA VOCL AD 2.18
A2947/26	2609290900 / 2612291200EST
	TUE THU 0900-1200 RWY 10/28 NOT AVBL
A2948/26	2609250130 / 2612301630EST
	0130-0430 1130-1630 ADS B BASED SURVEILLANCE SER PROVIDED TO SUITABLY EQUIPPED ACFT FLYING WI THE JURISDICTION OF CALICUT AIRSPACE ON FREQ 122.950MHZ.BEYOND THIS PERIOD SURVEILLANCE SER WILL BE PROVIDED TO ADS B EQUIPPED ACFT ON REQUEST BASIS SUBJECT TO AVBL OF SUITABLY RATED CONTROLLERS.SURVEILLANCE SER WILL NOT BE AVBLDRG PROCEDURAL TRG AND PROFICIENCY CHECK OF ATCOS. REF E AIP INDIA VOCL AD 2.22
A3003/26	2609301230 / 2612301230EST
	RESA EXTENSION WIP ON UNDERSHOOT PATH OF RWY 10/28 UPTO 300M
MOPA VOGA	
A2565/26	2608191215 / 2611181415
	WED 1215-1415 RWY 10/28 NOT AVBL DUE MAINT
GOA VOGO	
A2388/26	2607310840 / 2610311829
	BAY NR 09 AVBL FOR ACCOMODATING MAX ATR72-600 TYPE ACFT
A2408/26	2608030610 / 2611041630
	A NEW HLDG PSN P1 INSTL APRX 290M AHEAD OF THE EXISTING P1 HLDG PSN. THE EXISTING HLDG POSITIONS SHALL BE RE-DESIGNATED AS FLW: EXISTING P1 AS P2 EXISTING P2 AS P3 EXISTING P3 AS P4
A2740/26	2609060300 / 2612030700
	BAY 8 VISUAL DCKG GUIDANCE SYSTEM U/S. MANUAL MARSHALLING AVBL
A2863/26	2609190630 / 2612190630
	1.RWY 08/26 ACFT ARRESTING GEAR (BAK-12) CABLE DEPLOYED ACROSS FULL WIDTH OF RWY AT 379M FM THR 26 AND 446M FM THR 08 DRG FIGHTER OPERATIONS. 2.CABLE DIAMETER 1.25 INCHES PLACED AT HGT 2 INCHES ABV RWY SURFACE AND SUPPORTED BY 37 DISCS OF DIA 6 INCHES. 3.CABLE MAY BE TRAMPLED OR TREAD UPON EXC ACFT WITH LOW CLEARANCE OR WHEEL SHROUDS
A2888/26	2609220330 / 2611220330
	TWY N6 AND NORTH PARL TAX TR A BTN L2 AND N6 NOT AVBL
A2913/26	2609230900 / 2612231829
	PERM OBSTRUCTIONS WI FLT STRIP DUE REAR HOOK ACFT ARRESTING GEAR INSTALLED ON SHOULDERS OF RWY 08/26, INCLUDING EQPT AND CONC PLINTH. DETAILS OF OBSTACLES ARE AS FLW:

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	1) RWY 26 SIDE: DIST FM RWY 26 THR 379M, DIST FM RWY EDGE 37M (EQPT HGT OF 2M) DIST OF PLINTH FM RWY EDGE 10M HGT 0.4M 2) RWY 08 SIDE: DIST FM RWY 08 THR 446M, DIST FM RWY EDGE 37M (EQPT HGT OF 2M) DIST OF PLINTH FM RWY EDGE 10M HGT 0.4M 3) OBST MARKING AVBL
A2939/26	2609251015 / 2610020630
	BAY NR 4 NOT AVBL
A2976/26	2609290550 / 2610041829
	BAY NR 08 NOT AVBL
A3004/26	2610010115 / 2610311230
	0115-0315 0645-0900 1130-1230 EXCESSIVE BIRD ACT OBS AROUND THE AIRFIELD. MOD BIRD ACT OBS BTN 0215-0315 0745-0900 1130-1230. PILOTS TO EXER CTN WHILE TKOF/LDG
RAJIV GANDHI INTERNATIONAL AIRPORT, SHAMSHABAD VOHS	
A0935/26	2603160730 / PERM
	REF EAIP INDIA VOHS AD 2.1 SUB PARA 2.24 CHARTS RELATED TO AN AERODROME SNO.23 FOR RWY 27R READ TORA FOR TWY B2 INTERSECTION AS 3030M RWY09L IS NON PRECISION DUE WIP ALONG THE DRAIN IN BASIC STRIP
A2572/26	2608190930 / 2611191230
	GRASS CUTTING AND PESTICIDE SPRAYING WIP ON BOTH SIDES OF RWY 09R/27L SHOULDERS AT A DIST OF 107M FM RWY CL. PILOTS TO EXER CTN
A2660/26	2608290000 / 2611282359
	0000-1730 2330-2359 REF EAIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS PARA 5. AP COLLABORATIVE DECISION MAKING(ACDM) WILL BE IN PLACE. ACFT OPR TO UPDATE TARGET OFF BLOCK TIME(TOBT) AND ADHERE TO TARGET START UP APPROVAL TIME(TSAT)
A2661/26	2608281230 / 2610311230
	TWY B1 AVBL UPTO CODE C OPS UNDER TOWING AND FLW ME GUIDANCE WITH ONE HOUR MNM PRIOR NOTICE
A2662/26	2608281230 / 2610311230
	REF E-AIP INDIA VOHS AD 2.20 LOCAL AD REGULATIONS PARA 4 SUB PARA 4.2. TWY B1 NOT AVBL AS AN ALTN ISOLATION PRKG PSN DUE WIP
A2673/26	2608310900 / 2610311230
	WIP AT DIST OF 110M NORTH OF RWY 09L/27R CL BTN TWY B1 AND TWY B2. MAX EQPT HGT WILL BE 2.5M. PILOTS TO EXER CTN
A2733/26	2609040300 / 2612051830
	0300-0500 0730-0830 1030-1230 1330-1830 BIFURCATION OF APP INTO APP DEP APP ARR SECT. RTF CS FREQ HYDERABAD ARR 125.550MHZ HYDERABAD DEP 120.250MHZ
A2734/26	2609040200 / 2612051830
	0200-0530 0730-0830 1230-1530 1630-1830 ARR ACFT TO EXP HLDG OR DLA DUE CONGESTION

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

A2735/26	2609060000 / 2612051830
	0000-1830 CLR DELIVERY WITH CS SHAMSHABAD AVBL ON FREQ 121.625MHZ. REMAINING TIME CTC SMC ON 121.850MHZ FOR CLR DELIVERY
A2771/26	2609100330 / 2610041230
	0330-1230 EXC TUE DRAIN RECTIFICATION WIP BEYOND 75M NORTH OF SRY RWY 09L/27R CL AND WEST OF TWY B6. MEN AND MATERIAL DEPLOYED.MAX EQPT HGT WILL BE 2.5M. PILOTS TO EXER CTN
A2793/26	2609110430 / PERM
	REF EAIP INDIA VOHS AD 2.21 NOISE ABATEMENT PROCEDURES FLW PARA 2 AS LMAX LIMIT IN DB (A) FOR ACFT AT NOISE MONITORING TERMINALS AT RGIA IS 96.5. THE LMAX VALUE SHALL BE ADHERED BY AIRLINES OPR INCLUDING APCH,TKOF AT RGIA AND TO BE MONITORED AND COMMUNICATED BY AP OPERATOR TO THE DGCA
A2986/26	2609291250 / 2610311230
	VISUAL DCKG GUIDANCE SYSTEM FOR STANDS 44,45,46,47,48 NOT AVBL FOR OPS.PILOTS TO FLW MARSHALLER FOR PRKG GUIDANCE
A2992/26	2609300121 / 2612311230
	RWY09L IS NON PRECISION DUE WIP ALONG THE DRAIN IN BASIC STRIP
A2995/26	2609300623 / 2610101230EST
	ILS RWY09R IHBD DOWNGRADED FM CAT 3 TO CAT 1
KANNUR VOKN	
A2107/26	2607070320 / 2610072359
	GRASS CUTTING WIP BEYOND 75M FM RWY CL ON EITHER SIDES OF RWY STRIP.EXER CTN FOR PRESENCE OF MEN AND EQPT
A2627/26	2609020600 / 2611250700
	WED 0600-0700 RWY 07/25 CLSD DUE MAINT
MADURAI VOMD	
A2904/26	2609221050 / 2610021030EST
	ADVANCE VISUAL DCKG GUIDANCE SYSTEM AT ACFT STAND NR 3 U/S. ACFT DCKG BY MARSHALLER
CHENNAI FIR VOMF	
A2005/26	2609010030 / 2611301330
	0030-1330 PARAGLIDING ACT WI THE RADIUS OF 1 NM FROM COORD: 152930N 0734600E FROM : SFC TO : 700FT AMSL
A2119/26	2607100001 / 2610081200
	0001-1200 MET AIR BALLOON WILL BE LAUNCHED FM INDIAN NAVAL SHIP FM COORD MENTIONED BLW: 152231N0734947E TYPE OF BALLOON: HYDROGEN FILLED BALLOON

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	RADIAL AREA: 50NM WT OF UNFILLED BALLOON AND RADIOSONDE: 350 GRAMS RATE OF ASCENT: 300 M PER MIN DIAMETER OF FILLED BALLOON: 1.41M BURSTING ALT: APRX 30KM AND ABV FROM : SFC TO : UNL
A2277/26	2607220100 / 2610221230
	0100-1230 MULTI SENSOR AIRBORNE GEOPHYSICAL SURVEY WILL BE CARRIED OUT WI THE AREA BOUNDED BY THE FLW COORD: 140630N0740520E- 153815N0732123E- 153828N0741155E- 151147N0742411E- 150748N0743111E- 142248N0743641E- 140630N0740520E FROM : SFC TO : 265FT AGL
A2278/26	2608060100 / 2611061230
	0100-1230 MULTI-SENSOR AIRBORNE GEOPHYSICAL SURVEY WILL BE CARRIED OUT WI THE AREA BOUNDED BY THE FLW COORD: 140622N 0742838E-150016N 0753243E- 160004N 0753231E-160042N 0740037E- 161758N 0740053E-161641N 0732911E- 160618N 0733053E-152118N 0743308E- 141933N 0743845E-141021N 0742732E- 140622N 0742838E FROM : SFC TO : 7000FT AMSL
A2294/26	2608012300 / 2610301300
	2300-0100 1100-1300 RDO SONDE HYDROGEN BALLOON WILL BE LAUNCHED FM GARUDA NAVAL AIR STN FOR MET OBS. DETAILS ARE AS FLW: LAUNCH SITE COORD:095653.66N 0761626.47E WT:300GRAMS COLOUR:CREAMY WHITE RATE OF ASCENT:300M PER MIN MAX VER LIMIT:60000-80000FT DIAMETER:APRX 01M FROM : GND TO : UNL
A2344/26	2607290030 / 2610281230
	0030-1230 PARAMOTORING ACT ALONG LINE JOINING THE COORD 115210.26N0794909.60E 115415.11N0794948.76E FROM : GND TO : 300FT AGL
A2345/26	2609010100 / 2612011400
	0100-1400

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	PARAGLIDING ACT WILL TAKE PLACE WI THE RADIUS OF 4.3NM FM COORD: 151026.5N 0735922.6E FROM : SFC TO : 500FT AMSL
A2346/26	2609040100 / 2612041400
	0100-1400 POWERED PARAGLIDING AND WINCH PARAGLIDING ACT WI RADIUS OF 1.6NM FM FLW COORD: 1) 151919N 0735352E 2) 151716N 0735435E 3) 151705N 0735439E 4) 151451N 0735518E 5) 145927N 0740212E FROM : SFC TO : 500FT AMSL
A2356/26	2607291200 / 2610250300
	1200-2359 0000-0300 CHENNAI CTL AREA-SECTOR UPPER THIRUVANANTHAPURAM(UTV) CONSOLIDATED WITH THIRUVANANTHAPURAM CTL AREA. OPR FREQ 125.95MHZ(MAIN),132.25MHZ(SDBY). UNIT PROVIDING SER:THIRUVANANTHAPURAM ACC. FOR FLIGHTS TRANSITING THRU UPPER THIRUVANANTHAPURAM(UTV) SECT ON ATS ROUTES P570,P895,M641, M300,UL425,L899,R457,R461,N640,G325 FPL TO BE ADDRESSED TO VOMLZRZX VOTVZRZX. BEYOND THE NOTIFIED PERIOD, IN CASE OF ANY CONTINGENCY CHENNAI CTL AREA-SECTOR UPPER THIRUVANANTHAPURAM(UTV) CONSOLIDATED WITH THIRUVANANTHAPURAM CTL AREA. REF E-AIP INDIA ENR 2.1.2 CHENNAI CTL AREA-SECTOR UPPER THIRUVANANTHAPURAM(UTV)
A2422/26	2608110030 / 2611061730
	TUE THU SAT 0030-0430 1130-1730 MON WED FRI 0030-0930 1230-1730, DRONE OPS NEAR KURNOOL,ANDHRA PRADESH. 1.LCA COORD : 154241.50N 0780939.40E 2.RADIUS OF FLY CIRCLE : 3NM AROUND 154241.50N0780939.40E 3.DRONE WT : 75KG 4.DRONE SPEED : CRUISE SPEED: 55NM(99KMH) RATE OF CLIMB: UPTO 1000FPM RATE OF DESCEND: 600FPM PILOTS TO EXER CTN FROM : GND TO : 4000FT AGL
A2427/26	2608050830 / 2611011000
	0830-1000 GRAW RADIOSONDE LAUNCH FROM COCHIN UNIVERSITY FOR GETTING UPPER WEATHER DATA. DETAILS ARE AS FLW: LAUNCH SITE COORD: 100241N 0761934E WT OF SONDE :90GRAMS COLOUR:OFF WHITE DIAMETER:1.2 M LENGTH OF CODE:20M

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	RATE OF ASCENT:250-300 M/MIN FLOATING TIME: 1.0- 1.5 HR MAXIMUM VER LIMIT: APRX 25KM FLOATING AREA: 20NM FROM : GND TO : UNL
A2493/26	2608120500 / 2611101030EST REF E-AIP INDIA, ENR-2 AIR TFC SERVICES AIRSPACE ENR 2.1 FLT INFO REGION (FIR), TERMINAL AREA(TMA)-UNDER CHENNAI CTL AREA-SECT UMM. 1.DRG HIGH DENSITY TFC DYNAMIC BIFURCATION OF UMM SECT INTO UMM-NORTH AND UMM-SOUTH ON TRIAL BASIS WILL BE IN PROGRESS 2.UMM-SOUTH AREA BOUNDED BY COORD: 140100N 0791657E THEN ALONG ANTICLOCKWISE ARC OF 80NM RADIUS CENTERED AT (125936.1N0801014.5E) TO 130000N0784800E;130000N0782500E; 124500N0782500E;122805N0791655E; THEN ALONG CLOCKWISE ARC OF 100NM RADIUS CENTERED AT 125705.1N0773955.7E TO 112130N0780745E;111400N0781200E; 110300N0781700E;100000N0794000E;100000N0800000E; 100000N0814141E; THEN ALONG THE ANTICLOCKWISE ARC OF 200NM CENTERED AT (125936.1N0801014.5E) TO 123935N0833323E 125930N0833920E 134411N0821108E 131746N0803544E 131926N0802640E 131542N0800853E 133716N0795532E TO 140100N0791657E FL460/FL145 FREQ-125.300MHZ MAIN, 133.950MHZ, SDBY 3.UMM-NORTH AREA BOUNDED BY COORD: 140100N0791657E 133716N0795532E 131542N0800853E 131926N0802640E 131746N0803544E 134411N0821108E 125930N0833920E 160538N0843552E 164604N0823847E 165700N0822430E 171500N0820000E 155900N0791300E 155800N0784500E 142300N0785400E 140100N0791657E FL460/FL145 170916N0820800E 165700N0822430E 164604N0823847E 160538N0843552E 163721N0845647E 184100N0824900E 184250N0820000E 175100N0820000E 171500N0820000E 170916N0820800E FL255/FL145 FREQ-134.250MHZ MAIN, 133.950MHZ SDBY FROM : FL145 TO : FL460

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

A2497/26	2608130030 / 2610311230
	0030-1230 VOD 179A ACT FROM : GND TO : 5000FT AMSL
A2498/26	2608130030 / 2610311230
	0030-1230 VOD 179B ACT FROM : GND TO : 6000FT AMSL
A2530/26	2608160000 / 2611151300
	HJ PARAMOTOR FLYING WI THE AREA BOUNDED BY COORD: 131424N0775217E-131451N0775046E-131512N0775053E-131444N0775223E-1314 24N0775217E FROM : SFC TO : 3700FT AMSL
A2535/26	2608160000 / 2611151300
	HJ DRONE FLYING WI THE AREA BOUNDED BY COORD: 131424N0775217E-131451N0775046E-131512N0775053E-131444N0775223E-1314 24N0775217E FROM : GND TO : 400FT AGL
A2597/26	2608250001 / 2611221400
	0001-0200 1200-1400 MET AIR BALLOON LAUNCH FM INDIAN NAVAL SHIP BETWEEN COORD: 1500N07100E- 1550N07350E- 1200N07200E-1300N07400E- 1500N07100E TYPE OF BALLOON: HELIUM FILLED COLOUR: CREAMY WHITE WT OF UNFILLED BALLON AND RADIOSONDE: 600 GRAMS RATE OF ASCENT: 300M PER MIN BURSTING ALTITUDE: APRX 30KM AND ABV FLIGHT DURATION: 02 HR FROM : SFC TO : UNL
A2605/26	2608242300 / 2611090100
	0900-1100 2300-0100 RDO SONDE MET UNMANNED FREE HYDROGEN BALLOON WILL BE RELEASED FM INDIAN NAVAL SHIP RAJALI NAVAL AIR STN AS FLW: LAUNCH SITE:130419N0794118E(AROUND 80KM RADIUS) BALLOON FLT ID/NDB:400MHZ-406MHZ CLASSIFICATION AND DESCRIPTION:LIGHT WT CAT,WT 350GRAMS COLOUR: OFF WHITE DIAMETER:1.41M HYDROGEN FILLED ALT:40000M NR OF BALLOONS TO BE LAUNCHED:TWO PER DAY RATE OF ASCENT:300M/MIN CRUISING LVL:UPTO 40KM VER EET TO PASS 18KM: 01HR MAX LIFE SPAN OF BALLOON: 03HR FROM : GND TO : UNL

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

A2608/26	2609010115 / 2612011300 0115-0515 1000-1300 POWERED PARAMOTOR ACT WI 1.5NM RADIUS OF COORD: 125116N0744920E FROM : SFC TO : 500FT AMSL
A2609/26	2609010115 / 2612011300 0115-0515 1000-1300 POWERED PARAMOTOR ACT WI 1.5NM RADIUS OF COORD: 124806N0745044E FROM : SFC TO : 500FT AMSL
A2614/26	2609010030 / 2611300330 0030-0330 HOT AIR BALLOON FREE FLT WILL OPERATE IN HAMPI AND KOPPAL. AREA OF OPERATION: 10NM AROUND 151950.64N 0762719.42E FROM : GND TO : 4000FT AGL
A2617/26	2608250030 / 2611231430EST 0030-1430 VOD-188 CHENGALPATTU FRNG RANGE ACT FROM : GND TO : 5000FT AGL
A2637/26	2609150130 / 2612121230 HJ PARAMOTOR ACT INPR WI A RADIUS OF 0.5NM AROUND COORD: 154216.27N 0734143.75E FROM : GND TO : 500FT AGL
A2678/26	2609082300 / 2612061300 2300-0100 1100-1300 RDO SONDE MET UNMANNED FREE HYDROGEN BALLOON WILL BE RELEASED FM INDIAN NAVAL SHIP PARUNDU NAVAL AIR STN (ARP COORD: 091921.328N 0785819.487E) FOR MET OBS AS PER FLW DETAILS: LAUNCH SITE:0919N07858E BALLOON FLT ID/NDB:400MHZ-406MHZ CLASSIFICATION AND DESCRIPTION:LIGHT WT CAT, WT 350GRAMS COLOUR:WHITE DIAMETER:1.5M HYDROGEN FILLED RATE OF ASCENT:300M PER MIN MAXIMUM VERTICAL EXTENSION:UPTO 40KM EET TO PASS 18KM:01HR MAX LIFE SPAN OF BALLOON:03HR FROM : GND TO : UNL
A2696/26	2609020001 / 2611262000 0001-0200 0600-0800 1200-1400 1800-2000 MET AIR BALLOON LAUNCH FM INDIAN NAVAL SHIP BTN COORD: 1700N07000E-1700N07318E- 1400N07430E-1400N07000E- 1700N07000E TYPE OF BALLOON: HYDROGEN FILLED COLOUR: WHITE RADIAL AREA:140-170NM

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	WT OF UNFILLED BALLON AND RADIOSONDE: 350 GRAMS RATE OF ASCENT: 300M PER MIN DIAMETER OF FILLED BALLOON:1.40M BURSTING ALTITUDE: APRX 30KM AND ABV FLIGHT DURATION: 02 HR FROM : SFC TO : UNL
A2749/26	2610050900 / 2612281200
	MON 0900-1200 FRI 0900-1200 1230-1430 EXC OCT 19 AND DEC 25 ANTI-ACFT FRNG RANGE VOD172 (COCHIN) ACT FROM : SFC TO : 33000FT AMSL
A2796/26	2609152330 / 2612151400
	2330-0200 1130-1400 UNMANNED PRE HYDROGEN BALLOON OF LIGHT WT WILL BE LAUNCHED FM COORD: 110051N0770941E WITH THE FLW DETAILS: 1.DIAMETER OF BALLOON (WITH FILLED): 1.14 METER 2.WT WITH GAS AND PAYLOAD: 1030 GRAM 3.BALLOON BURSTING ALT: 25 KM 4.COLOUR OF BALLOON: WHITE FROM : GND TO : UNL
A2826/26	2610010900 / 2610312330
	0900-1130 1200-1430 1800-2030 2100-2330 GPS SONDE/RADIOSONDE MET UNMANNED BALLOON FLT OPS FM DEPARTMENT OF SPACE, NATIONAL ATMOSPHERIC RESEARCH LABORATORY,GADANKI AS FLW: 1. LAUNCH SITE: 132848N 0791048E 2. BALLOON FLT ID/NDB: NARL,GADANKI/400MHZ-406MHZ 3. CLASSIFICATION AND DESCRIPTION: LGT WT CAT,WT 150GRAMS 4. COLOUR: WHITE 5. DIAMETER: 1.5M HYDROGEN FILLED 6. NR OF BALLOONS TO BE LAUNCHED: ONE PER DAY 7. EXP DIRECTION AND RATE OF ASCENT: EASTERLY/NORTH EASTERLY 300M PER MIN 8. CRUISING LVL: 300M PER MIN UPTO 32-35KM VERTICAL HGT 9. EET TO PASS 18KM WITH LCA EST: 01HR 30MIN 10. MAX LIFE SPAN OF BALLOON: 02HR 30MIN FROM : GND TO : UNL
A2860/26	2610060430 / 2610271030
	06 13 27 0430-0630 0830-1030 FRNG PRACTICE WI AREA BOUNDED BY COORD: 114000N0922700E- 114800N0922900E- 115200N0921900E- 114300N0921600E- 114000N0922700E FROM : SFC TO : 1000FT AMSL
A2876/26	2610070830 / 2610301030
	07 09 14 16 21 23 28 30 0830-1030 FRNG PRACTICE WI AREA BOUNDED BY COORD: 1250N09340E-1300N09340E- 1300N09410E-1250N09410E-1250N09340E

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	FROM : SFC TO : 5000FT AMSL
A2880/26	2609280230 / 2610021130
	0230-1130 TEMPORARY RESERVED AREA TRA 807(B) SULUR WILL BE ACT. REF EAIP- ENR-5.2.1 FROM : 9000FT AMSL TO : FL240
A2881/26	2609280230 / 2610021130
	0230-1130 TEMPORARY RESERVED AREA TRA807(C) SULUR WILL BE ACT. REF EAIP- ENR-5.2.1 FROM : 9000FT AMSL TO : FL180
A2890/26	2610010530 / 2612301230
	0530-1230 PARAMOTOR/PARAGLIDING ACT INPR WI A RADIUS OF 3NM AROUND COORD: 112943N0753653E FROM : GND TO : 500FT AMSL
A2891/26	2611010130 / 2701291230
	0130-1230 PARAMOTOR ACT INPR WI A RADIUS OF 01NM AROUND COORD: 154044N0734218E FROM : GND TO : 500FT AGL
A2892/26	2611010130 / 2701291230
	0130-1230 PARAMOTOR ACT INPR WI A RADIUS OF 01NM AROUND COORD: 154214.05N0734300.41E FROM : GND TO : 500FT AGL
A2893/26	2611010130 / 2701291230
	0130-1230 PARAMOTOR ACT INPR WI A RADIUS OF 01NM AROUND COORD: 154225.03N0734150.20E FROM : GND TO : 500FT AGL
A2894/26	2611010130 / 2701291230
	0130-1230 PARAMOTOR ACT INPR WI A RADIUS OF 01NM AROUND COORD: 153847.05N0734300.41E FROM : GND TO : 500FT AGL
A2895/26	2611010130 / 2701291230
	0130-1230 PARAMOTOR ACT INPR WI A RADIUS OF 01NM AROUND COORD: 154203.05N0734149.29E FROM : GND TO : 500FT AGL
A2896/26	2611171130 / 2611181430
	1130-1430 FRNG PRACTICE WI AREA BOUNDED BY COORD: 114014N0924545E- 113720N0924756E- 114018N0925000E- 114046N0924558E- 114014N0924545E

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	FROM : SFC TO : 7000FT AMSL
A2897/26	2612141130 / 2612171430
	1130-1430 FRNG PRACTICE WI AREA BOUNDED BY COORD: 114014N0924545E- 113720N0924756E- 114018N0925000E- 114046N0924558E- 114014N0924545E FROM : SFC TO : 7000FT AMSL
A2905/26	2610100100 / 2610201230
	0100-1230 POWERED PARAGLIDING AND PARAMOTORING ACT WI 5NM AROUND COORD:121844.26N0763732.44E FROM : GND TO : 1000FT AGL
A2906/26	2609290130 / 2610101130
	0130-1130 NAVAL CHETAK HELICOPTERS EXER WI AREA BOUNDED BY FLW COORD: 0910N07859E-0904N07859E-0904N07846E- 0910N07846E-0910N07859E FROM : SFC TO : 3000FT AMSL
A2908/26	2609301830 / 2610311830EST
	NAVAL ACFT WILL BE OPERATING WI THE AREA BOUNDED BY COORD: 125427.75N0793044.65E-124944.00N0793221.00E- 125946.00N0794731.00E-130431.00N0794859.00E- 125427.75N0793044.65E ACFT SHALL CTC ARAKKONAM ATC ON 120.700MHZ/126.900MHZ BEFORE ENTERING THE AIRSPACE FROM : SFC TO : 1800FT AMSL
A2909/26	2610140600 / 2610140800
	ANTI-ACFT FRNG RANGE VOD172 (COCHIN) ACT FROM : SFC TO : 35000FT AMSL
A2922/26	2610041830 / 2610081829
	BALLOON LAUNCH FM TATA INSTITUTE OF FUNDAMENTAL RESEARCH (TIFR),HYDERABAD WITH THE FLW DETAILS: LAUNCH SITE COORD: 172826N0783453E VOL AND LEN OF BALLOON: 9.9 CU.M AND 7.5M MAX DIAMETER OF BALLOON: 2.0M TYPE,COLOUR AND LEN OF THE BALLOON: PLASTIC TETHERED BALLOON,WHITE AND ORANGE MAX LEN OF THR TETHER: 200.0M MAIN INSTR WT: 1.0 KG RATE OF ASCENT/DESCENT: 20 M PER MIN TRACKING STN: BALLOON FACILITY, TATA INSTITUTE OF FUNDAMENTAL RESEARCH (TIFR), HYDERABAD (TEL NR 040-27124853) YELLOW STREAMERS: EV 100FT RED WRNG LIGHT PSN: 3.0M BLW BALLOON FROM : GND TO : 2500FT AMSL
A2923/26	2610090530 / 2610090700

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	VOD175(A) THUMBA-1 ROCKET FRNG RANGE ACT. 1.LAUNCH WILL TAKE PLACE BTN 0530Z AND 0700Z. ACTUAL LAUNCH WINDOW IS EXP TO BE 15 MIN. 2.ARR/DEP AT THIRUVANANTHAPURAM AP MAY BE DLA DRG RANGE ACT. ARRIVALS MAY BE REQUIRED BY ATC TO HOLD CLR OF DNG AREA. DEPARTURES MAY BE DLA ON GND. MAX ANTICIPATED DLA FOR ARR AND DEP IS AROUND 30 MIN. 3.RNAV SIDS & STARS FOR THIRUVANANTHAPURAM AP SHALL NOT BE AVBL DRG THE NOTAM PERIOD. 4.ATS RTE Q12, Q13, W15, W43, W91, R457, P570, L899, UL425, N640, V22, V23, V24, V25, V26, V27, V28 AND V29 ARE AFFECTED DUE TO THE RANGE ACT. 5.ALTN RTE FOR OVERFLYING ACFT ARE AS FLW. I.ACFT VIA P570/N640 (DOTAT-TVM-BIKOK) TO RTE VIA DOTAT DCT BIKOK. II.ACFT VIA P570 (BASUR-TVM-DOTAT) TO RTE VIA BASUR DCT TUMLA DCT DOTAT. III.ACFT VIA UL425/N640 (ANODA-TVM-BIKOK) TO RTE VIA ANODA DCT TUMLA DCT BIKOK. IV.ACFT VIA P570/UL425 (BASUR-TVM-ANODA) TO RTE VIA BASUR DCT TUMLA DCT ANODA. V.ACFT VIA R457/W43 (OSERA-TVM-CCB) TO RTE VIA OSERA DCT TELAR DCT COCHIN VOR CIA DCT COIMBATORE VOR CCB. ALT RTE BI-DIRECTIONAL. VI.ACFT VIA R457/W15 (OSERA-TVM-CIA) TO RTE VIA OSERA DCT TELAR DCT CIA. ALT RTE BI-DIRECTIONAL. VII.ACFT VIA R457 (OSERA-TVM-MDI) TO RTE VIA OSERA DCT BASUR DCT MADURAI VOR MDI. ALT RTE BI-DIRECTIONAL. VIII.ACFT VIA L899/W15 TO RTE VIA TELAR DCT COCHIN VOR CIA. ALT RTE BI-DIRECTIONAL. IX.ACFT VIA L899/W43 TO RTE VIA TELAR DCT COCHIN VOR CIA DCT COIMBATORE VOR CCB. ALT RTE BI-DIRECTIONAL. X.ACFT VIA L899/R457 TO RTE VIA TELAR DCT OSERA DCT BASUR DCT MADURAI VOR MDI. ALT RTE BI-DIRECTIONAL. XI.ATS ROUTES V22, V23, V24, V25, V26, V27, V28 AND V29 ARE NOT AVBL DRG THE NOTAM PERIOD. FROM : GND TO : UNL
A2924/26	2610081830 / 2610130130
	08 1830-2359, 09 12 0000-0130 1830-2359, 10 13 0000-0130, 11 0600-1230 1830-2359 BALLOON LAUNCH FM TATA INSTITUTE OF FUNDAMENTAL RESEARCH (TIFR),HYDERABAD WITH THE FLW DETAILS: LAUNCH SITE COORD: 172826N0783453E LEN FM TOP OF BALLOON TO END OF LOAD LINE: 25.0M TYPE,COLOUR AND LEN OF THE BALLOON: 2000 GM RUBBER BALLOON, WHITE AND 1.0M COLOUR AND LEN OF THE PARACHUTE: ORANGE AND 1.0M LEN OF THE LOADLINE :20.0M

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	MAIN INSTR WT: 4.0 KG RATE OF ASCENT: 250-300 M/MIN, IN FIRST 15 KM ALT REGION CEILING ALT AND FLOATING TIME: 30.0KM, NO FLOAT RED WRNG LIGHT PSN: AT LAST LOAD TRACKING STN: BALLOON FACILITY, TATA INSTITUTE OF FUNDAMENTAL RESEARCH (TIFR), HYDERABAD (TEL NR 040-27124853) PROBABLE LDG PLACE: 80KMS, WEST OF HYDERABAD FROM : GND TO : UNL
A2925/26	2610070830 / 2610301715
	07 14 28 0830-1045, 21 0230-1045, 29 30 1130-1715 GPS SONDE HIGH ALT BALLOON ASCENT FM THUMBA EQUATORIAL ROCKET LAUNCHING STN (TERLS) RANGE. LAUNCH COORD: 083200N 0765218E DESCRIPTION: WHITE ORDINARY MET BALLOON WITH 2M DIAMETER FLOATING AREA : 180 KM CENTERED ABOUT THE LAUNCHING STATION INSTR WT: GPS SONDE 900GRAM-1800 GRAM MAX ALT EXP: 32 KM TRANSPONDER FREQ: 400 MHZ-405 MHZ RATE OF ASCENT: 4-5 M/SEC RATE OF DESCENT: 25 M/SEC (UPTO 20KM) 5 M/SEC (BLW 20KM) EXP FLOATING TIME: 0215 HR FROM : GND TO : UNL
A2942/26	2609260130 / 2610011030
	0130-1030 PARAMOTOR FLY FOR MIL TRAINING. AREA 5KM AROUND COORD 130429.38N0774540.95E FROM : GND TO : 500FT AGL
A2943/26	2610010900 / 2612311230
	0900-1230 GPS RDO SONDE UNMANNED FREE BALLOON OPS FM INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH, THIRUVANANTHAPURAM WITH FLW DETAILS: LAUNCH COORD: 084048N0770748E DESCRIPTION: 750 GRAMS, WHITE COLOUR MET BALLOON SENSOR/PAY LOAD WT: 100 GRAMS DIAMETER OF BALLOON AT RELEASE: APRX. 150 CM DIAMETER OF BALLOON AT BURST ALT (25-30KM): APRX. 400-470 CM ASCENT RATE: 250-300 M PER MINUTE DESCENT RATE: 900-1200 M PER MIN (BTN 15-10 KM) 600-900 M PER MIN (BTN 10-5 KM) 500-600 M PER MIN (BLW 5 KM) MAX VER HGT: 32-35 KM (ALT) MAX HORIZONTAL DISPLACEMENT: 100-150 KM FM LAUNCH STN MAX LIFE SPAN OF BALLOON: NEARLY 2 HR 30 MIN SENSOR: RADIOSONDE; OPERATING FREQ: 400-405 MHZ FROM : GND TO : UNL

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

A2944/26	2610050200 / 2610111630 0200-1200 1330-1630 VEERAMALAI FIELD FRNG RANGE ACT AREA OF OPS 5NM AROUND 104010N0782500E FROM : GND TO : 1200FT AMSL
A2957/26	2610050230 / 2610091130 0230-1130 TEMPORARY RESERVED AREA TRA 807(B) SULUR WILL BE ACT. REF EAIP- ENR-5.2.1 FROM : 9000FT AMSL TO : FL240
A2958/26	2610050230 / 2610091130 0230-1130 TEMPORARY RESERVED AREA TRA807(C) SULUR WILL BE ACT. REF EAIP- ENR-5.2.1 FROM : 9000FT AMSL TO : FL180
A2961/26	2610010830 / 2612161200 OCT 01 16 NOV 02 16 DEC 01 16 0830-1200 GPS SONDE BALLOON LAUNCH WILL TAKE PLACE AS PER THE FLW DETAILS: LAUNCH COORD : 112440N 0780939E BALLOON COLOUR:WHITE MAXIMUM MASS OF BALLOON WITH PAYLOAD:1200 GRAMS BALLOON CLASSIFICATION: LIGHT BALLOON DIAMETER:3M TYPE OF GAS TO BE FILLED: HELIUM SIZE OF SONDE: 15 X 45 CM MAXIMUM HEIGHT:40 KM FLOATING AREA: 100 KM FLOATING TIME: 1 HR 30 MN ASCENT RATE: 3-5 M/SEC IN FIRST 10 KM ALTITUDE REGION TOTAL DURATION OF FLIGHT : 03 HR 30MN FREQ OF OPERATION : 400 MHZ TO 406 MHZ FROM : GND TO : UNL
A2971/26	2610040030 / 2610171300 0030-1300 UAV OPS WI AREA BOUNDED BY COORD: 181808N0760328E - 181654N0760158E - 181530N0760330E - 181658N0760458E - 181808N0760328E UAV DETAILS: COLOUR- WHITE WITH BLUE COLOURED TIPS WT- 45KG DIMENSIONS- 3.0 X 3.8 X 1.0 M RATE OF ASCENT/DESCENT- 3.0 MPS FROM : GND TO : 12000FT AMSL
A2975/26	2610010000 / 2612311300 0000-0200 1100-1300 HYDROGEN BALLOON LAUNCH WILL TAKE PLACE AS PER THE FLW DETAILS : LAUNCH COORD : 1043N07906E

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	TYPE OF BALLOON : JR-27 BALLOON COLOR: PINK BALLOON DIAMETER : 1M TYPE OF GAS TO BE FILLED : HYDROGEN FLOATING AREA : 30KM ASCENT RATE : 10.5KMH MAX HGT : 12KM FROM : SFC TO : 40000FT AMSL
A3001/26	2610060330 / 2611151200
	0330-1200 AERIAL LIDAR SURVEY WI AREA BOUNDED BY COORD: 1226N07500E - 1252N07527E - 1238N07535E - 1225N07521E - 1216N07528E - 1153N07547E - 1150N07543E - 1126N07555E - 1114N07543E - 1143N07528E - 1159N07511E - 1226N07500E DETAILS OF FLT: BASE OF OPERATION: KANNUR AP CS AND TYP: VTASU AND VTIC, CESSNA 208B FROM : GND TO : 4000FT AMSL
CHENNAI/KOLKATA FIR VOMF/VECF	
A3000/26	2610010000 / 2610012359
	AIRSPACE USE PLAN (AUP) TSA/TRA/AMC-MANAGEABLE AIRSPACE ACT AS FLW: NR AIRSPACE ID TIME FM TIME TO LOWER FL UPPER FL 1 TRA503(A) [PUNE] 0130 1200 FL325 FL460 2 TRA503(A) [PUNE] 1330 1730 FL325 FL460 3 TRA503(B) [PUNE] 0130 1200 FL325 FL460 4 TRA503(B) [PUNE] 1330 1730 FL325 FL460 5 TRA509A 0000 2359 SFC FL270 6 TRA509B 0230 0730 FL270 UNL 7 TRA509B 1000 1100 FL270 UNL 8 TRA509B 1430 1630 FL270 UNL 9 TRA509C 0230 0730 FL270 UNL 10 TRA509C 1000 1100 FL270 UNL 11 TRA509C 1430 1630 FL270 UNL 12 TRA601(A) [PANAGARH] 0201 0958 GND 4000 FT AMSL 13 TRA601(A) [PANAGARH] 1258 1830 GND 4000 FT AMSL 14 TRA601(B) [PANAGARH] 0201 0958 GND FL105 15 TRA601(B) [PANAGARH] 1258 1830 GND FL105 16 TRA601(C) [PANAGARH] 0201 0958 GND FL105 17 TRA601(C) [PANAGARH] 1258 1830 GND FL105 18 TRA604 [TEZPUR] 0030 1829 FL130 FL380 19 TRA607(A) [CHABUA] 0130 1700 FL325 FL460 20 TRA607(B) [CHABUA] 0130 1700 FL325 FL460 21 TRA607(C) [CHABUA] 0130 1700 FL325 FL460 22 TRA612(A) [TEZPUR] 0030 1829 FL325 FL380 23 TRA612(B) [TEZPUR] 0030 1829 FL325 FL380 24 TRA612(C) [TEZPUR] 0030 1829 FL325 FL380 25 TRA805(A) [VISHAKHAPATNAM] 0000 2359 SFC 5500 FT AMSL

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

26 TRA805(B) [VISHAKHAPATNAM] 0100 1700 FL145 FL235
27 TRA805(C) [VISHAKHAPATNAM] 0100 1700 FL235 FL275
28 TRA806(A) [COCHIN] 0300 1730 6000 FT AMSL 6000 FT AMSL
29 TRA806(B) [COCHIN] 0300 1730 FL060 FL170
30 TRA806(C) [COCHIN] 0300 1730 FL150 FL170
31 TRA806(D) [COCHIN] 0300 2100 FL060 FL130
32 TRA806(E) [COCHIN] 0300 2100 FL060 FL170
33 TRA806(F) [COCHIN] 0300 2100 FL060 FL130
34 TRA806(G) [COCHIN] 0300 2100 FL060 FL170
35 TRA807(A) [SULUR] 0130 1159 GND 9000 FT AMSL
36 TRA807(D) [SULUR] 0130 1129 FL275 FL400
37 TRA807(D) [SULUR] 1330 1729 FL275 FL400
38 TRA807(E) [SULUR] 0130 1829 GND 3000 FT AMSL
39 TRA807(E) CORRIDOR1[SULUR] 0130 1829 GND 3000 FT AMSL
40 TRA807(E) CORRIDOR2[SULUR] 0130 1829 GND 5000 FT AMSL
41 TSA602 [DUDHKUNDI] 0000 2359 GND FL215
42 TSA801(B) [THANJAVUR] 0330 0729 MSL FL135
43 TSA801(B) [THANJAVUR] 0830 1029 MSL FL135
44 TSA801(B) [THANJAVUR] 1445 1829 MSL FL135
45 TSA803(A) [VISHAKHAPATNAM] 0100 1700 SFC FL235
46 TSA803(B) [VISHAKHAPATNAM] 0100 1700 SFC FL145
47 TSA803(C) [VISHAKHAPATNAM] 0100 1700 SFC FL235
CONDITIONAL ROUTE (CDR2) AVBL AS FLW:
NR CDR2 ID TIME FM TIME TO LOWER FL UPPER FL
1 J1 0000 0059 FL080 FL460
2 J1 0100 1100 FL290 FL460
3 J1 1101 1259 FL080 FL460
4 J1 1300 1830 FL290 FL460
5 J4 0000 0030 FL110 FL460
6 J4 0031 1159 FL330 FL460
7 J4 1200 1829 FL250 FL460
8 J4 1830 2359 FL110 FL460
9 J5 0000 0129 FL260 FL460
10 J5 1201 1329 FL260 FL460
11 J5 1731 2359 FL260 FL460
12 J13 1230 1329 FL140 FL400
13 J13 1730 1825 FL280 FL400
14 J14 0101 0129 FL110 FL460
15 J14 0130 1129 FL410 FL460
16 J14 1130 1159 FL280 FL460
17 J14 1200 1329 FL110 FL460
18 J14 1330 1729 FL410 FL460
19 J15 0000 0129 FL110 FL460
20 J15 0130 1129 FL410 FL460
21 J15 1130 1159 FL280 FL460
22 J15 1200 1329 FL110 FL460
23 J15 1330 1729 FL410 FL460
24 J15 1730 1829 FL280 FL460
25 J15 1830 2359 FL110 FL460
26 J16 0101 0129 FL110 FL400

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

27	J17	0015	0300	FL110	FL460
28	J17	1130	1320	FL110	FL460
29	J17	1435	1935	FL110	FL460
30	J18	0000	0300	FL110	FL460
31	J18	1130	2359	FL110	FL460
32	J26	0000	0030	FL145	FL460
33	J26	0031	1159	FL330	FL460
34	J26	1200	1829	FL250	FL460
35	J26	1830	2359	FL145	FL460
36	J27	0000	0030	FL110	FL460
37	J27	0031	1159	FL330	FL460
38	J27	1200	1829	FL250	FL460
39	J27	1830	2359	FL110	FL460
40	J29	0000	0129	FL150	FL250
41	J29	1201	1329	FL150	FL250
42	J29	1731	2359	FL150	FL250
43	J39	0000	0059	FL170	FL460
44	J39	0100	1100	FL290	FL460
45	J39	1101	1259	FL170	FL460
46	J39	1300	1829	FL290	FL460
47	J39	1830	2359	FL170	FL460
48	J41	0100	0129	FL330	FL460
49	J41	1201	1329	FL330	FL460
50	J44	0000	0208	FL110	FL210
51	J44	1110	1800	FL110	FL210
52	J45	0000	0030	FL110	FL460
53	J45	0031	1159	FL330	FL460
54	J45	1200	1829	FL250	FL460
55	J45	1830	2359	FL110	FL460
56	J46	0000	0030	FL110	FL460
57	J46	0031	1159	FL330	FL460
58	J46	1200	1829	FL250	FL460
59	J46	1830	2359	FL110	FL460
60	J47	0100	1100	FL290	FL460
61	J47	1101	1259	FL170	FL460
62	J48	0400	0930	FL290	FL460
63	J56	0000	2359	FL080	FL250
64	J57	0200	0229	FL080	FL250
65	J57	0230	1530	FL220	FL250
66	J59	02001530	FL110	FL410	
67	J63	0000	0030	FL110	FL410
68	J63	0031	1829	FL255	FL410
69	J63	1830	2359	FL110	FL410
70	J65	0000	0129	FL150	FL460
71	J65	1201	1329	FL150	FL460
72	J65	1731	2359	FL150	FL460
73	J66	0000	0030	FL110	FL250
74	J66	1300	2359	FL110	FL250
75	J67	0000	0030	FL110	FL255
76	J67	1300	2359	FL110	FL255

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

77	J71	0200	1143	FL330	FL460
78	J71	1144	1358	FL220	FL460
79	J71	1359	1730	FL330	FL460
80	J71	1731	1930	FL250	FL460
81	J71	1931	2000	FL110	FL460
82	J73	0100	1300	FL330	FL460
83	J75	0000	0030	FL110	FL400
84	J75	0031	1159	FL330	FL400
85	J75	1200	1829	FL250	FL400
86	J75	1830	2359	FL110	FL400
87	J82	0000	2359	FL330	FL400
88	J83	0200	1900	FL110	FL400
89	J89	0000	0030	FL110	FL245
90	J89	1830	2359	FL110	FL245
91	J92	0200	0229	FL110	FL380
92	J92	0230	1400	FL220	FL380
93	J93	0000	0030	FL150	FL460
94	J93	1830	2359	FL150	FL460
95	J95	0000	0208	FL110	FL460
96	J95	0209	0300	FL255	FL460
97	J95	1130	2359	FL110	FL460
98	J96	0000	0300	FL110	FL250
99	J96	1130	2359	FL110	FL250
100	J97	0000	0030	FL080	FL245
101	J97	1830	2359	FL080	FL245
102	J98	0000	0119	FL160	FL280
103	J98	1144	1358	FL220	FL280
104	J98	1731	1930	FL250	FL280
105	J98	1931	2359	FL160	FL280
106	J104	0000	0129	FL110	FL380
107	J104	1201	1329	FL110	FL380
108	J104	1731	2359	FL110	FL380
109	J105	0230	1300	FL220	FL460
110	J116	0000	0129	FL080	FL250
111	J116	1201	1329	FL080	FL250
112	J116	1731	2359	FL080	FL250
113	J120	0000	2359	FL085	FL460
114	J121	0000	2359	FL085	FL460
115	J122	0000	2359	FL085	FL460
116	Z2	0000	2359	FL330	FL460
117	Z5	0000	0129	FL290	FL460
118	Z5	1201	1329	FL290	FL460
119	Z5	1731	2359	FL290	FL460
120	Z12	0000	2359	FL330	FL460
121	Z13	0000	0229	FL110	FL410
122	Z13	0230	1630	FL220	FL410
123	Z13	1631	2359	FL110	FL410
124	Z14	0000	2359	FL330	FL460

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	NOTE: AIRSPACE USERS AND ATC UNITS ARE REQUIRED TO ENSURE THAT AIRSPACE ACTIVITIES ARE NOT CONFLICTING WITH OTHER NOTAMS FOR AIRSPACE CLOSURES FROM : SFC TO : UNL
MANGALORE VOML	
A2331/26	2607270700 / 2610260600 RWY 06/24 CL LGT (SDBY CIRCUIT) NOT AVBL
A2379/26	2607301411 / 2610282359EST HR OF SER: TWR (122.100MHZ)/APP/RFFS CAT-7: H24 ACC (127.550 MHZ)/DVOR/ILS/MSSR: H24 SURVEILLANCE BASED APP CTL SER(125.050 MHZ):0200-0600,1000-1400. BEYOND THIS PERIOD SURVEILLANCE BASED APP CTL SER WILL BE PROVIDED ON REQ BASIS SUBJECT TO AVBL OF SUITABLY RATED CONTROLLERS. RFFS CAT-8 WILL BE MADE AVBL WITH 1HR PRIOR NOTICE
A2426/26	2608061800 / 2611032230 1800-2230 RWY 06/24 NOT AVBL FOR OPS. DRG THIS PERIOD AD NOT AVBL AS ALTN AND IN EMERG.
A2502/26	2608171800 / 2611072230 WIP NORTH OF RWY BEYOND DECLARED RWY STRIP AT 137M FM RCL.MAX HGT OF EQPT IS 3M.PILOTS TO EXER CTN DRG LDG AND TKOF
A2619/26	2608251300 / 2611202230 CONSTRUCTION WIP SOUTH OF RWY BEYOND DECLARED RWY STRIP AT 110M FM RCL MAX HGT OF EQPT IS 5M.PILOTS TO EXER CTN DRG LDG AND TKOF
A2850/26	2609180100 / 2612172230 CONST WIP AT LONGITUDINAL DIST OF 270M FM THR OF RWY06 AND LATERAL DIST OF 112M NORTH OF EXTENDED RCL. MAX HGT OF EQPT IS 5M. PILOTS TO EXER CTN DRG LDG AND TKOF
CHENNAI VOMM	
A2674/26	2608310905 / 2610311230 WIP ON THE BASIC STRIP OF RWY 12/30 BTN TWY P1 AND TWY R3 AT A DIST OF 110M AWAY FM THE RWY CL. RMK: 1. PORTION OF TWY N BTN TWY P1 AND TWY R3 CLSD FOR OPS. 2. PORTION OF TWY Q BTN TWY Q2 AND TWY N CLSD FOR OPS. 3. TWY Q1 CLSD FOR OPS
A2723/26	2609040030 / 2611040030 FRI SUN MON WED THU H24 RWY 12/30 CLSD FOR FIXED WING ACFT DUE WIP IN BASIC STRIP OF RWY 12/30 RMK: 1.RWY 12/30 WILL BE MADE AVBL WI 120 MIN INCASE EMERG 2.A PORTION OF RWY 12/30 BTN TWY L1 AND TWY T AVBL FOR TAX WITH PRIOR COOR TO APN CTL

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	3.HEL OPS PERMITTED ON RWY 12/30 WITH PRIOR COOR TO APN CTL
A2773/26	2609091057 / 2610091230
	EXCAVATION WIP FOR A LEN OF 150M PARL TO RWY 07/25, SOUTH OF TWY J AT DIST 169M SOUTH FM RWY 07/25 CL AND 59M FM TWY J CL. PILOTS TO EXER CTN
A2926/26	2609240929 / 2612231230EST
	TRIAL OPS OF SIMUL OPS ON DIVERGING RWY25 AND RWY30 WILL TAKE PLACE WITH THE FLW DETAILS: 1. ARR AND DEP OPS ON RWY25 AND DEP OPS ON RWY30 2. DEP FM RWY30 TO LINE UP AT TWY R3 INT (TORA 2509M) 3. DRG HR OF DAYLIGHT ON NEED BASIS INFO WILL BE BCST ON ATIS 4. NO SID WILL BE ISSUED PRIOR TO DEP 5. IN CASE OF MISSED APCH ARR ACFT ON RWY25 SHALL CMB STRAIGHT AHEAD 3000FT AND FURTHER CMB UNDER RADAR DRG SIMUL OPS ON RWY25 AND RWY30
A2927/26	2609240931 / 2612231230EST
	THE FLW TRIAL PROC PERMITTING SIMUL PUSH-BACK AND START WILL BE IN VOGUE: 1.ACFT UP TO CODE 'C' MAY BE PERMITTED TO START ENGINES ON IDLE-PWR DRG THE PUSHBACK MANEUVERS. 2.SIMUL PUSHBACK AND START-UP MAY BE PERMITTED FOR ACFT FM STAND SEPARATED BY ATLEAST ONE STAND. 3.AIRLINES TO ENSURE REQUIRED CLEARANCES WITH RESPECT TO ACFT ON ADJOINING/REAR STANDS,EQPT AND PERSONNEL. 4.PRIORITY ACCORDED FOR ACFT ABLE TO PUSHBACK AND SIMUL START
A2974/26	2609290430 / 2612281230
	EXCAVATION WIP AT 140M FM THE CL OF RWY 12/30 NORTH SIDE. PILOT TO EXER CTN
SRI VIJAYA PURAM VOPB	
A2195/26	2607250015 / 2610221045EST
	0015-1045 HR OF SER: TWR 118.100MHZ, APP 123.500MHZ, HF 8861/6583KHZ, PSR 2750/2850MHZ, LOC/LOW PWR DME 110.100MHZ, RFFS CAT 7
A2201/26	2607251045 / 2610222230
	1045-2230 RWY 04/22 NOT AVBL DUE WIP
A2404/26	2608020620 / 2610301230
	REDUCED RWY LEN AVBL FOR FLYING OPS DUE RESURFACING WIP.REVISED DECLARED DIST AS FLW: RWY TORA TODA ASDA LDA 04 -- -- -- 2700M 22 2700M 3000M 2760M -- RWY BEYOND W3 NOT AVBL.AFTER LDG VACATION VIA TWY W1,W2,W3.DRG DEP ACFT TO LINE UP ABM W3 WO HARD BRAKES OR TIGHT TURN ON RWY.

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	BACKTRACK ON RWY NOT PERMITTED
A2414/26	2608040435 / 2611091200
	TRUNCATED CAT II APCH LIGHTS FOR RWY 04 NOT AVBL. IT WILL BE MADE AVBL WITH 02HR PRIOR NOTICE
A2415/26	2608040437 / 2611081200
	PAR AVBL FOR MIL ACFT FOR RWY 04 WITH 02 HR PRIOR NOTICE. PRI FREQ 129.400MHZ AND SDBY FREQ 255.000MHZ
A2416/26	2608040443 / 2611051200
	PAPI RWY 04 NOT AVBL.IT WILL BE MADE AVBL WITH 02 HR PRIOR NOTICE
A2473/26	2608100421 / 2611071200
	DRAINAGE CONST WIP ON BOTH SIDE OF RWY BEYOND 23M FM RWY EDGE.VEHICLES OF HGT UP TO 4.5M WILL BE OPERATED.PILOTS TO EXER CTN FOR MEN, MATERIAL AND MACHINERY DRG LDG AND TKOF
A2538/26	2608140630 / 2611131045
	24 HR PN FOR OUTSTATION MIL ACFT OPS BY DAY AND NIGHT DUE LIMITED PRKG AND RWY RESURFACING WIP
A2743/26	2609061540 / 2612071230
	FM RWY04 BEGINNING TO 600M INCLUDING TURNING PAD: PCN 63/R/C/X/T AND REST 2100M TILL W3:PCN 75/F/C/X/T
A2900/26	2609220918 / 2610011230EST
	PRKG STAND 12 NOT AVBL DUE WIP
TIRUCHIRAPPALLI VOTR	
A2132/26	2607110030 / 2610091330EST
	0030-1330 TRENCH DIGGING WIP ALONG TWY B, TWY E2, TWY F AND TWY G AT A DIST OF 14M FM TWY EDGE FOR DRAIN CONST. PILOT TO EXER CTN WHILE TAX
A2355/26	2607290040 / 2610282359EST
	TWY F CLSD FOR ALL ACFT OPS .PILOTS TO EXER CTN
A2472/26	2608100400 / 2611071730EST
	0400-0600 1100-1300 1530-1730 ADS-B BASED ATS SURVEILLANCE SER ARE PROVIDED TO SUITABLY EQUIPPED ACFT WI THE COVERAGE AREA OF TIRUCHIRAPPALLI APP CTL. SSR TRANSPONDER/ADS-B EQUIPPED ACFT FLYING WI TIRUCHIRAPPALLI APP CTL(124.000MHZ) TO COMPLY WITH RELEVANT PROVISIONS. DRG APP PROCEDURAL TRG SURVEILLANCE SER MAY NOT BE AVBL. RMK: BEYOND THESE HRS SURVEILLANCE SER MAY BE PROVIDED SUBJECT TO AVBL OF CONTROLLER
THIRUVANANTHAPURAM VOTV	
A2218/26	2607171225 / 2610141230EST
	AP COLLABORATIVE DECISION MAKING(A-CDM) NOT AVBL DUE SYSTEM INTEGRATION
A2341/26	2607280203 / 2610231230EST
	TWY A NOT AVBL
A2342/26	2607280208 / 2610231230EST

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	ACFT STANDS 11 AND 12 NOT AVBL
A2343/26	2607280212 / 2610231230EST
	REF EAIP INDIA AD 2 VOTV 2.20 PARA II(ROMAN).ALL ACFT STANDS IN DOMESTIC APN ARE PWR IN PUSHBACK STANDS.PUSHBACK SHALL BE CARRIED OUT ON TO TWY B
A2712/26	2610201030 / 2610201530
	AD CLOSED FOR OPS
A2838/26	2609161530 / 2612151330EST
	FUNCTIONS OF THIRUVANANTHAPURAM TWR AND SMC UNITS ARE COMBINED DRG LEAN TFC PERIOD AND SERVICES PROVIDED ON 118.100MHZ. PILOTS TO MONITOR ATIS FOR SMC OPR HR
A2843/26	2609170730 / 2612170730EST
	SEQUENTIAL FLASHING LGT FOR RWY32 NOT AVBL
A2933/26	2609241340 / 2612241230
	MACHINERY UPTO HGT OF 10M AT DIST OF 90M FM RCL ON EITHER SIDE OF RWY. PILOTS TO EXER CTN
A2945/26	2609251215 / 2610311330EST
	REF E-AIP INDIA VOTV AD 2.12. RESA RWY 32 AVBL WITH DIMENSION 190M X 90M
A2969/26	2609280915 / 2611021800
	VISUAL DCKG GUIDANCE SYSTEM STAND 26 NOT AVBL
A2984/26	2609291230 / 2612271330EST
	ACFT OPS AT TWY C DOWNGRADED TO CODE C AND BLW ACFT
A2985/26	2609291230 / 2612271330EST
	ACFT OPS FM TWY C-B INT TO STAND NR 09 DOWNGRADED TO CODE C AND BLW ACFT
BHOGAPURAM VIVI	
A2110/26	2607090000 / PERM
	EFFECTIVE DATE OF AIP SUP 80/2026 IS AMENDED AS 24 JUL 2026 1830UTC
A2586/26	2608250400 / 2611170600
	TUE 0400-0600 RWY10/28 CLSD DUE MAINT. RWY RESTORATION TIME 30MIN
A2973/26	2609281830 / 2610070030
	1830-0030 RWY 10/28 CLSD DUE WIP. RWY RESTORATION TIME 30MIN
VISHAKAPATNAM VOVZ	
A2170/26	2607131230 / 2610132359
	WIP FOR FOUNDATION (DIGGING UPTO 2M) OF ACFT ARRESTING GEAR AT 100M PRIOR TO DISPLACED THR RWY28 AND 30M FM RCL.PILOT TO EXER CTN FOR PRESENCE OF MAN, MATERIAL AND MACHINERY
A2357/26	2607290634 / 2610252359
	TEMPO OBST CRANE/PILING RIG ERECTED WITH MAX HGT 25M AGL. PILING WIP NEAR DISPERSAL(PRKG) AREA B-C LINK. PILOTS TO EXER CTN

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

A2385/26	2607310719 / 2610022359														
	RWY28 THR IS DISPLACED BY 520M DUE EXTENSION OF SWY WORK. DISPLACED RWY PORTION IS NOT AVBL FOR ACFT MOV IN VIEW OF THE SKED WORK. DISPLACED THR IS MARKED BY RWY MARKING (DAY), ELEVATED WING BAR AND END LIGHTS FOR NIGHT /LOW VIS OPS. PILOTS TO EXER CTN WHILE LDG AND TKOF. CTN TURN PAD NOT AVBL AT DTHR RWY28. REVISED DECLARED DIST AS FLW: RWY TORA TODA ASDA LDA 10 2530M 2530M 2530M 2530M 28 2530M 2530M 2530M 2530M														
A2386/26	2607310722 / 2610022359														
	REFER EAIP(INDIA) PAGES AD 2 VOVZ 3-901 02 NOV 2023 AND AD 2 VOVZ 3 902 02 NOV 2023 REGARDING INSTR APCH CHART RNP Y RWY28 VISAKHAPTAM AIRPORT,VISAKHAPATNAM(VOVZ). FLW TEMPO AMENDMENTS ARE MADE IN INSTR APCH CHART FOR RNP Y RWY28 DUE TO TEMPO DISPLACEMENT OF THR RWY28 BY 520M (REVISED THR COORD 174320.60N0831433.43E) 1.FAF IS RE DESIGNATED AS VZ098(174246.14N0832133.30E) 2.COORD RWY28 (MAPT)ARE AMENDED AS 174320.60N831433.44E 3.DIST BTN WAYPOINTS VZ804(IF)AND VZ098(FAF) IS 6.93NM.														
A2387/26	2607310726 / 2610022359														
	REFER EAIP (INDIA) PAGES AD 2 VOVZ 2-201 DATED 13 JUN 2024 REGARDING INSTR APCH CHART VOR RWY28 VISAKHAPATNAM AP, VISAKHAPATNAM(VOVZ) FLW TEMPO AMENDMENTS ARE MADE IN INSTR APCH CHART FOR VOR RWY28 DUE TO TEMPO DISPLACEMENT OF THR RWY28 BY 520M (REVISED THR COORD 174320.60N0831433.43E) 1. BASE TURN ALT IS REVISED AS 2300FT. 2. FAF ALT IS REVISED AS 2300FT. 3. DIST ALT INFO TABLE IS AMENDED AS FLW: <table><tr><td>DIST (VSP DME) (NM)</td><td>7.4</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td></tr><tr><td>ALT (FT)</td><td>2300</td><td>2180</td><td>1860</td><td>1540</td><td>1230</td><td>910</td></tr></table>	DIST (VSP DME) (NM)	7.4	7	6	5	4	3	ALT (FT)	2300	2180	1860	1540	1230	910
DIST (VSP DME) (NM)	7.4	7	6	5	4	3									
ALT (FT)	2300	2180	1860	1540	1230	910									
A2501/26	2608121831 / 2611130100														
	1831-0100 AIRFIELD CLSD FOR OPS														
A2505/26	2608130900 / 2611102359														
	DIGGING WIP 1M DPT EAST SIDE OF DUMBELL 05. EXCAVATION AREA APRX 62MX54M. PILOTS TO EXER CTN														
A2522/26	2608200000 / 2611152359														
	PRKG AREA ('A' DISPERSAL) NOT AVBL FOR ACFT OPS														
A2523/26	2608140716 / 2611122359														
	TWY S1 NOT AVBL														
A2532/26	2608141110 / 2611122359														

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

	FOR RWY 28 DEP, ALL ACFT TO MAKE 180 DEG TURN ON RWY WITHOUT WHEEL LOCK
A2549/26	2608170936 / 2611152359
	RWY 05/23 NOT AVBL FOR FIXED WING ACFT OPS EXC FOR TAX. OVER RUN AREA (ORA) RWY05 AND PARL TAX TR CONST WIP BTN TWY S1 AND TWY S2.RWY 05/23 BTN TWY S3 AND TWY S4 AVBL FOR ACFT TAX AND HEL OPS.TXL L1, L2 AND NEWLY CONST PARL TAX TR PORTION BTN TXL L1 AND TXL L2 AVBL FOR TAX AND HEL OPS
A2554/26	2608180745 / 2611152359
	TWY N4 NOT AVBL
A2555/26	2608180745 / 2611152359
	WIP FOR FOUNDATION (DIGGING UPTO 3M DEPTH) OF ACFT ARRESTING GEAR AT 420M FM THR RWY10 AND 30M FM RCL. PILOTS TO EXER CTN FOR MEN, MATERIAL AND MACHINERY
A2610/26	2608250230 / 2611251230EST
	0230-1230 GRASS CUTTING WIP ON EITHER SIDE OF RWY10/28 AND RWY05/23.EXER CTN FOR MEN AND MATERIAL WHILE TAX, LDG AND TKOF
A2799/26	2609110740 / 2612102359
	REFER EAIP (INDIA) PAGE AD 2 VOVZ 2-101 13 JUN 2024 REGARDING INSTRUMENT APPROACH CHART ILS RWY28 VISAKHAPATNAM AIRPORT (VOVZ) ILS RWY28 PROCEDURE IS TEMPO WITHDRAWN DUE OVER RUN AREA CONSTRUCTION WORK
A2800/26	2609110743 / 2612102359
	REFER EAIP(INDIA) PAGE AD2 VOVZ 2-103 DATED 02 NOV 2023 AND AD2 VOVZ 2 104 DATED 02 NOV 2023 REGARDING ILS W RWY28 VISAKHAPATNAM(VOVZ). ILS W RWY28 PROCEDURE IS TEMPO WITHDRAWN DUE OVER RUN AREA CONSTRUCTION WORK
A2801/26	2609110745 / 2612102359
	ILS RWY28 NOT AVBL
A2966/26	2609291829 / 2612280030
	1829-0030 CONST WIP ON BOTH SIDES OF TWY S1 IN AREA OF DIMENSIONS 110M X 14M X 2M ADJ TO TWY. PILOTS TO EXER CTN
A2968/26	2609290000 / 2612282359
	VISAKHAPATNAM VOVZ IS A JOINT USER MIL AIR STN AND ALL CIV FLT TO/FM VOVZ OPR ONLY WITH PRIOR APPROVAL. CIV ACFT OPR ARE NOT TO FILE VOVZ AS AN ALTN AD UNLESS SPECIFICALLY CLR BY THE STN AUTHORITIES
A3005/26	2610010001 / 2610311330
	0001-0400 0900-1030 1130-1330 HVY BIRD ACT INCLUDING MIGRATORY BIRDS OBS IN AND AROUND AIRFIELD FM 0001-0300 AND 1130-1330. CTN PERIOD FM 0300-0400 AND 0900-1030.PILOTS TO EXER CTN DRG LDG, TKOF AND FLYING WI VCY OF THE AD

CHENNAI NOTAM SUMMARY (A-SERIES) OCT 2026

LATEST PUBLICATIONS:

AIP: EAIP INDIA 2.0 AVBL ON WWW.AIM-INDIA.AAI.AERO

AIP AIRAC AMDT 09/2026 EFFECTIVE DATE 01 OCT 2026

AIP AIRAC SUP 200/2026 EFFECTIVE DATE 29 OCT 2026

AIC ISSUEDBY DGCA INDIA. REF [HTTPS://WWW.DGCA.GOV.IN](https://WWW.DGCA.GOV.IN)

AIS PRODUCTS AVBL ON AIM INDIA WEBSITE ([HTTPS://AIM-INDIA.AAI.AERO](https://AIM-INDIA.AAI.AERO))

AIP SUP CHECKLIST AS ON 01st OCT 2026:

YEAR=2008 35 36 37

YEAR=2010 14

YEAR=2011 61

YEAR=2024 98 105 154 290

YEAR=2025 83 148 152 154 162 167 169 170 172 174 180 188 192 194 195 205 206 212 244

YEAR=2026 15 27 28 34 35 36 37 38 39 40 71 73 81 110 111 112 113 115 116 117 118 119 120 121 122 123 124

127 128 129 130 131 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154

155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180

181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200