

TEL: +9144-22567040 FAX: +9144-22561618 AFS: VOMMYNYX E-mail: nofvomm@aai.aero	 AIRPORTS AUTHORITY OF INDIA INTERNATIONAL NOTAM OFFICE CHENNAI AIRPORT CHENNAI-600027	NOTAM Series C 01 JANUARY 2024
---	---	--------------------------------------

The following C **SERIES NOTAM** are still valid on **1st JANUARY 2024**. NOTAM not included in the list have been cancelled, time expired, superseded by AIP supplement or incorporated in the AIP.

NOTE: SUMMARY OF JANUARY 2023 SHOULD BE PRESERVED TILL NEXT JANUARY.

CHECKLIST

YEAR=2014 0106
YEAR=2015 0253
YEAR=2018 0742
YEAR=2023 0795 1015 1020 1030 1048 1050 1064 1088 1094 1099 1104
1137 1140 1155 1156 1157 1158 1159 1163 1167 1171 1177
1179 1191 1193 1194 1195 1196 1210 1211 1219 1232 1237
1239 1249 1252 1257 1258 1259 1262 1266 1270 1273 1276
1280 1281 1282 1283 1287 1290 1291 1292 1293 1294 1295
1296 1298 1301 1302 1303 1304 1307 1308 1309 1312 1313
1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1325
1326 1327 1328 1329 1330 1331 1332

AGATTI

VOAT

C1191/23	FROM 2311231128 / 2402201230EST
	DLY 0030-1230 HR OF SER: TWR 122.300MHZ,SDBY VHF 118.7MHZ DME AAT 1130/1193MHZ/RFFS CAT-5 DLY 0415-0615 NDB 360KHZ 'AT' 0030 TO 1230 48HR PN FOR WATCH EXTENSION TAKE POSITIVE CLR BFR DEP FM VOAT TWR EMERG CTC NR 9447974950/9447742217
C1193/23	FROM 2311250415 / 2402200615EST
	DLY 0415-0615 48HR PN FOR WATCH EXTENSION.TAKE POSITIVE CLR BFR DEP FM VOAT TWR EMERG CTC NR 9447974950 AND 9447742217

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

	THE ATS APV HOURLY RWY TFC HANDLING CAPACITY AS FLW: MAX NR OF ARR AND DEP--02 MAX NR OF ARR ONLY --01 MAX NR OF DEP ONLY --01 SUBJ RWY AVBL AS NO BAY AT AGATTI
C1239/23	FROM 2312120415 / 2401110615EST
	OPPORTUNITY BASED APCH CTL PROCEDURAL SERVICE COMBINED WITH TWR WILL BE PROVIDED ON TRIAL BASIS WI AGATTI CTL ZONE
BELGAUM VOBM	
C1159/23	FROM 2311180000 / PERM
	VALIDITY OF AD CERTIFICATION EXTD TO 17 NOVEMBER 2028 REF AIP AD 1.5
C1249/23	FROM 2312210215 / 2403201535EST
	MON FRI SUN 0215-0845 1025-1450 TUE THU 0215-0420 0700-1535 WED 0215-0420 0700-0905 1025-1535 SAT 0215-1450 HR OF SER: TWR AND APP(P) COMBINED FREQ 119.200MHZ(MAIN),118.050MHZ(SDBY) ILS LOC 26 IBGM:111.300MHZ,VOR/DME BBM:H24 112.100MHZ 24HR PN FOR NON SKED FLT OPS EMAIL ID: APDVABM(A)AAI.AERO VOBM.ATS(A)AAI.AERO
C1312/23	FROM 2312280757 / 2403311630EST
	BIRD ACT IN AND AROUND AIRFIELD. PILOTS EXER CTN
C1313/23	FROM 2312280758 / 2403311630EST
	RFFS WI ATS WATCH HR CAT 6. CAN BE UPGRADED TO CAT 7 WITH 3HR PRIOR NOTICE
BIDAR VOBR	
C1196/23	FROM 2311240530 / 2402231330EST
	ILS CAT-II RWY08 COMPLIANT
C1280/23	FROM 2312240700 / 2402240730EST
	ALL NON SKED ACFT OPR TO BIDAR SHALL LIAISON FOR GND HANDLING AND SECURITY WITH AP INCHARGE CIVIL TERMINAL OF BIDAR AP ON 9560199253.BIDAR HAS SKED OPR OF STAR AIR
C1323/23	FROM 2312290856 / 2403210600EST
	4-CFT SVCBL. TOTAL FOUR FULLY SVCBL CFTS WITH TOTAL FIRE PROTECTION LEVEL WATER 26000L, FOAM COMPOUND 3200L, COMPLIMENTARY AGENT 600KG AVBL. AD CAT 7.

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

VIJAYAWADA	VOBZ
C1252/23	FROM 2312151830 / PERM VALIDITY OF AD LICENCE ICAO LCA INDICATOR :VOBZ AD NAME :VIJAYAWADA AIRPORT AD LICENCE NUMBER :AL/PUBLIC/062 VALIDITY UPTO :15 DEC 2028
C1281/23	FROM 2312250030 / PERM SRY POWER SUPPLY TO ALL LGT AT AD. SWITCH OVER TIME ZERO SEC(UPS AVBL). AMEND EAIP INDIA VOBZ AD 2.15 POINT 4 ACCORDINGLY.
C1282/23	FROM 2312250030 / PERM RVR EQPT AND DIGITAL CURRENT WX INSTR SYSTEM(DCWIS) EQPT FOR RWY 26 AND 08 AVBL. INSERT IN EAIP INDIA VOBZ AD 2.11 POINT 8 ACCORDINGLY.
C1283/23	FROM 2312250030 / PERM EDGE LIGHTS AVBL FOR TWY A,B,D AND N. AMEND EAIP INDIA VOBZ AD 2.15 POINT 3 ACCORDINGLY.
C1287/23	FROM 2312262048 / 2403271625EST DLY 0135-1625 HR OF SER: TWR/APP/ILS/DVOR/DME/ATIS/RFFS CAT-7
C1301/23	FROM 2312280545 / 2403251625EST TEMPO CODE E PRKG STAND WITH SUPER IMPOSED MARKING PATTERN MADE ON EXISTING APN FOR B777 TYP BTN APN1(MAIN APN) AND APN2 (STANDS 15 AND 16) WITH PRKG DIRECTION FACING WEST AND NOSE WHEEL MARKING NEAR ABM STAND NR 6.PILOTS EXER CTN
C1302/23	FROM 2312280553 / 2403251625EST ELECTRICAL CABLE LAYING WIP FOR CAT 1 APP LIGHTING SYSTEM WI APP PATH OF RWY26 400M TO 900M BEHIND THR RWY26 ON WATCH AND WARD BASIS.PILOTS TO EXER CTN
C1303/23	FROM 2312280557 / 2403251625EST APRON 111(ROMAN)COMMISSIONING,SIGN BOARDS OF STAND 1 2 3 4 5 6 7 AND 8 NOT AVBL GND MARKINGS AVBL EXER CTN
C1304/23	FROM 2312280600 / 2403251625EST STANDS 3,4,5,6,7 AND 8 NOT AVBL FOR NGT OPS DUE REMOVAL OF HIGH MAST LIGHTS. ACFT VACATING VIA TWY A AND TAX TO STANDS 1,2 DRG NGT SHALL TAX WITH EXTREME CTN. FLW ME SER WILL BE PROVIDED ON REQ.
C1307/23	FROM 2312280610 / 2403251625EST NITB CONST WIP WITH TALLER CRANES OF 30M HT BEHIND APN III BARRICADING FM STAND 19 TO 24. PILOTS AND GND PERSONNEL TO EXER CTN
C1308/23	FROM 2312280613 / 2403251625EST GRASS CUTTING WIP ON EITHER SIDE OF RWY IN THE BASIC STRIP.PILOTS EXER CTN WHILE LDG/TKOF

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

C1309/23	FROM 2312280615 / 2403251625EST
	ALL ACFT TO USE TURN PAD TO MAKE 180DEG TURN. NO PIVOTAL TURN IS ALLOWED ON RWY AND TURNPAD FOR ALL TYP
KADAPA VOCP	
C1137/23	FROM 2311040435 / 2401291055EST
	MON WED FRI AND SUN 0645-1055 TUE THU AND SAT 0435-0555 0855-1015 HR OF SER: TWR 118.350MHZ TWR SDBY 120.475MHZ/NDB 'CP'263KHZ/DVOR KDP 115.2MHZ AND COLOCATED DME 1123/1186MHZ/RFFS CAT-5. 48HR PN FOR NON SKED OPS
GULBARGA VOGB	
C1048/23	FROM 2310250800 / 2401222359EST
	OPPORTUNITY BASED APP PROCEDURAL COMBINED WITH AD CTL WILL BE PROVIDED ON TRIAL BASIS AT KALABURAGI AP WITH IFR-NON PRECISION RNP Y APCH RWY 27 ONLY.
C1064/23	FROM 2310290000 / 2401262359EST
	MON WED FRI 0335-0455 0630-0955 TUE THU SAT SUN 0335-0455 0630-0805 HR OF SER:TWR 122.025MHZ/RFFS CAT-6. 48HR PRIOR POSITIVE APPROVAL INCLUDING NGT HALT FOR ALL NON SKED OPS. DAY VFR OPS ARE ONLY PERMITTED.
HUBLI VOHB	
C1163/23	FROM 2311130607 / 2402132359EST
	BIRD ACT IN AND AROUND THE AIRFIELD.PILOTS EXER CTN
C1270/23	FROM 2312210115 / 2403201600EST
	MON WED FRI SUN 0115-0235 0715-0845 1040-1200 1320-1600 TUE THU SAT 0115-0410 0715-1150 1320-1600 HR OF SER: TWR 122.200MHZ SDBY 118.850MHZ ILS LOC 109.100MHZ DVOR HBL 113.400MHZ AND COLOCATED DME HBL 1105/1168MHZ RFFS CAT-6. REFUELLING JET-A1. 24HR PN FOR NON SKED FLT OPS EMERG CTC NR:APD 09449827652 EMAIL ID:APCHUBLI(A)AALAERO VOHB.ATS(A)AALAERO
HYDERABAD VOHY	
C1050/23	FROM 2310181603 / 2401161600EST
	INTERMEDIATE TURN PAD ON RWY 27 NOT AVBL
C1167/23	FROM 2311131414 / 2402102359EST

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

	NO EARLY WATCH OR WATCH EXTENTION CAN BE ACCOMMODATED DUE TO DGCA WATCH DUTY TIME LIMITATIONS FOR AIR TRAFFIC CONTROLLERS AND MANPOWER SHORTAGE.THE NOTIFIED WATCH HOURS ARE TO BE STRICTLY FOLLOWED
C1237/23	FROM 2312150000 / 2402102359EST
	APN IN FRONT OF NTR TERMINAL NOT AVBL FOR PRKG EXC FOR ACFT PARTICIPATING IN WING INDIA 2024 AIRSHOW
C1257/23	FROM 2312160908 / 2401012359EST
	WIP FOR TURNPAD EXTENSION RWY27. PILOTS TO EXER CTN WHILE LDG/TKOF
C1258/23	FROM 2312160910 / 2401012359EST
	WIP FOR TURNPAD EXTENSION RWY09. PILOTS TO EXER CTN WHILE LDG/TKOF
C1318/23	FROM 2312281355 / 2403282359EST
	TWY F NOT AVBL DUE WIP
C1319/23	FROM 2312281400 / 2403282359EST
	REVISED RWY09 TORA 2751M DUE RESURFACING WIP. PILOTS EXER CTN FOR MEN,MATERIAL AND MACHINERY ON RWY SHOULDERS
C1320/23	ROM 2312281401 / 2403282359EST
	RFFS DOWNGRADED TO CAT 5 DUE SHORTAGE OF MANPOWER
C1322/23	FROM 2312301630 / 2401150830
	DLY 0000-0830 1630-2359 RWY 09/27 NOT AVBL DUE RWY RECARPETING WIP
JINDAL VIJAYANAGAR VOJV	
C1211/23	FROM 2311280430 / 2402241830
	POST COMMISSIONING OF EXTENDED PORTION OF RWY 13/31: 1)DIMENSIONS OF RWY 13/31 ARE AMENDED AS: RWY 13: 1956M X 30M RWY 31: 1858M X 30M 2)THE COORD OF RWY 13 THR IS AMENDED AS: 151044.51168N 0763747.45131E THE COORD OF RWY 31 THR IS AMENDED AS:151002.23089N 0763831.92047E 3)RWY 13/31 STRIP IS AMENDED AS:2016M X 150M 4)RESA FOR RWY 13/31 ARE AMENDED AS: RESA RWY13: 240M X 60M RESA RWY31: 90M X 60M 5)REVISED DECLARED DISTANCES: RWY13: TORA: 1956M TODA: 1956M ASDA:1956M LDA:1858M RWY31: TORA: 1858M TODA: 1858M ASDA:1858M LDA:1858M 6)ELEVATION OF RWY 13 THR IS AMENDED AS: 1637FT ELEVATION OF RWY31 THRESHOLD IS AMENDED AS: 1667FT 7)PCN OF RWY 13/31 IS AMENDED AS: 34/F/B/W/T
C1298/23	FROM 2312300635 / 2401131120EST
	MON WED FRI SUN 0950-1120 TUE THU SAT 0635-0800 0950-1120

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

	HR SER: TWR 129.225MHZ NDB 'VN' 217KHZ. FIRE AND RESCUE CAT V. 24 HR PRIOR NOTICE FOR WATCH EXTENSION/NON SKED FLT/PRIVATE ACFT/FIRE AND RESCUE CAT VI
C1315/23	FROM 2312280814 / 2403281330EST
	BIRD ACT OBS AROUND THE AIRFIELD. PILOTS EXER CTN WHILE LDG/TKOF
KURNOOL	VOKU
C1088/23	FROM 2310290445 / 2401281015EST
	SUN MON WED FRI 0445-0645 0830-1015 TUE THU SAT 0900-1045 HR OF SER:TWR MAIN 122.975MHZ,TWR STANDBY 119.425MHZ/NDB 'KL' 430KHZ.24HR PN FOR NON SKED OPS
C1158/23	FROM 2311091100 / 2402091000EST
	RFFS DOWNGRADED TO CAT 5
LATUR	VOLT
C0106/14	FROM 1403060000 / PERM
	AERODROME INFO : LATUR GEOGRAPHICAL COOR (ARP) : 182430N 762755E AERODROME ELEV : 649 M AMSL AERODROME EMERG SERVICES: CITY FIRE SERVICE AVBL ON DEMAND CAT V MET SERVICES : NOT AVBL AERODROME OPR : LATUR AIRPORT PRIVATE LIMITED RWY ORIENTATION & DECLARED DISTANCES RWY TORA ASDA TODA LDA DISPLACED THR 05 2000 2000 2000 1700 300 23 2000 2000 2000 1700 300 RESA AT BOTH END OF RWY 05 & 23: 240X60M PCN OF RWY: 45 F/C/W/T RWY WIDTH : 30M RWY STRIP : 2300X150 M PAPI : AVBL RWY 05 AT DIST OF 181.5 M FM DISPLACED THR RWY23 AT DIST OF 170.6 M FM DISPLACED THR MEHT : 9M FOR BOTH END OF RWY THR : 05- 650.01 M ELEV : 23- 647.64M PRKG STAND : STAND NO 1 FOR CODE 'C' ACFT- PIPO : STAND NO 2 FOR CODE 'B'ACFT- PIPO POWER IN POWER OUT PCN FOR BOTH STAND: 43 F/C/W/T TWY : 'A' LENGTH 156.5 M WIDTH 18 M PCN : 43 F/C/W/J

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

	WIDTH OF TWY STRIP : 26 M HOLDING PT. MARKING AVBL ON TWY 'A' RWY EDGE LIGHT: NOT AVBL REF G0012/14 VIDPYNXX
MYSORE VOMY	
C1030/23	FROM 2310101016 / 2401051130EST
	RWY STRIP PROVIDED UPTO A LATERAL DIST OF 75M FM RCL ON EITHER SIDE OF RWY INSTEAD OF RECOMMENDED 140M FM RCL
C1155/23	FROM 2311081100 / 2402061500EST
	PRKG STAND NR 5 NOT SUITABLE FOR ATR76 AND PRKG STAND NR 5 IS SUITABLE FOR ACFT HAVING WINGSPAN UPTO 25M
C1156/23	FROM 2311080800 / 2401051500EST
	PRKG STAND NR 5 NOT AVBL DRG NGT DUE TO NOT MEETING STD AVERAGE ILLUMINATION OF 20 LUX
C1259/23	FROM 2312171527 / 2403151500EST
	MON WED FRI 0330-1500 TUE THU SAT 0430-1500 SUN 0330-0800 1200-1400 HR OF SER: TWR/APP 118.250MHZ RFFS CAT-5 DVOR 'MSR' 113.700MHZ, DME 'MSR' 1108/1171MHZ 24HR PN FOR NON SKED OPS REFUELLING JETA1 FAC AVBL DRG WATCH HR
C1262/23	FROM 2312190500 / 2401242359
	ATIS MAIN AND SDBY SYSTEM FREQ 127.225MHZ AVBL ON TRIAL BASIS
C1330/23	FROM 2312310438 / 2401101500EST
	PRKG BAY NR 4 AND 5 NOT AVBL DUE MAINT
NANDED VOND	
C0253/15	FROM 1504211130 / PERM
	REFUELING FAC AT NANDED AIRPORT HAVE BEEN WITHDRAWN.
C0742/18	FROM 1809011230 / PERM
	180 DEG TURN ON RWY NOT PERMITTED FOR ALL CAT ACFT. ALL ACFT MAY USE TURNING PADS OF RWY 10 OR RWY 28 AT LOWER PWR SETTINGS
C0795/23	FROM 2308030615 / PERM
	AD INFO : NANDED GEO COORD(ARP) : 191051.739N 0771921.170E AD ELEV : 378.35M AMSL AD EMERG SER : FIRE FIGHTING AND RESCUE CAT V MON-FRI CAT VI SAT/SUN AVBL AD OPR : NANDED AP LTD. CONTACT NO.02462-223402(O),02462-223403(FAX) MOBILE 91-9704544192 RWY ORIENTATION : 10/28

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

	<p>DIMENSIONS : 2300 X 45M MARKINGS ALL : AVBL PCN RWY : 60F/A/W/T TARMAC PCN TWY : 60F/A/W/T TARMAC PCN APRON : 60R/A/W/T CONC ATS SERVICE : PROVIDED BY AAI,BOTH VFR AND IFR FLT OPS, 24 HR PN FOR NON-SKED TWR : VHF FREQ 118.750MHZ DVOR: NDD,FREQ: 113.00MHZ DME FREQ : 1164/1101, CH:77X VISUAL AIDS RWY 10/28 :PAPI AVBL FOR BOTH RWY,GLIDE ANGLE 3DEG SALS-AVBL LANDING 'T' AVBL. RCLL AVBL. MET SER AVBL</p>
C1140/23	FROM 2311040000 / 2402032359
	<p>AIR TFC SERVICES NOT AVBL. VHF TWR FREQ 118.750MHZ, DVOR FREQ 113.000MHZ AND DME FREQ 1164/1101 MHZ NOT AVBL.</p>
PORT BLAIR VOPB	
C1094/23	FROM 2310280332 / 2401301500
	REDL NOT AVBL
C1171/23	FROM 2311150655 / 2402101115
	<p>REDUCED RWY LEN AVBL FOR FLYING OPS DUE RESURFACING WIP.REVISED DECLARED DIST AS FLW: RWY TORA TODA ASDA LDA 04 NU NU NU 2700M 22 2700M 3000M 2760M NU RWY BEYOND W3 NOT AVBL.AFTER LDG VACATION VIA TWY W1,W2,W3.DRG DEP ACFT TO LINE UP ABM W3 WO HARD BRAKES OR TIGHT TURN ON RWY. BACKTRACK ON RWY NOT PERMITTED.</p>
C1210/23	FROM 2311270835 / 2402201230
	<p>CONST OF TWY IN PROGRESS IN ZONE 1 BTN M2 AND M1 ON EASTERN SIDE OF RWY04.PILOTS TO EXER CTN FOR MEN,MATERIAL AND MACHINERY DRG LDG AND TKOF</p>
C1316/23	FROM 2312281000 / 2403281000EST
	<p>PORTION OF TWY W4 BEYOND HLDG POINT LEADING TO RWY04 NOT AVBL.ACFT PARKED ON STAND 09 10 AND 11 SHALL USE TWY W3 FOR DEP</p>
C1317/23	FROM 2312281000 / 2403281000EST
	PRKG STAND 12 NOT AVBL DUE WIP.
C1321/23	FROM 2312290715 / 2403311500
	NDB U/S
C1327/23	FROM 2312291330 / 2401011330
	. PAPI RWY04 NOT AVBL
C1328/23	FROM 2312301200 / 2403311500
	<p>DRAINAGE CONST WIP ON BOTH SIDE OF RWY BEYOND 23M FM RWY EDGE.VEHICLES OF HGT UP TO 4.50M WILL BE OPERATED.PILOTS TO EXER</p>

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

	CTN FOR MEN,MATERIAL AND MACHINERY DRG LDG AND TKOF
C1329/23	FROM 2312310015 / 2403311045
	DLY 0015-1045 HRS OF SER: TWR 118.100MHZ,APP 123.500MHZ,HF 8861/6583KHZ, ASR 123.500MHZ,LOC/LOW PWR DME 110.100MHZ RFFS CAT 7
PUDUCHERRY VOPC	
C1020/23	FROM 2310041036 / 2401030930EST
	180 DEG TURN(LOCK TURN) ON RWY PROHIBITED WHILE VACATING/ENTERING THE RWY
C1194/23	FROM 2311240650 / 2402241230EST
	EXTENSION OF APN WIP TOWARDS EAST OF EXISTING APN. PILOTS TO EXER CTN
C1195/23	FROM 2311240655 / 2402241230EST
	APN EDGE LIGHTS AND TWY A EDGE LIGHTS NOT AVBL DUE APN EXTENSION WORK
C1219/23	FROM 2311300658 / 2402291040EST
	DLY 0610-0735 0915-1040 HR OF SER: TWR/APP 122.900MHZ SDBY VHF 118.750MHZ NDB 'OM' 385KHZ FIRE AND RESCUE CAT VI 24HR PN FOR NON SKED OPS AD DECLARED OPEN AS VFR AD
C1266/23	FROM 2312160000 / PERM
	AD CERTIFIED. VALIDITY OF AD CERTIFICATION EXTENDED TO 15DEC 2028. AMEND AIP AD 1.5 ACCORDINGLY
C1331/23	FROM 2401010130 / 2401311230
	0130-1230 RWY THR IDENTIFICATION LGT (RTIL)INSTL WIP AT RWY25 AND RWY07. PILOTS TO EXER CTN
PUTTAPARTHY VOPN	
C1015/23	FROM 2310020717 / 2401021230EST
	AD OPN FOR NON SKED FLT OPS. 7 DAYS PN FOR NON SKED OPS
C1179/23	FROM 2311200515 / 2402200500EST
	PAPI RWY27 U/S
RAJAHMUNDRY VORY	
C1104/23	FROM 2310301410 / 2401291625EST
	DLY 0155-0745 0900-1625 HR OF SER: TWR/APP 122.300MHZ/VOR 112.400MHZ/RFFS CAT-6.

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

	24HR PN FOR NON SKED OPS DUE SHORTAGE OF PRKG AREA.48HR PN FOR NGT OPS DUE OPR REASONS
SHIVAMOGA VOSH	
C1314/23	FROM 2312280810 / 2401011230EST
	PAPI RWY08 AND RWY26 U/S.PILOTS TO EXER CTN
C1332/23	FROM 2312311215 / 2403310945EST
	MON FRI SUN 0815-0945 TUE THU SAT 0430-0630 0740-1130 WED 0430-1130 HR OF SER: TWR AND APP(P) COMBINED 120.825MHZ(MAIN),124.075MHZ(SDBY) 48HR PN FOR NON SKED FLT OPS EMAIL ID:VOSH.OPS(A)AAI.AERO , VOSH.ATS(A)AAI.AERO MOB NR: APD 9686964917 ATS INCHARGE 9880312824
SALEM VOSM	
C1296/23	FROM 2312271107 / 2403311225EST
	MON 0420-0750 0925-1045 TUE 0420-0540 0630-1045 WED FRI 0630-0750 THU SAT 0420-0540 0630-1225 SUN 0630-0915 1100-1225 HR OF SER: TWR 122.400MHZ/SMC/NDB 'SL'241KHZ/RFFS CAT-5 24HR PN FOR PERMITTED NON SKED FLT. CTC AP DIRECTOR:9442573223 EMAIL :APD-SALEM@AAI.AERO,VOSM.ATS@AAI.AERO
SINDHUDURG VOSR	
C1232/23	FROM 2312050935 / 2403041125EST
	MON TUE THU SAT 0935-1125 HR OF SER: VHF 118.650MHZ,RFFS CAT-7 AND MET SER AVBL. 24HR PN FOR ALL NON SKED FLT OPS. DAY VFR ONLY
TUTICORIN VOTK	
C1273/23	FROM 2312220300 / 2402211230
	DLY 0300-1230 BASIC STRIP GRADING WIP.PILOTS TO EXC CTN WHILE LDG AND TKOFF.
C1276/23	FROM 2312211408 / 2401311120
	MON WED FRI SUN 0125-0245 0335-1120 TUE THU SAT 0125-0245 0555-1120 HR OF SER: TWR/APP 122.4MHZ/NDB 'TU' 376KHZ/RFFS CAT 6. 24 HR PN FOR NON SKED FLT
C1290/23	FROM 2312271050 / 2403270300EST

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

	RWY EXPANSION WIP ON APCH PATH OF RWY28. FM RWY28 BEGINNING TO 765M. PILOTS TO EXER CTN WHILE LDG/TKOF
C1291/23	FROM 2312271051 / 2403270030EST
	DLY 1130-0030 RWY 10/28 CLSD DUE WIP.IN CASE OF RQMNTS RWY 10/28 WILL BE MADE AVBL IN 04HR
C1292/23	FROM 2312271053 / 2403271110EST
	TRENCH DIGGING WIP FOR DRAINAGE SOUTH SIDE OF RWY BEYOND RWY STRIP
C1293/23	FROM 2312271054 / 2403270030EST
	DLY 1130-0030 CONST OF APN LINK TWY CONNECTING BEGINNING OF RWY10 IN THE NORTHERN SIDE WIP. PILOTS TO EXER CTN WHILE LDG AND TKOF
C1294/23	FROM 2312271055 / 2403271110EST
	SALS RWY 28 NOT AVBL DUE WIP
C1295/23	FROM 2312271057 / 2403271110EST
	DLY 1230-0030 CABLE LAYING WIP ON THE SIDE STRIPS OF RWY10/28
TIRUPATI VOTP	
C1099/23	FROM 2310301015 / 2401291400EST
	LINK TWY CONST WIP ON THE NORTHERN SIDE OF RWY 08/26 AT A DIST OF 330M FM THE BEGINNING OF RWY26 CMPL.BUT NOT COMMISSIONED.OBSTRUCTION MARKINGS AND LGT PROVIDED.
C1157/23	FROM 2311091210 / 2402091200EST
	PALS RWY 26 NOT AVBL DUE RWY EXTENSION WIP
C1177/23	FROM 2311180300 / 2402172359
	ILS RWY26 TEMPO WITHDRAWN DUE TRANS INSTALLATION
C1325/23	FROM 2401010200 / 2403311605EST
	DLY 0200-1605 HR OF SER : TWR/APP/DVOR/DME/ATIS/RFFS CAT-7. 24HR PRIOR COOR FOR EARLY WATCH AND WATCH EXTENSION
C1326/23	FROM 2312291312 / 2403291330EST
	EXTENDED PORTION OF RWY08/26 (1285M FM BEGINNING OF RWY08 TOWARDS WEST AND 240M FM BEGINNING OF RWY26 TOWARDS EAST) IS NOT AVBL FOR ANY ACFT OPS. U/S MARKINGS PROVIDED.RWY 08/26 AVBL LEN FOR ACFT OPS IS 2285M.
	LATEST PUBLICATIONS: AIP: EAIP INDIA 2.0 AVBL ON WWW.AIM-INDIA.AAI.AERO AIP AIRAC AMDT 01/2024 EFFECTIVE DATE 21 JAN 2024 AIP AIRAC SUP 211/2023 EFFECTIVE DATE 31 DEC 2023 AIC ISSUED BY DGCA INDIA. REF HTTPS://WWW.DGCA.GOV.IN AIS PRODUCTS AVBL ON AIM INDIA WEBSITE (HTTPS://AIM-INDIA.AAI.AERO)

CHENNAI NOTAM SUMMARY (C-SERIES) –JANUARY- 2024

YEAR=2007 25
YEAR=2008 33 35 36 37 40
YEAR=2009 29
YEAR=2010 14
YEAR=2011 09 61 67 68
YEAR=2012 27
YEAR=2014 18
YEAR=2017 28
YEAR=2018 148 150
YEAR=2020 84 139
YEAR=2021 35 204 222
YEAR=2023 55 61 62 63 74 89 90 103 104 105 106 107 108 109 111 113 115 117 118 119 125 126 127 131 140 142 143 144 145 146 149 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211