

# MONTHLY NOTAM SUMMARY

TEL: 91-22-26819422 FAX: 91-22-26828000 AFS: VABBYNYX E-mail: <a href="mailto:nofvabb@aai.aero">nofvabb@aai.aero</a>	 AIRPORTS AUTHORITY OF INDIA INTERNATIONAL NOTAM OFFICE ATS COMPLEX, NEAR SAHAR CARGO MUMBAI - 400099	NOTAM LIST Series C <u>1<sup>ST</sup> JULY 2019</u>
---	---	---

The following C SERIES NOTAMS are valid on 1ST JULY 2019. NOTAM not included in the list have been cancelled, time expired, superseded by AIP Supplement or incorporated in the AIP.

NOTE: FOR TEXT OF NOTAM PERTAINING TO THE PERIOD PRIOR TO THE YEAR 2019, PLEASE REFER TO SUMMARY OF JANUARY 2019. SUMMARY OF 1ST JANUARY 2019 SHOULD BE PRESERVED TILL NEXT JANUARY.

### CHECKLIST OF SERIES 'C'

```

YEAR=2008 : 0092 0600
YEAR=2009 : 1003 1004 1020
YEAR=2011 : 0604 0642 0747 1229
YEAR=2013 : 0009 0433 0592
YEAR=2014 : 0318 0319 0544 0546 0983
YEAR=2016 : 0051 0954 1029
YEAR=2017 : 0893 1197 1263 1377
YEAR=2018 : 0049 0056 0059 0081 0194 0340 0420 0676 0725 0788 0933 1004
              1088 1138 1261 1276 1282 1283 1313 1382 1487 1537 1562 1575
              1635
YEAR=2019 : 0004 0013 0049 0079 0135 0159 0161 0180 0198 0204 0241 0308
              0316 0325 0326 0344 0350 0351 0379 0380 0384 0395 0396 0397
              0399 0404 0405 0419 0438 0448 0458 0466 0479 0488 0491 0493
              0502 0504 0507 0511 0512 0513 0518 0521 0522 0523 0527 0538
              0549 0558 0561 0576 0577 0586 0587 0588 0593 0598 0599 0603
              0611 0617 0619 0623 0629 0630 0632 0634 0636 0639 0640 0641
              0642 0643 0646 0647 0648 0649 0651 0654 0661
    
```

### AURANGABAD

### VAAU

C0241/19	1903150000/2103142359
	VALIDITY OF AD LICENSE ISSUED BY DGCA (DIRECTORATE GENERAL OF CIVIL AVIATION). ICAO LOCATION INDICATOR-VAAU NAME OF AD-AURANGABAD AIRPORT AD LICENSE NR-AL/PUBLIC/035 DATE OF ISSUE OF LICENSE- 15.03.2019 DATE OF VALIDITY OF LICENSE- 14.03.2021
C0395/19	1904261045/1910261520
	DLY BTN 1045-1520.HR OF OPS ATS. DVOR/DME/NDB AVBL H24 AS PER EAIP ENR 4.1 AND VAAU AD2.19. 24 HR PPR FOR NON SKED OPS. 4 HR PN FOR WATCH EXTENSION

### BHUJ

### VABJ

C1029/16	1611251215/PERM
C0642/19	1907010030/1909301200
	DLY BTN 0030-0430 AND 0830-1200 HR OF OPS OF TERMINAL BLDG AND CIVIL APN. 24 HR PN TO OPR ANY NON SKED FLT/EXTN OF WATCH

## MONTHLY NOTAM SUMMARY

<b><u>VADODARA</u></b>		<b><u>VABO</u></b>	
C1138/18	1809110530/PERM		
C1313/18	1810150600/PERM		
C0013/19	1901060000/2101052359		
	VALIDITY OF LICENCE ISSUED BY DGCA		
	ICAO LOCATION INDICATOR - VABO		
	NAME OF AD - VADODARA AIRPORT		
	AD LICENCE NR. - AL/PUBLIC/028-VADODARA		
C0316/19	1903290030/1910261630		
	0030-1630.HR OF OPS OF ATS. DVOR/DME AVBL H24 AS PER EAIP ENR 4.1 AND AD2 VABO AD2.19.		
C0527/19	1905310515/1908300615		
	EV TUE AND FRI BTN 0515-0615.RWY 04/22 NOT AVBL FOR OPS DUE MAINT.HOWEVER RWY SHALL BE MADE AVBL FOR VIP/ACFT IN EMERG		
C0538/19	1906050330/1907041130		
	ELECTRICAL PANEL SHIFTING WIP LOCATION:		
	1) 116/150 M RIGHT FROM RWY 04 ON CL LATERALLY AND 320 M LONGITUDINALLY FROM BEGINNING OF RWY 04. PIT DIMENSION (2 X 1 X 1.07) M.		
	2) 117 M RIGHT FROM RWY 04 CL LATERALLY AND 320 M LONGITUDINALLY FROM BEGINNING OF RWY 04. PIT DIMENSION (2 X 1 X 1.07) M.		
	3) 40 M RIGHT FROM RWY CL LATERALLY AND 180 M LONGITUDINALLY FROM BEGINNING OF RWY 04. PIT DIMENSION (2 X 1 X 1.07) M.		
	4) 40 M FROM RIGHT OF TWY F WHILE TAX FROM RWY TO TWY F AND 470 M (APPROX.) FROM BEGINNING OF INT OF TXY F AND RWY. PIT DIMENSION (1 X 1 X 1.07)M.		
	PILOT TO EXER CTN WHILE LDG/TKOF/TAX		
C0593/19	1906170230/1909161230		
	0230-1230 GRASS CUTTING WIP IN BASIC STRIP/OPR AREA BY MECHANICAL MEANS		
<b><u>BHOPAL</u></b>		<b><u>VABP</u></b>	
C0420/18	1804161230/2004142359		
C1635/18	1901060030/PERM		
C0488/19	1905240030/1908311700		
	0030-1700.BIRD ACT OBS AROUND OPR AREA.PILOTS TO EXER CTN WHILE LDG AND TKOF		
C0639/19	1906281058/1908270950 EST		
	BAY NR 07 NOT AVBL DUE CONST OF ROTUNDA AND F FINGER FOR THE THIRD AEROBRIDGE AT BAY NR 07		
<b><u>BHAVNAGAR</u></b>		<b><u>VABV</u></b>	
C0518/19	1906010200/1908161435		
	MON-SAT 0200-0430 AND 1240-1435 SUN 1240-1435 HR OF OPS ATS. DVOR/DME AVBL H24 AS PER EAIP ENR 4.1 AND AD2 VABV AD2.19. RESCUE AND FIRE FIGHTING SER CAT 5.24 HR PN FOR SKED/NON SKED FOR ATC SER		
<b><u>DAMAN</u></b>		<b><u>VADN</u></b>	
C0747/11	1108030130/PERM		
C1229/11	1112291127/PERM		
C0544/14	1407090200/PERM		

## MONTHLY NOTAM SUMMARY

C0588/19	1906141032/1907150800
	DVOR 'DMN' FREQ 113.3MHZ NOT AVBL DUE MAINT WIP.
C0646/19	1907010200/1909300800
	PAWAN HANS LIMITED IS OPR HEL FM DISPERSED SITE COORD 2026N 07250E LOCATED IN CIRCUIT AREA /CTR OF DAMAN. ROUTING FM DAMAN TO DIU AND BACK AND UNDERTAKING LOCAL FLYING ALSO EXC SUNDAYS. HGT FL070 AND BLW IN COOR WITH DAMAN AS PER ATC WATCH HR. ALL FLT ADVISED TO MNTN R/T 118.7 MHZ BEYOND ATC WATCH HR AND GIVE BLIND CALLS FOR TFC INFO. ALL TRANSITING TFC THROUGH DAMAN CTR AND ADJ AREA TO EXER CTN
C0647/19	1906290704/1907310800
	PRKG FAC NOT AVBL DUE WIP IN AND AROUND DISPERSAL AREA
C0651/19	1907010000/1907311420
	DLY BTN 0000-0115 AND 1300-1420 EXTENSIVE BIRD ACT OBS AROUND AIRFIELD DRG PERIOD.FLYING NOT PERMITTED EXC FOR URGENT/OPR TASK.IN ADDITION BIRD ACT OBS BTN 0930 TO 1300 AROUND AIRFIELD. PILOT TO EXER CTN WHILE LDG/TKOF
<b><u>DIU</u></b>	<b><u>VADU</u></b>
C0194/18	1802200600/PERM
C1004/18	1807301125/PERM
C0049/19	1901080530/PERM
	VHF SDBY FREQ 118.250 MHZ AVBL
C0479/19	1905220630/1909300930
	MON-SAT BTN 0630-0930.HR OF OPS. TWR 122.9 MHZ, ALTN 118.250 MHZ NDB DU 307 KHZ.FIRE FIGHTING AND RESCUE SER CAT 5. 24 HR PN FOR EXTENSION OF WATCH FOR NON-SKED FLT
C0521/19	1905300000/1907152359
	MON-SAT 0000-0629 AND 0931-2359.SUN H24.RWY 05/23 NOT AVBL DUE RECARPETTING WIP
<b><u>GONDIA</u></b>	<b><u>VAGD</u></b>
C0092/08	0802070500/PERM
C0600/08	0809250001/PERM
C0604/11	1106280830/PERM
C0642/11	1107020130/PERM
C0433/13	1305130650/PERM
C0592/13	1306270430/PERM
C0318/14	1404030230/PERM
C0319/14	1404021121/PERM
C0081/18	1801241131/PERM
C0576/19	1906170400/1907311630
	MON TO FRI BTN 0400-0800 AND 1130-1630 SAT BTN 0330-1130 HR OF OPS ATS. RESCUE AND FIRE FIGHTING SER CAT 4.TWR ALTN FREQ 118.7MHZ IN OPS SIMUL WITH MAIN FREQ 118.35 MHZ TO ENHANCE THE ATC HANDLING CAPACITY FOR TRNG FLT
C0643/19	1906281354/1909302359 EST
	ILS RWY04 NOT AVBL DUE RWY EXTENSION WORK AND TRANS-INSTL OF ILS
<b><u>INDORE</u></b>	<b><u>VAID</u></b>
C1562/18	1812110816/PERM
C1575/18	1812240000/2012232359
C0079/19	1901220630/PERM

## MONTHLY NOTAM SUMMARY

	LEN OF ALS OF RWY 25 AND 07 FM THR IS 420M. INTST OF APCH LGT IS SALS LIH IN 5 STEPS.AMEND EAIP VER 2.0 AD 2.14 ACCORDINGLY
C0380/19	1904160000/1907152359
	CONST WIP OF NEW PRKG STAND IN OPS AREA TOWARDS W SIDE OF FIRE SECN BLDG AND N OF RWY. PILOT EXER CTN
C0522/19	1906010000/1907312359
	GRASS CUTTING WIP IN OPR AREA
C0523/19	1906010000/1907312359
	PILOTS EXER CTN WHILE LDG/TKOF DUE JACKAL MENACE AND BIRD ACT IN OPR AREA
C0577/19	1906131230/1908312359
	WIP FOR COV OF OPEN DRAIN VARY FM 75M TO 90M FM RWY CL ON BOTH SIDE. PILOTS TO EXER CTN
C0603/19	1906180230/1908312359
	PAX BOARDING BRIDGES WIP NEAR STAND NR 4.PILOT TO EXER CTN DURING TAX
<b><u>JABALPUR</u>                      <u>VAJB</u></b>	
C0340/18	1803280600/1907032359
C0326/19	1904010140/1910311530
	DLY BTN 0140-1530.HR OF OPS ATS. 24 HR PN FOR NON SKED MOV
C0561/19	1906121600/1907310030
	DLY BTN 1600-0030 CONST OF NEW RWY SHOULDER WIP FM BEGINING OF RWY24 UPTO 1378M
C0619/19	1906250500/1909242359
	DVOR JJB 113.6 MHZ RESTRICTED BTN RDL 190DEG-290DEG
<b><u>JUHU</u>                                      <u>VAJJ</u></b>	
C0546/14	1407100100/PERM
C0049/18	1801170426/PERM
C0135/19	1902080000/2002072359
	AD LICENSE FOR VAJJ AIRPORT LICENSE NR AL/PUBLIC/067
C0466/19	1905150849/1908151430 EST
	BOMBAY FLY CLUB TWY B CLSD FOR OPS DUE REPAIR WORK
C0587/19	1906140330/1906301400 EST
	DLY BTN 0330-1400.CABLE LAYING WIP FM FIRE STN TO THE PERIPHERY OF INDAMER DISPERSAL AREA.PILOTS TO EXER CTN WHILE TAX.
C0598/19	1906170200/1912311301 EST
	0200-20 MIN AFT SS HR OF OPS ATS. 04 HR PN FOR WATCH EXTENSION
C0611/19	1906200330/1907041400 EST
	0330-1400 DLY WIP ON CULVERT NEAR THE EXIT OF INDAMER DISPERSAL AREA LEADING TO RWY34. PILOTS TO EXER CTN WHILE TAX
C0632/19	1906280930/1909301430 EST
	BIRDS ACT IN AND AROUND OPR AREA AND IN TFC CIRCUIT.PILOTS TO EXER CTN WHILE LDG AND TAX
C0648/19	1906290730/1907061430 EST
	SIDES OF TWY D WATER FLOODED. PILOTS EXER CTN WHILE TAX
C0649/19	1906290730/1907061430 EST
	SIDES OF RWY08/26 AND RWY16/34 WATER FLOODED.PILOTS EXER CTN WHILE LDG/TKOF AND TAX
<b><u>JALGAON</u>                      <u>VAJL</u></b>	

## MONTHLY NOTAM SUMMARY

C0161/19	1902120900/1912202359
	VALIDITY OF AD LICENSE ISSUED BY DGCA ICAO LOCATION INDICATOR - VAJL NAME OF AD - JALGAON AIRPORT AD LICENSE NO - AL/PUBLIC/075-JALGAON AIRPORT DATE OF ISSUE OF LICENSE - 21.12.2017 DATE OF VALIDITY OF LICENSE - 20.12.2019 VAJL IS DECLARED AS CONTROLLED VFR AD. ALL OPR TO DEVELOP THIER OWN PROC FOR VFR OPS AT VAJL AP.
C0640/19	1906281129/1907312359 EST
	PAPI RWY 09 NOT AVBL. ARR TO USE RWY 27 ONLY.
C0641/19	1906281132/1907312359 EST
	ATS WATCH HR NOT AVBL.ALL NON SKED FLT OPR SHALL TAKE PRIOR PERMISSION 24 HR BEFORE OPERATION
<b><u>KANDLA</u>                      <u>VAKE</u></b>	
C0009/13	1301030001/PERM
C0983/14	1412270001/PERM
C1197/17	1711280000/1911272359
C1487/18	1811230900/PERM
C0458/19	1905150800/1912311115
	MON-SAT 0800-1115. SUN 0800-1000 HR OF OPS ATS
<b><u>KESHOD</u>                      <u>VAKS</u></b>	
C1276/18	1810081200/PERM
C1282/18	1811150430/PERM
C0204/19	1902270000/PERM
	REF AIP SUPPLIMENT 123/2018 VAKS AD 2.12 - RESA RWY05 IS 90MX90M AND RESA RWY23 IS 90MX90M.
C0379/19	1904160400/PERM
	REF AD 2.13 OF E-AIP INDIA REVISED DIST AS FLW RWY   LDA/M       TORA/M       TODA/M       ASDA/M 05     1321         1321         1321         1321 23     1371         1371         1371         1371
C0558/19	1906110430/1908110930 EST
	DLY BTN 0430-0930 EXC SAT HR OF OPS OF NDB KS 282KHZ. ATC WATCH/FIRE FIGHTING AND RESCUE SER/MET SER NOT AVBL. 48HR PN FOR ANY ACFT MOV.
<b><u>KOLHAPUR</u>                      <u>VAKP</u></b>	
C1003/09	0401230057/PERM
C1004/09	0401230052/PERM
C0056/18	1801180707/PERM
C0725/18	1806150000/1912142359
C0788/18	1806271030/PERM
C0438/19	1905120315/1910311030
	MON WED THU FRI SAT SUN 0315-0545 AND 0800-1030.TUE 0315-0500, 0645-0945 AND 1100-1300 HR OPS ATS, RESCUE AND FIRE FIGHTING SER CAT 5. 24HR PPR FOR NON SKED OPS
C0507/19	1905311300/1908310230
	DLY BTN 1300-2359 AND 0000-0230 KOLAHAPUR AIRPORT NOT AVBL FOR OPS DUE WIP.NIGHT PARKING NOT AVBL DUE WIP.
<b><u>MUNDRA</u>    <u>VAMA</u></b>	
C1537/18	1812030525/PERM

## MONTHLY NOTAM SUMMARY

C0180/19	1902160000/2002152359
	VALIDITY OF AD LICENCE: AD NAME:MUNDRA INTERNATIONAL AIRPORT PVT LTD LICENCE NR: AL/PUBLIC/077 VALID UPTO:15.02.2020
C0493/19	1905250455/1908160655
	MON TO SAT BTN 0455-0655 HR OF OPS ATS. AFS CAT-3. TWR MAIN FREQ 122.45MHZ. VOR/DME 113.5MHZ. 24HR PN FOR NON SKED ACFT.
<b><u>OZAR</u></b>	<b><u>VAOZ</u></b>
C0051/16	1601151057/PERM
C1088/18	1808231056/PERM
<b><u>PORBANDAR</u></b>	<b><u>VAPR</u></b>
C1377/17	1712300206/1912271830 EST
C0350/19	1904020809/1907020630 EST
	DRG NOTIFIED WATCH HR STANDS NOT AVBL FOR NON SKED ACFT
C0351/19	1904020811/1907020630 EST
	04 HR PRIOR NOTICE FOR WATCH EXTENSION REQUIRED FOR NON SKED FLT
C0404/19	1904290230/1907271230
	0230-1230.GRASS CUTTING WIP IN OPR AREA. PILOT TO TAKE CTN DRG LDG/TKOF
C0405/19	1904280700/1907272359
	THE FLW OBJECTS ARE INFRINGING THE APCH FUNNEL OF RWY 09. PILOTS TO EXER CTN ON WHILE LDG FM RWY 09 AND TKOF RWY 27. DETAILS ARE AS BELOW  NAME OF OBJECT/TOP ELEV/COORD IN (WGS)/DIST FM RWY STRIP 1. CELL PHONE MAST/39.00M/213857.297N 0693817.030E/1159M  2. GROUP OF TREES/25.40M/213856.175N 0693842.604E/403M  3. BUILDING/30.30M/213849.496N 0693818.500E/1125M  4. BUILDING/38.50M/213855.904N 0693803.504E/1549M  5. CELL PHONE MAST/49.70M/213900.108N 0693815.107E/1212M  6. CELL PHONE MAST/40.80M/213902.247N 0693822.073E/1009M LOWER LIMIT: GND UPPER LIMIT: 49.7M
C0448/19	1905120600/1908122330 EST
	ACFT TO FLW TURN PAD MARKINGS AT THE END OF THE RWY POSITIVELY AFTER LDG
C0502/19	1905270730/1908271300 EST
	BIRD ACT OBS PEAK HR 0100-0200 AND 1200-1300
C0511/19	1905290615/PERM
	PCN VALUE FOR RWY 09/27 : 27/F/B/W/T PCN VALUE FOR TWY B : 19/F/B/W/T PCN VALUE FOR OLD APRON : 4/R/B/W/T AMEND EAIP INDIA VAPR AD 2.8 ACCORDINLGY
C0512/19	1905290615/PERM
	SLOPES OF RWY 09/27 ARE AS BELOW:

## MONTHLY NOTAM SUMMARY

	LONGITUDINAL SLOPE : 0.30 PERCENTAGE TRANSVERSE SLOPE : 1.00 PERCENTAGE AMEND EAIP INDIA VAPR AD 2.12 ACCORDINGLY
C0513/19	1905290615/PERM
	DIMENSIONS OF RWY 09/27 STRIPS (M): 1491 X 280.AMEND EAIP INDIA VAPR AD 2.12 ACCORDINGLY
C0629/19	1906270145/1907160615 EST
	MON-SAT BTN 0145-0615 AND SUN BTN 0330-0615 AD RESCUE AND FIRE FIGHTING CAT-5 AVBL FROM 0145-0330 AND CAT-6 AVBL FROM 0330- 0615. BEYOND ABOVE MENTIONED PERIOD CAT- 4 AVBL.
C0630/19	1906270145/1907160615 EST
	SUN BTN 0330-0615      MON-SAT BTN 0145-0615      HR OF OPS ATS
<b><u>PUNE</u></b>	<b><u>VAPO</u></b>
C1020/09	0912220927/PERM
<b><u>RATNAGIRI</u></b>	<b><u>VARG</u></b>
C0549/19	1906070330/1909070800 EST
	EXC SAT SUN AND HOLIDAYS BTN 0330-0800.FLW SER NOT AVBL AT VARG AIRFIELD FIRE FIGHTING/ RESCUE/ SALVAGE SER MEDICAL SER NAVIGATIONAL AIDS FUELLING FACILITY NIGHT FLYING FACILITY AIRFIELD LGT SYSTEM PAPI/APAPI.MAKESHIFT ATC WITH ONLY VHF SET (LIMITED R/T RANGE) IS BEING MANNED ON REQUIREMENT BASIS. THE VHF FREQ MANNED AT RATNAGIRI ATC IS 126.8MHZ, NO STANDBY SET AVBL. OPR ARE ADVISED TO ARRANGE FIRE FIGHTING/RESCUE/ SALVAGE, MEDICAL AND FUELLING FAC PRIOR FLYING OPS. OPR ARE TO OBTAIN AOR CLR FROM COAST GUARD HEADQUARTERS ATLEAST 72 HR IN ADVANCE AND SUBMIT RESPECTIVE FLIGHT PLAN TO ICGAS RATNAGIRI ON CGAS-RTN(A)INDIANCOASTGUARD.NIC.IN.48 HR PRIOR FLYING OPERATION. ALL OPR ARE TO OBTAIN POSITIVE TELEPHONIC CLR FROM ATC PRIOR DEPARTURE.CONTACT NO 02352-224557/224555 FAX 02352-224088
<b><u>RAJKOT</u></b>	<b><u>VARK</u></b>
C0893/17	1709140745/PERM
C1382/18	1810291100/PERM
C0397/19	1904290000/1910282359
	VALIDITY OF AD LICENSE ISSUED BY DGCA ICAO LOCATION INDICATOR - VARK NAME OF AD - CIVIL AERODROME RAJKOT AD LICENSE NO - AL/PUBLIC/041 DATE OF ISSUE OF LICENSE- 25.04.2019 DATE OF VALIDITY OF LICENSE- 28.10.2019
C0399/19	1905011030/1910261230 EST
	MON,THU,SAT 0100-0230, 1030-1230 TUE,WED,FRI, SUN 1030-1430.HR OF OPS ATS. 04 HR PN FOR WATCH EXTENTION AND NON SKED OPS
C0419/19	1905030300/1907151000 EST
	0300-1000. STRENGTHNING WORK OF APN SHOULDER IS IN PROGRESS ON SE CORNER OF APN. PILOT TO EXER CTN WHILE TAXI OUT/IN
C0491/19	1905250000/PERM
	REVISED PCN FOR RWY-23/05(0-1743 M)-67/F/B/W/T

## MONTHLY NOTAM SUMMARY

	RWY-23/05 (1743M-1843M) -51/F/B/W/T (PORTION OF 100M BEGINNING OF RWY 05) TWY/APN-67/F/B/W/T AMEND E-AIP VER 2.0 PARA VARK AD 2.8 AND AD 2.12 ACCORDINGLY.																														
C0599/19	1906171247/1909221630 EST																														
	DECLARED DIST AVBL AT VARK AP <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: left;">RWY</td> <td style="text-align: left;">TORA (M)</td> <td style="text-align: left;">TODA (M)</td> <td style="text-align: left;">ASDA (M)</td> <td style="text-align: left;">LDA (M)</td> </tr> <tr> <td>05</td> <td>1742</td> <td>1742</td> <td>1742</td> <td>1742</td> </tr> <tr> <td>23</td> <td>1742</td> <td>1742</td> <td>1742</td> <td>1642</td> </tr> </table>	RWY	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	05	1742	1742	1742	1742	23	1742	1742	1742	1642															
RWY	TORA (M)	TODA (M)	ASDA (M)	LDA (M)																											
05	1742	1742	1742	1742																											
23	1742	1742	1742	1642																											
<b><u>SHIRDI</u></b>	<b><u>VASD</u></b>																														
C0159/19	1902120745/PERM																														
	<p>1. GENERAL INFO</p> <p>A. NAME OF THE AD: SHIRDI GREENFIELD INTERNATIONAL AIRPORT (KAKADI)</p> <p>B. LCA OF THE AD : LCA IN SE DIRECTION FM SHIRDI RAILWAY STN AT A DIST OF APRX 16KM NEAR VILLAGE KAKADI.</p> <p>C. GEO COORD OF : 194127.33 N 0742218.35 E ARP IN TERMS OF WGS-84</p> <p>D. AD ELEV AND : 581.750M/1908.60 FT GEOID UNDULATION</p> <p>E. AD REFERENCE TEMP : 38.5 DEG C</p> <p>F. DETAILS OF THE: ABN IS LOCATED ABM THE ATC TWR BLDG, ABN FLG GREEN AND WHITE, WITH A FREQ OF 24 FLASHES PER MIN. AVBL DRG AD OPR HR</p> <p>G. MAGNETIC VARIATION : 2.1 DEG E/0DEG26MIN14SEC W /ANNUAL CHG</p> <p>H. AD REFERENCE CODE : 4C</p> <p>I. NAME, ADDRESS AND CTC : AIRPORT DIRECTOR SHIRDI GREENFIELD INTERNATIONAL AIRPORT, NEAR VILLAGE KAKADI, TALUKA KOPARGAON, DISTRICT AHMEDNAGAR PIN CODE 423107 KELWAD POST OFFICE. TEL: 02423 246201 FAX: 02423 246202 EMAIL: APD.SAG(A)MADCINDIA.ORG</p> <p>3.2.1 RWY PHYSICAL CHARACTERISTICS</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">RWY</th> <th style="text-align: left;">TRUE/ MAG</th> <th style="text-align: left;">DIMENSIONS OF RWY (M)</th> <th style="text-align: left;">STRENGTH (PCN) SFC OF RWY</th> <th style="text-align: left;">THR COORD</th> <th style="text-align: left;">THR ELEV (AMSL IN M) AND HIGHEST ELEV OF TDZ OF PRECISION APP RWY</th> </tr> <tr> <th>1</th> <th>2</th> <th>3</th> <th>4</th> <th>5</th> <th>6</th> </tr> </thead> <tbody> <tr> <td>RWY 09</td> <td>88DEG FLEXIBLE</td> <td>2500X45</td> <td>60 F/C/W/T</td> <td>194118.62 N 0742154.53 E</td> <td>THR : 590.8M</td> </tr> <tr> <td></td> <td>24MIN48SEC BITUMINOUS</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>RWY 27</td> <td>268DEG</td> <td>2500X45</td> <td>60 F/C/W/T</td> <td>194120.71 N</td> <td>THR: 582.3M</td> </tr> </tbody> </table>	RWY	TRUE/ MAG	DIMENSIONS OF RWY (M)	STRENGTH (PCN) SFC OF RWY	THR COORD	THR ELEV (AMSL IN M) AND HIGHEST ELEV OF TDZ OF PRECISION APP RWY	1	2	3	4	5	6	RWY 09	88DEG FLEXIBLE	2500X45	60 F/C/W/T	194118.62 N 0742154.53 E	THR : 590.8M		24MIN48SEC BITUMINOUS					RWY 27	268DEG	2500X45	60 F/C/W/T	194120.71 N	THR: 582.3M
RWY	TRUE/ MAG	DIMENSIONS OF RWY (M)	STRENGTH (PCN) SFC OF RWY	THR COORD	THR ELEV (AMSL IN M) AND HIGHEST ELEV OF TDZ OF PRECISION APP RWY																										
1	2	3	4	5	6																										
RWY 09	88DEG FLEXIBLE	2500X45	60 F/C/W/T	194118.62 N 0742154.53 E	THR : 590.8M																										
	24MIN48SEC BITUMINOUS																														
RWY 27	268DEG	2500X45	60 F/C/W/T	194120.71 N	THR: 582.3M																										

## MONTHLY NOTAM SUMMARY

FLEXIBLE 24MIN48SEC	0742320.37 E				
BITUMINOUS					
SLOPE OF RWY	SWY	CWY	STRIP	OFZ	REMARKS
DIMENSIONS	DIMENSIONS	DIMENSIONS	DIMENSIONS		
(M)	(M)	(M)	(M)		
7	8	9	10	11	12
SLOPE	NIL	NIL	2620X	NIL	NIL
LONG			150M		
1%					
TRANSVERSE	NIL	NIL		NIL	
1.5%					
3.2.2 TWY :TWY WID, SFC AND STRENGTH					
TWY	LEN IN	STRENGTH	TYPE OF	SUITABLE FOR	
DESIGNATION	(M)	/ PCN	SFC	USE UP TO	
/WID IN M					
TWY A/23M	221.17	60F/C/W/T	FLEXIBLE	A320	
			(BITUMINOUS)		
TWY B/23M	436.9	60F/C/W/T	FLEXIBLE	A320	
			(BITUMINOUS)		
TWY C/23M	554.6	60F/C/W/T	FLEXIBLE	A320	
			(BITUMINOUS)		
3.2.3 APN					
APN	SIZE IN	STRENGTH	SLOPE	NR OF ACFT STAND	
M	/ SURFACE			BAYS	CLR IN M
REMOTE	225 X	56 /R/B/W/T	1%	04	4.5
STANDS	105	/CONC			
ISOLATION TEMPO LCA DUMBELL RWY 09					
PRKG STAND					
3.2.5 SFC MOV GUIDANCE AND CONTROL SYSTEM/MARKINGS AND LGT					
1. USE OF ACFT STAND ID SIGNS			ACFT STAND ID MARKINGS		
TWY GUIDELINES AND			AND TWY GUIDELINES AVBL.		
VISUAL DCKG/ PRKG			TAX GUIDANCE		
GUIDANCE SYSTEM			PROVIDED ON R/T BY ATC.		
OF ACFT STANDS			VDGS NOT AVBL		
2 RWY AND TWY MARKINGS/			RWY MARKED FOR DESIGNATION,		
LGT			CL, TRANSVERSE STRIP, THR, TDZ,		
			RWY SIDE STRIP, AIMING		
			POINT, TURNPAD		
			TWY MARKED CL, HLDG PSN,		
			MANDATORY INSTRUCTION MARKING		
3.2.6 OTHER LGT, SECONDARY PWR SUPPLY					
1. LDI LCA AND			194115.788 N, 0742319.525E		
LGT			ELEV 580.222 M		
2. SECONDARY PWR			DG SET AVBL FOR ALL LGT AT AD		
SUPPLY/ SWITCH-			(PAPI AND ABN).		
OVER TIME			DG SET WILL BE SWITCHED ON 20 MIN		
			BFR ARR OF EV FLT		
3. REMARKS			NIL		
3.2.7 LCA AND RDO FREQ OF VOR AD CK POINT					

## MONTHLY NOTAM SUMMARY

	<p>VOR CHECK POINTS NOT AVBL.DVOR IS YET TO BE INSTL BY AAI, AFT INSTL VOR CHECK POINT WILL BE DECLARED.</p> <p>3.2.8 GEO COORD OF EACH THR</p> <p>RWY 09 194118.62 N 0742154.53 E</p> <p>RWY 27 194120.71 N 0742320.37 E</p> <p>3.2.9 GEO COORD OF APPROPRIATE TWY CL POINTS</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">AREA /POINT</th> <th colspan="4" style="text-align: left;">COORD (WGS-84)</th> </tr> </thead> <tbody> <tr> <td>TWY A CL</td> <td>194123.647 N</td> <td>0742319.902 E</td> <td></td> <td></td> </tr> <tr> <td>TWY B CL</td> <td>194123.451 N</td> <td>0742311.069 E</td> <td></td> <td></td> </tr> <tr> <td>TWY C CL</td> <td>194130.362 N</td> <td>0742324.5 E</td> <td></td> <td></td> </tr> </tbody> </table> <p>3.2.10 GEO COORD OF ACFT STANDS</p> <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>STAND 1(NOSE 1 ATR 72)</td> <td>194132.718 N</td> <td>0742341.681 E</td> <td></td> <td></td> </tr> <tr> <td>STAND 1(NOSE 2 A320)</td> <td>194132.610 N</td> <td>0742341.638 E</td> <td></td> <td></td> </tr> <tr> <td>STAND 2</td> <td>194133.143 N</td> <td>0742340.565 E</td> <td></td> <td></td> </tr> <tr> <td>STAND 3</td> <td>194133.699 N</td> <td>0742339.045 E</td> <td></td> <td></td> </tr> <tr> <td>STAND 4</td> <td>194134.064 N</td> <td>0742338.015 E</td> <td></td> <td></td> </tr> </tbody> </table> <p>3.2.11 GEO COORD OF AD OBST IN THE APCH,TKOF AREAS,CIRCLING AREA AND IN THE VCY OF THE AD. <span style="float: right;">NIL</span></p> <p>3.2.12 PRE-FLT ACL AND ELEV</p> <p>LCA: ALL FOUR STANDS</p> <table style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td>APN STAND 1 ELEV</td> <td>572.67M</td> </tr> <tr> <td>APN STAND 2 ELEV</td> <td>572.9 M</td> </tr> <tr> <td>APN STAND 3 ELEV</td> <td>573.05M</td> </tr> <tr> <td>APN STAND 4 ELEV</td> <td>573.3 M</td> </tr> </tbody> </table> <p>3.2.13 DECLARED DIST</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">RWY DESIGNATION</th> <th style="text-align: left;">TORA (M)</th> <th style="text-align: left;">TODA (M)</th> <th style="text-align: left;">ASDA (M)</th> <th style="text-align: left;">LDA (M)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> </tr> <tr> <td>09</td> <td>2500</td> <td>2500</td> <td>2500</td> <td>2500</td> </tr> <tr> <td>27</td> <td>2500</td> <td>2500</td> <td>2500</td> <td>25003.2.14</td> </tr> </tbody> </table> <p>DISABLED ACFT REMOVAL PLAN</p> <p>AVBL SEPARATELY IN REMOVAL OF DISABLE ACFT PLAN</p> <p>3.2.15 RESCUE AND FIRE FIGHTING</p> <p>AD CAT FOR <span style="float: right;">CAT 7</span></p> <p>FIRE FIGHTING <span style="float: right;">(OPR HR OF AD)</span></p> <p>RESCUE EQUIPMENT <span style="float: right;">RESCUE EQPT AVBL AS PER CAT 7</span></p> <p>FREQ <span style="float: right;">SMC 121.625 MHZ</span></p> <p style="padding-left: 100px;"><span style="float: right;">TWR 118.450 MHZ</span></p> <p>REFUELLING AVBL. INDIAN OIL CORPORATION LIMITED IS THE FUEL OPR WITH A FIXED FACILITY TOTAL CAPACITY OF 35000 LITRES AND 28000 LITRES WHEEL CAPACITY (FUEL BROWSERS)</p>					AREA /POINT	COORD (WGS-84)				TWY A CL	194123.647 N	0742319.902 E			TWY B CL	194123.451 N	0742311.069 E			TWY C CL	194130.362 N	0742324.5 E			STAND 1(NOSE 1 ATR 72)	194132.718 N	0742341.681 E			STAND 1(NOSE 2 A320)	194132.610 N	0742341.638 E			STAND 2	194133.143 N	0742340.565 E			STAND 3	194133.699 N	0742339.045 E			STAND 4	194134.064 N	0742338.015 E			APN STAND 1 ELEV	572.67M	APN STAND 2 ELEV	572.9 M	APN STAND 3 ELEV	573.05M	APN STAND 4 ELEV	573.3 M	RWY DESIGNATION	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	1	2	3	4	5	09	2500	2500	2500	2500	27	2500	2500	2500	25003.2.14
AREA /POINT	COORD (WGS-84)																																																																													
TWY A CL	194123.647 N	0742319.902 E																																																																												
TWY B CL	194123.451 N	0742311.069 E																																																																												
TWY C CL	194130.362 N	0742324.5 E																																																																												
STAND 1(NOSE 1 ATR 72)	194132.718 N	0742341.681 E																																																																												
STAND 1(NOSE 2 A320)	194132.610 N	0742341.638 E																																																																												
STAND 2	194133.143 N	0742340.565 E																																																																												
STAND 3	194133.699 N	0742339.045 E																																																																												
STAND 4	194134.064 N	0742338.015 E																																																																												
APN STAND 1 ELEV	572.67M																																																																													
APN STAND 2 ELEV	572.9 M																																																																													
APN STAND 3 ELEV	573.05M																																																																													
APN STAND 4 ELEV	573.3 M																																																																													
RWY DESIGNATION	TORA (M)	TODA (M)	ASDA (M)	LDA (M)																																																																										
1	2	3	4	5																																																																										
09	2500	2500	2500	2500																																																																										
27	2500	2500	2500	25003.2.14																																																																										
C0586/19	1906140850/1907141230																																																																													
	WIND SPEED AND DIRECTION INDICATOR IN TWR U/S																																																																													
C0617/19	1907010330/2005011230																																																																													
	DLY BTN 0330-1230 VFR FIELD, VHF 118.45 MHZ MAIN/SDBY AVBL,PAPI 27/09 AVBL, RESCUE AND FIRE FIGHTING SER CAT 7 AVBL. 24 HR PPR FOR NON SKED OPS AND WATCH EXTENSION																																																																													
C0654/19	1906291230/1909231230																																																																													

## MONTHLY NOTAM SUMMARY

	RWY EXTENTION WIP AT RWY 09 BEGINNING AND RESA (SIZE 150M X 240M) WIP AT BOTH ENDS AT RWY 09/27 DURING NON WATCH HR. RESA (150M X 240M) FOR BOTH ENDS 09/27 NOT AVBL. RESA (90M X 90M) AVBL AT RWY 27 END FOR PRSENT USE
<b><u>SOLAPUR</u></b>	<b><u>VASL</u></b>
C0954/16	1701050000/PERM
C0059/18	1801190426/PERM
C0933/18	1807170700/PERM
C0384/19	1904180725/1907192359 EST
	ATC/CNS/MET FAC NOT AVBL. 24 HR PN FOR FLT OPS
<b><u>SURAT</u></b>	<b><u>VASU</u></b>
C1263/17	1712080000/1912072359
C0676/18	1806060045/PERM
C1261/18	1810041130/PERM
C1283/18	1810100500/PERM
C0198/19	1902250700/PERM
	SDBY FREQ FOR TWR CTL 118.050 MHZ COMMISSIONED
C0308/19	1903310030/1910261630 EST
	TUE FRI SUN 0030-2359 WED H24 MON THU SAT 0000-1630 HR OF OPS ATS. PN FOR NON SKED MOV.04 HR PN FOR WATCH EXTENSION.
C0396/19	1904260600/1907252359 EST
	AS PER THE FRICTION TEST REPORT ,FCT OF BELOW PORTIONS OF RWY 04/22 FOUND BELOW THE MINIMUM FCT. STARTING FM THR OF RWY 04 1) 3 M LEFT FROM 200M TO 300M, FCT=0.34 2) 3 M RIGHT FROM 1400M TO 1500M, FCT=0.34 3) 3 M RIGHT FROM 1500M TO 1600M, FCT=0.28 4) 3 M RIGHT FROM 1600M TO 1700M, FCT=0.32 RWY IS LIABLE TO BE SLIPPERY WHEN WET.PILOT TO EXER CTN.
C0661/19	1906302042/1907042359 EST
	ILS RWY 22 ISUT NOT AVBL DUE WATER LOGGING IN CRITICAL AREA.
<b><u>UDAIPUR</u></b>	<b><u>VAUD</u></b>
C0004/19	1901010744/2101052359
	ICAO LOCATION INDICATOR: VAUD NAME OF AD : MAHARANA PRATAP AIRPORT, UDAIPUR AD LICENSE NR : AL/PUBLIC/030
C0325/19	1903310310/1909301415
	BTN 0310-1415 DLY.HRS OF OPS-ATS EXC DVOR/DME. FIRE FIGHTING AND RESCUE SER CAT-7 AVBL
C0344/19	1904010536/1906302359 EST
	PORTION OF APN STAND NR 6 TO 12 FALLS WI BASIC STRIP
C0504/19	1905280105/1907311415
	DLY BTN 0105-1415.DLY HR OF OPS TWR-APP MAIN FREQ 118.65 MHZ SDBY FREQ 122.3 MHZ, NDB LU 384 KHZ ,ILS RWY 26 LLZ IUDR 109.9 MHZ, LP-DME 1060/997 MHZ, GP 333.8 MHZ, ATIS FREQ 128.85 MHZ, AP RESCUE AND FIRE FIGHTING SER CAT-VII AVBL
C0623/19	1906260105/1908251415
	EXER CTN WHILE LDG/TKOF DUE MINOR WILDLIFE ACT OBS IN OPS AREA
C0634/19	1906281026/1912311415
	NON FRANGIBLE GP HUT LCA N OF RWY AT 120 M FM RWY CL IS WI BASIC STRIP.PAINTED CHEQUERED AND OBST LGT PROVIDED
C0636/19	1906281047/1912311415

## MONTHLY NOTAM SUMMARY

AP PERIMETER WALL WITH CONCERTINA COIL OF HGT 9.5FT(8FT+1.5FT) LOCATED AT 140M FM RWY CL IN BOTH SIDES IS INFRINGING TRANSITIONAL SURFACE. PERIMETER WALL IS PAINTED RED AND WHITE AND LGTD

**LATEST PUBLICATIONS AIP : E-AIP VER 2.0**

**Date : 01/06/2018**

**AIP AMENDMENT : 1/2019 DATED 11 OCT 2018**

**FOLLOWING AIP SUPPLEMENTS ARE VALID AS ON 1ST JULY 2019**

YEAR =1989	33
YEAR =1990	02
YEAR =2007	25
YEAR =2008	33 34 35 36 37 40 46 47 48
YEAR =2009	29
YEAR =2010	09 14
YEAR =2011	09 61 67 68
YEAR =2012	27 38
YEAR =2013	37
YEAR =2014	03 18
YEAR =2015	36 61
YEAR =2017	23 24 28 34 53 65 98
YEAR =2018	27 28 37 108 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 168 169 170 171.
YEAR=2019	02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90

**AIC ISSUED BY DGCA. CAN BE VIEWED ON [www.dgca.nic.in](http://www.dgca.nic.in)**

(REMABAI PAL)  
ASST.GENERAL MANAGER (C-E)  
For General Manager (CNS)-Mumbai